

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Olerup SSP® HLA-A-B-DR SSP Combi Tray

Product number:	101.701-24/06 – including <i>Taq</i> pol.
Lot number:	91M
Expiry date:	2014-May-01
Number of tests:	24 tests – Product No. 101.701-24 6 tests – Product No. 101.701-06
Number of wells per test:	95 +1
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 91M.

CHANGES COMPARED TO THE PREVIOUS *OLERUP SSP*® HLA-A-B-DR SSP COMBI TRAY LOT

The **HLA-A low resolution** specificity and interpretation tables have been updated for the HLA-A alleles described since the previous *Olerup SSP*® HLA-A-B-DR SSP Combi Tray lot was made (**Lot No. 44M**).

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
2	Added	-	Increased yield of specific PCR product.
6	Modified	-	Increased yield of specific PCR product.
8	-	Added	Primer added for the A*25:15 allele.
9	-	Added	Primer added for the A*25:15 allele.
12	-	Added	Improved allelic resolution.
13	-	Modified	Increased yield of specific PCR product.
15	Added	Modified	Primers added for the A*30:47 and 30:52 alleles.

The **HLA-B low resolution** specificity and interpretation tables have been updated for the HLA-B alleles described since the previous *Olerup SSP*® HLA-A-B-DR SSP Combi Tray lot was made (**Lot No. 44M**).

The HLA-B low primer set is unchanged compared to the previous lot.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

The **HLA-DR low resolution** specificity and interpretation tables have been updated for the HLA-DRB alleles described since the previous *Olerup* SSP® HLA-A-B-DR SSP Combi Tray lot was made (**Lot No. 44M**).

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
87	-	Modified	Improved allelic resolution.

Change in revision R01 compared to R00:

1. The HLA-A*68:13 allele is amplified by primer mix 4. This has been corrected in the specificity and interpretation tables.

Change in revision R02 compared to R01:

1. Primer mix 43 does not amplify the B*15:101 allele. This has been corrected in the Specificity and Interpretation tables.

Change in revision R03 compared to R02:

1. The HLA-A*03:01:03, 03:09, 03:23:01, 03:89, 03:108, 11:06, 11:18, 24:28, 24:89, 26:03:01-26:03:02, 26:06, 26:07:02, 26:21, 26:30, 30:13, 30:16, 30:44, 30:46, 68:05, 68:15, 68:20 and 68:30 alleles are weakly amplified by primer mix 2. This has been corrected in the Specificity and Interpretation Tables.
2. The DR serology has been corrected in the Specificity Table.

Changes in revision R04 compared to R03:

1. In primer mix 5, the specific PCR product of 535 base pairs may be difficult to distinguish from the internal control band. A foot note has been added to the Specificity Table.
2. Primer mix 17 does not amplify the HLA-A*36:02 allele. This has been corrected in the Specificity and Interpretation Tables.

Change in revision R05 compared to R04:

1. Primer mix 43 does not amplify the B*44:10 allele. This has been corrected in the Specificity and Interpretation Tables.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well 96 contains Negative Control primer pairs, that will amplify more than 95% of the Olerup SSP® HLA Class I, DRB, DQB1 and DPB1 amplicons as well as the amplicons generated by control primer pairs.

PCR product sizes range from 75 to 430 base pairs.
The PCR product generated by the control primer pair is 430 base pairs.

Length of PCR product	105	200	105	80	75	80
5'-primer¹	164	340	440	45	45	43
	5'-CAC ^{3'}	5'-Agg ^{3'}	5'-TTA ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}
3'-primer²	231	2nd I	507	59	58	57
	5'-TgC ^{3'}	5'-AAA ^{3'}	5'-TTg ^{3'}	5'-CTC ^{3'}	5'-ggC ^{3'}	5'-CTC ^{3'}
A*	+	+	+			
B*	+	+	+			
C*	+	+	+			
DRB1				+	+	
DRB3				+	+	
DRB5				+		
DQB1					+	
DPB1						+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

PRODUCT DESCRIPTION

HLA-A-B-DR SSP Combi Tray

CONTENT

The primer set contains 5'- and 3'-primers for grouping the HLA-A*01:01 to A*80:02 alleles into the corresponding serological groups A1 to A80.

The primer set contains 5'- and 3'-primers for grouping the B*07:02 to B*83:01 alleles into the corresponding serological groups B7 to B81 as well as primer pairs for recognizing the Bw4 and Bw6 sequence motifs.

The primer set contains 5'- and 3'-primers for grouping the DRB1*01:01 to DRB1*10:03 alleles into the corresponding serological groups DR1 to DR18 as well as primer pairs for recognizing the DRB3, DRB4 and DRB5 groups of alleles.

PLATE LAYOUT

Each test consists of 96 PCR reactions in a 96 well PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32
33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48
49	50	51	52	53	54	55	56
57	58	59	60	61	62	63	64
65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88
89	90	91	92	93	94	95	ctrl

Wells 1 to 24 – HLA-A low resolution primers.

Wells 25 to 72 – HLA-B low resolution primers.

Wells 73 to 95 – HLA-DR low resolution primers.

Well 96 – Negative Control.

The 96 well PCR plate is marked with 'A-B-DR' in silver/gray ink.

Well No. 1 is marked with the Lot No. '91M'.

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are covered with a PCR-compatible foil.

INTERPRETATION

Only HLA-A alleles will be amplified by the 24 wells of the HLA-A low resolution primer set, **wells 1 to 24**, except that primer mix 6 will amplify the B*18:27 allele. Thus, the interpretation of HLA-A low resolution is only influenced by this HLA-B allele and not by other HLA Class I genes.

Only HLA-B alleles will be amplified by the 48 wells of the HLA-B low resolution, primer set, **wells 25 to 72**, except that the C*02:23 and C*04:77 alleles will be

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

amplified by primer mix 25, the C*03:05, 03:25 and 03:27 alleles will be amplified by primer mix 27, the C*01:30 allele will be amplified by primer mix 28, the A*23:31, A*24:106 and C*16:10 alleles will be amplified by primer mix 30, the C*07:46 allele will be amplified by primer mix 32, the A*24:174 allele will be amplified by primer mix 37, the C*03:102 allele will be amplified by primer mixes 41 and 65, the C*15:51 allele will be amplified by primer mix 45, the C*15:25 allele will be amplified by primer mix 53, the C*15:39 allele will be amplified by primer mix 55, the C*15:02:04 allele will be amplified by primer mix 64, the C*03:12 and 03:19 alleles will be amplified by primer mix 65, the C*02:06 and 02:47 alleles will be weakly amplified by primer mix 67 and the A*26:68, A*68:56, C*06:20 and C*12:50 alleles will be amplified by primer mix 69.

Thus, the interpretation of HLA-B low resolution typings is only influenced by these alleles and not by other alleles of other HLA class I genes.

Only HLA-DRB alleles will be amplified by the 23 wells the DR low resolution primer set, **wells 73 to 95**. Thus, the interpretation of DR low resolution typings is not influenced by other HLA class II genes.

UNIQUELY IDENTIFIED ALLELES

All the HLA-A alleles, i.e. **A*01:01 to A*80:02**, recognized by the HLA Nomenclature Committee in July 2011¹ will be amplified by the primers in the HLA-A low resolution primer set, **wells 1 to 24**. The HLA-A alleles will be grouped into their corresponding serological specificities².

All the HLA-B alleles, i.e. **B*07:02 to B*83:01**, recognized by the HLA Nomenclature Committee in July 2011¹ will be amplified by the primers in the HLA-B low resolution primer set, **wells 25 to 72**. The HLA-B alleles will be grouped into their corresponding serological specificities³.

All the HLA-DRB1, -DRB3, -DRB4⁴ and -DRB5 alleles, i.e. **DRB1*01:01:01 to 10:03, DRB3*01:01:02:01 to DRB3*03:03, DRB4*01:01:01:01 to DRB4*01:08, DRB5*01:01:01 to DRB5*02:05**, recognized by the HLA Nomenclature Committee in July 2011¹ will be amplified by the primers in the DR low resolution primer set, **wells 73 to 95**. The HLA-DRB alleles will be grouped into their corresponding serological specificities⁵.

¹HLA-A, HLA-B and HLA-DRB alleles listed on the IMGT/HLA web page 2011-July-14, release 3.5.0, www.ebi.ac.uk/imgt/hla.

²The A*23:14 and the A*24:05, 24:13:02 and 24:24 alleles will give rise to identical amplification patterns. These four alleles can be separated by the respective high resolution SSP primer sets.

³The B*08:26, 08:50 and 08:62 and B*42:07 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The B*14:08 and the B*39:25N, 39:30, 39:32-39:34, 39:47 and 39:50 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The B*18:29 and the B*35:32, 35:37, 35:53N, 35:64, 35:68:01-35:68:02, 35:99, 35:118-35:119 and 35:174 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The B*41:09 and the B*45:02 and 45:03 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

The B*54:01:02 and the B*55:01:07-55:02:06, 55:07, 55:10, 55:12, 55:16, 55:19, 55:26, 55:30, 55:35, 55:37, 55:39, 55:41-55:43, 55:47-55:48 and 55:50 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The B*55:04, 55:08, 55:13, 55:27, 55:46 and 55:49 and the B*56:15, 56:19N and 56:22 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The B*55:23 and 55:32 and the B*56:18 and 56:31-56:32 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

⁴The DRB4*02:01N and DRB4*03:01N null alleles will not be amplified by the DR low resolution primer set.

⁵The DRB1*08:09 and the DRB1*14:15 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The DRB1*08:20 and the DRB1*13:18, 13:47 and 13:55 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The DRB1*08:31, 08:41 and DRB1*11:67 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The DRB1*13:13 and 13:119 and DRB1*14:84 and 14:116 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

SPECIFICITY TABLE

HLA-A low resolution primer set

Specificities and sizes of the PCR products of the 24 primer mixes used for HLA-A low resolution SSP typing

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	HLA-A serology ³	Amplified HLA-A alleles ^{4,6}
1^{7,8}	120 bp, 145bp, 225 bp	800 bp	A1, A36	*01:01:01:01-01:04N, 01:06-01:33, 01:35-01:101, 03:18, 11:94, 36:01-36:05
2⁸	210 bp, 255 bp, 365 bp, 415 bp	800 bp	A2, A19, A28, A203, A210, A3, A11, A9, A26, A30, A68	*02:01:01:01-02:01:15, 02:01:17-02:01:19, 02:01:21-02:22:02, 02:24:01-02:35:01, 02:35:03-02:47, 02:49-02:77, 02:78 ^w , 02:79:01-02:97:02, 02:99, 02:101:01-02:128, 02:130-02:323, 02:325-02:326, 03:01:03 ^w , 03:09 ^w , 03:23:01 ^w , 03:89 ^w , 03:108 ^w , 11:06 ^w , 11:18 ^w , 24:28 ^w , 24:89 ^w , 26:03:01-26:03:02 ^w , 26:06 ^w , 26:07:02 ^w , 26:21 ^w , 26:30 ^w , 30:13 ^w , 30:16 ^w , 30:44 ^w , 30:46 ^w , 68:05 ^w , 68:15 ^w , 68:20 ^w , 68:30 ^w
3⁹	205 bp, 235 bp	1070 bp	A1, A3, A11, A32, A34, A36	*01:12, 01:19, 01:21, 03:01:01:01-03:17, 03:19-03:74, 03:76-03:94, 03:96-03:132, 11:25, 11:60, 24:92, 32:04, 33:49 ^w , 34:02:01, 34:02:02 ^w , 34:03-34:04, 34:07-34:09, 36:02
4	190 bp	800 bp	A1, A3, A11, A30, A36, A68	*01:01:01:01-01:01:22, 01:01:24-01:04N, 01:06-01:07, 01:09-01:11N, 01:13, 01:16N-01:18N, 01:20-01:29, 01:31N-01:33, 01:35-01:78, 01:80-01:98, 01:100-01:101, 02:78, 02:169, 03:12, 03:18, 03:88, 11:01:01-11:27, 11:29-11:106, 26:19, 30:08, 36:04, 68:13, 68:66
5¹⁴	160 bp, 535 bp	800 bp	A3, A9, A23, A24, A2403, A31, A32	*01:95, 03:30, 23:01:01-23:46, 24:02:01:01-24:11N, 24:13:01-24:15, 24:17-24:64, 24:66-24:88, 24:90N-24:128, 24:130-24:182, 31:08, 32:05, 32:13
6¹⁰	135 bp, 175 bp, 210 bp	800 bp	A9, A23, A24, A29, A80	*23:01:01-23:46, 24:05, 24:13:02, 24:24, 29:07, 31:29, 80:01-80:02, B*18:27
7	175 bp, 205 bp	1070 bp	A2, A3, A9, A23, A24, A2403, A26	*02:17:01 ^w -02:17:02 ^w , 23:14, 24:02:01:01-24:11N, 24:13:01-24:13:02, 24:17-24:50, 24:54-24:56, 24:58-24:63, 24:66-24:91, 24:93, 24:95-24:113, 24:115-24:137, 24:139-24:182, 26:16, 33:19, 68:45
8	165 bp, 200 bp	800 bp	A2, A3, A10, A11, A25, A26, A28, A32, A34, A66, A68, A69	*01:51, 02:55, 03:24, 03:50, 11:10, 25:01:01-25:16, 26:01:01-26:06, 26:08-26:15, 26:17-26:18, 26:20-26:43:02, 26:45-26:63, 26:65-26:69, 29:28, 32:15, 33:51, 34:01:01-34:09, 66:01-66:16, 68:01:01:01-68:83, 69:01

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

9⁷	75 bp	800 bp	A3, A25, A32	*25:01:01-25:16, 32:01:01-32:02, 32:04, 32:06-32:36
10⁷	85 bp	1070 bp	A10, A26	*01:51, 01:83, 02:146, 26:01:01-26:02, 26:04, 26:07:01-26:18, 26:20, 26:22-26:29, 26:31-26:43:02, 26:45-26:69, 33:13, 33:48
11^{7,8}	80 bp, 175 bp, 500 bp	1070 bp	A1, A9, A10, A11, A26, A31, A34, A66	*01:13, 01:28, 03:63, 03:88, 11:01:01-11:27, 11:29-11:106, 24:19, 24:44, 26:03:01-26:03:02, 26:06, 26:21, 31:03, 34:01:01-34:08, 66:01, 66:04-66:11, 66:13-66:15, 80:02
12	185 bp	800 bp	A3, A10, A25, A26, A31, A34, A43, A66	*02:309, 03:01:19, 11:11, 25:05-25:06, 26:09, 26:54, 31:03-31:04, 34:01:01-34:09, 43:01, 66:02-66:03, 66:16
13	175 bp, 225 bp	1070 bp	A1, A2, A3, A10, A25, A26, A34, A43, A66	*01:13, 02:34-02:35:03, 02:56:01-02:56:02, 02:62, 02:103, 02:135, 03:01:01-03:01:22, 03:01:24-03:07, 03:09-03:11N, 03:13-03:31, 03:33-03:35, 03:37-03:40, 03:42-03:56, 03:58, 03:60-03:71, 03:73-03:87, 03:90-03:106, 03:109-03:110, 03:112-03:132, 25:01:01-25:05, 25:07-25:16, 26:01:01-26:01:20, 26:01:22, 26:02 ^w , 26:03:01-26:03:02, 26:05-26:08, 26:10-26:33, 26:35-26:43:02, 26:45-26:69, 30:55, 34:08, 43:01, 66:01, 66:04-66:15, 68:71, 74:13
14⁷	100 bp, 200 bp, 240 bp	1070 bp	A2, A29	*02:237, 02:309, 03:95, 26:19, 26:22, 29:01:01-29:31, 31:03-31:04, 33:13, 33:48, 34:04, 66:09
15^{7,8,12,13}	90 bp, 135 bp, 205 bp	1070 bp	A1, A30	*01:13, 01:28, 03:43, 03:82, 30:01:01-30:04:02, 30:06-30:20, 30:22-30:55, 31:35
16	240 bp, 370 bp, 395 bp	1070 bp	A2, A24, A31, A32	*02:237, 03:95, 29:14, 31:01:02-31:54, 32:05
17	140 bp, 180 bp	1070 bp	A32	*01:95, 03:43, 03:82, 29:13, 31:35, 32:01:01-32:03, 32:05-32:36, 74:07
18	200 bp	1070 bp	A33, A68	*02:243, 33:01:01-33:01:06, 33:03:01-33:50, 68:29
19¹²	160 bp, 200 bp	800 bp	A74	*29:19, 74:01-74:15
20¹⁰	220 bp, 245 bp	800 bp	A2, A210, A25, A68	*02:34-02:35:03, 02:46, 02:48, 02:56:01-02:56:02, 02:62, 02:70, 02:78, 02:103, 02:129, 25:05, 26:54, 68:01:01-68:83
21	240 bp, 375 bp	800 bp	A2, A26, A28, A68, A69	*02:55, 02:243, 24:82, 26:22, 33:22, 66:09, 68:29, 69:01
22^{7,11}	85 bp, 240 bp	800 bp	A2, A36	*02:34-02:35:03, 02:46, 02:48, 02:56:01-02:56:02, 02:62, 02:70, 02:78, 02:103, 02:129, 36:01-36:05
23^{7,10}	75 bp, 160 bp, 240 bp, 495 bp	800 bp	A2, A26, A28, A36, A68, A80	*02:55, 03:41, 03:63, 03:75, 03:88, 24:18, 26:03:01-26:03:02, 26:05-26:06, 26:21, 26:30, 33:24, 36:02, 68:05, 68:15, 68:20, 80:01

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

24¹²	360 bp	1070 bp	A10, A26, A31, A66	*02:135, 02:309, 03:01:19, 25:13, 26:30, 26:65, 31:04, 34:09, 66:02-66:03, 66:12, 66:16
------------------------	--------	---------	--------------------	---

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-A low resolution SSP typings. When the primers in a primer mix can give rise to specific PCR products of more than one length this is indicated if the size difference is 20 base pairs or more. Size differences shorter than 20 base pairs are not given. For high resolution SSP kits the respective lengths of the specific PCR product(s) of the alleles amplified by these primer mixes are given.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-A low resolution typing.

In addition, wells 2, 4, 5, 6, 8, 9, 12 and 19 to 23 contain the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

In the presence of a specific amplification the intensity of the control band often decreases.

³The serological reactivity of all HLA-A alleles is not known. In this table we use the expert-assigned serological grouping in Tissue Antigens (2009) 73:95-170 and the serological grouping of the sequence-defined allele.

⁴For several HLA-A alleles only partial 1st exon nucleotide sequences are available. We assume that unknown sequences are conserved within allelic groups.

Nucleotide sequence information is available for only exons 2 and 3 of many HLA Class I alleles and for only exon 2 of many HLA Class II alleles and not for other exons or for the introns of these alleles. We assume that unknown sequences in these exons and in the introns are conserved within loci and within allelic groups.

⁵The A*23:14, 24:05, 24:13:02 and 24:24 alleles will give rise to identical amplification patterns. These four alleles can be separated by the respective high resolution SSP primer sets.

⁶Primer mix 6 will amplify the B*18:27 allele.

⁷Specific PCR fragments shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR bands.

⁸The primer pairs in wells 1, 2, 11 and 15 will in many samples give rise to two or three HLA-specific PCR fragments.

⁹Primer mix 3 may faintly amplify the A*30:04, 30:06, 30:17 and 30:29 alleles.

¹⁰Primer mixes 6, 20 and 23 may have a tendency of primer dimer formation.

¹¹Primer mix 22 might faintly amplify most A*11 alleles.

¹²Primer mixes 15 and 24 may yield less specific PCR product than the other HLA-A low primer mixes.

¹³Primer mix 15 may have tendencies of unspecific amplifications.

¹⁴In primer mix 5, the specific PCR product of 535 base pairs may be difficult to distinguish from the internal control band. The alleles giving rise to a product of this size are the following:

A*01:95, 23:09, 24:02:06, 24:02:27, 24:08, 24:24, 24:29, 24:42, 24:67, 24:116, 24:137, 24:140, 24:145, 24:156, 24:171 and 32:13.

‘w’, might be weakly amplified.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

SPECIFICITY TABLE

HLA-B low resolution primer set

Specificities and sizes of the PCR products of the 48 primer mixes used for HLA-B low resolution SSP typing

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	HLA-B serol. ³	Amplified HLA-B alleles ^{4,5}
25^{6,10}	110 bp	800 bp	7, 703, 40, 41, 42, 48, 61	*07:02:01-07:18:02, 07:20-07:32, 07:34-07:39, 07:41-07:47, 07:49N-07:50, 07:52, 07:54-07:59, 07:61-07:99, 07:101-07:121, 07:123-07:138, 15:138, 15:230, 37:07, 40:15-40:16, 40:23, 40:32, 40:98, 40:136, 40:158, 41:08, 42:05:01-42:05:02, 48:05, 48:08, 48:15, C*02:23, C*04:77
26	215 bp	1070 bp	8, 44	*08:01:01-08:05, 08:07-08:25, 08:27-08:49, 08:51-08:61, 08:63-08:64, 08:66-08:77, 15:142, 15:180, 44:49, 51:68
27	140 bp, 235 bp	1070 bp	7, 8, 13, 15, 35, 4005, 44, 49, 61, 62, 77	*07:20, 07:24, 07:60, 07:100, 07:131, 08:21, 08:25, 13:01:01-13:04, 13:06-13:08Q, 13:10-13:23, 13:25-13:38, 13:40-13:50, 15:07:01-15:07:02, 15:36 ^w , 15:45, 15:55, 15:68, 15:89 ^w , 15:126, 15:205, 15:207, 35:05:01-35:05:02, 35:16-35:17, 35:22, 35:30, 35:51, 35:58, 35:72, 35:89, 35:97, 35:113-35:114, 35:125, 35:164, 40:05, 40:71, 44:08 ^w , 44:54, 44:57 ^w , 44:60, 44:106, 44:110, 46:12, 46:20, 51:64, 53:14, 55:51, 58:18, C*03:05, C*03:25, C*03:27
28^{7,8}	130 bp, 265 bp	800 bp	12, 13, 14, 17, 21, 35, 40, 41, 44, 45, 47, 49, 50, 60, 61, 64, 65	*13:01:01-13:04, 13:06-13:13, 13:15-13:23, 13:25-13:50, 14:01:01-14:04, 14:07N, 14:09, 14:11-14:12, 14:14-14:27, 15:46, 15:53, 15:106, 15:212, 18:44, 35:46-35:47, 35:63, 35:154, 40:01:01-40:01:23, 40:07, 40:10:01-40:10:02, 40:14:01-40:16, 40:22N-40:23, 40:25, 40:30-40:34, 40:36, 40:38, 40:42-40:43, 40:45, 40:47-40:49, 40:51-40:55, 40:58-40:63, 40:65-40:67, 40:69, 40:72:01-40:73, 40:76-40:77, 40:79-40:81, 40:84, 40:87:01-40:88, 40:92, 40:100-40:102, 40:106, 40:108, 40:110, 40:112-40:114, 40:116-40:118N, 40:121, 40:123-40:126, 40:128-40:130, 40:132, 40:134-40:136, 40:139-40:141, 40:146-40:147, 40:150-40:156, 40:158, 40:160, 40:163-40:164, 40:166, 40:168, 40:171-40:172, 41:01-41:19, 44:02:01-44:03:06, 44:03:08-44:05:03, 44:09-44:39, 44:41:01-44:43:02, 44:45-44:56N, 44:58N-44:80, 44:82, 44:84-44:102, 44:104-44:110, 44:112-44:129, 44:132-44:133, 45:01-45:13, 47:01:01-47:08, 49:01:01-49:02, 49:04-49:20, 50:01:01-50:02, 50:04-50:06, 50:08-50:14, 57:45, 57:51, C*01:30
29⁸	185 bp, 235 bp	800 bp	7, 16, 17, 27, 2708, 37, 38, 3901, 3902, 39, 64, 67	*14:01:01-14:01:02, 14:07N-14:08, 14:10, 14:12, 14:14, 14:19, 14:26, 27:01-27:05:15, 27:05:17-27:06, 27:08-27:10, 27:12-27:13, 27:16-27:18, 27:20, 27:23, 27:26-27:27, 27:29, 27:31, 27:35-27:37, 27:39-27:42, 27:44-27:46, 27:48-27:61, 27:64N-27:69, 27:72-27:75, 27:77-27:80, 27:82, 37:02, 38:01:01-38:02:02, 38:03,

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

				38:07-38:24, 38:26-38:32, 38:34N-38:35, 39:01:01:01-39:01:01:02L, 39:01:03-39:01:08, 39:01:10-39:02:01, 39:03, 39:05:01-39:09, 39:11, 39:14-39:15, 39:18, 39:19:02, 39:22, 39:24:01-39:44, 39:46-39:48, 39:50-39:62, 39:64-39:67, 47:04-47:05, 48:21, 67:01:01, 67:03
30	190 bp	800 bp	14, 35, 38, 39, 65	*07:28, 14:02:01-14:02:02, 14:02:04-14:02:05, 14:03-14:06:02, 14:09, 14:11, 14:13, 14:15-14:18, 14:20, 14:22-14:23, 14:25, 14:27, 15:77, 15:189, 15:233, 35:26, 38:05, 38:33, 39:04, 44:16, 44:37, 44:64:01-44:64:02, 44:91, 44:132, 52:26, 57:04, A*23:31, A*24:106, C*16:10
31	290 bp	1070 bp	15, 22, 62, 63, 71, 72, 75, 76, 77, 46	*15:01:01:01-15:01:03, 15:01:06-15:02:05, 15:03:03-15:08, 15:10:02-15:11:03, 15:11:05-15:15, 15:17:01:01-15:17:02, 15:19-15:21, 15:24-15:28, 15:30-15:36, 15:38:01-15:40, 15:42-15:46, 15:48, 15:50, 15:55-15:58, 15:60, 15:63, 15:65-15:66, 15:70-15:71, 15:73, 15:75-15:79N, 15:81-15:89, 15:92, 15:94N, 15:96-15:97, 15:101-15:102, 15:104-15:107, 15:109-15:113, 15:116-15:118, 15:120-15:122, 15:125-15:126, 15:128-15:129, 15:135-15:150, 15:152, 15:154-15:155, 15:157, 15:159-15:160, 15:162-15:172, 15:174-15:175, 15:177-15:179, 15:181N-15:185, 15:187-15:196, 15:199, 15:201-15:209N, 15:211, 15:213-15:219, 15:223-15:225, 15:227-15:228, 15:230-15:234, 46:01:01-46:28
32	165 bp, 220 bp, 330 bp	1070 bp	5, 8, 12, 21, 22, 37, 41, 42, 44, 45, 48, 51, 56, 57, 60, 62, 70, 71, 72, 82	*08:01:01-08:05, 08:08N-08:12:03, 08:15-08:19N, 08:21-08:24, 08:26-08:27, 08:29-08:36, 08:38-08:39, 08:41-08:48, 08:50-08:54, 08:56-08:69, 08:71-08:73, 08:75-08:76, 13:46, 15:03:01-15:03:03, 15:09-15:10:02, 15:18:01-15:18:04, 15:23, 15:29, 15:37, 15:46-15:47, 15:49, 15:51-15:54, 15:61-15:62, 15:64, 15:69, 15:72, 15:74, 15:80, 15:83, 15:90-15:91, 15:93, 15:98-15:99, 15:103, 15:106, 15:108, 15:114-15:115, 15:119, 15:123-15:124, 15:127, 15:131-15:134, 15:143, 15:151, 15:153, 15:156, 15:158, 15:161, 15:173, 15:176, 15:186, 15:197-15:198, 15:200, 15:210, 15:212, 15:220-15:221, 15:226N, 15:229, 35:87, 37:12, 38:30, 40:12, 40:136, 41:01-41:03:02, 41:05-41:09, 41:11-41:17, 41:19, 42:01:01-42:02, 42:04-42:08, 42:10-42:15, 44:14-44:15, 44:18, 44:20, 44:62, 44:100, 45:01-45:13, 51:08, 51:20, 51:36, 51:44N, 51:97, 52:19, 55:20, 56:13, 57:09, 82:01-82:03, C*07:46
33^{8,9,11}	165 bp, 190 bp, 390 bp	1070 bp	5, 17, 21, 35, 51, 5102, 5103, 52, 56, 62, 63, 70, 78	*15:01:02, 15:09, 15:16:01-15:17:02, 15:67, 15:95, 15:162, 15:168, 15:177, 15:196, 15:208, 15:216, 15:222, 15:230, 35:01:10, 35:04:02, 40:26, 40:28, 44:62, 49:18, 50:14, 51:01:01-51:01:03, 51:01:05-51:02:03, 51:02:05-51:09:02, 51:11N-51:12, 51:13:02-51:14, 51:16-51:23, 51:24:03-51:24:04, 51:26-51:33, 51:37-51:41N, 51:43-51:44N, 51:46, 51:48-51:61, 51:63-51:80, 51:82-51:91, 51:94-51:98N, 51:100-51:122, 52:01:01:01-52:01:04, 52:01:06-52:13, 52:15-52:24, 52:26, 56:05:01-56:06, 56:21, 58:08:01-58:08:02, 78:01:01-78:07

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

34	180 bp	800 bp	13, 22, 55, 60	*07:78, 13:01:01-13:02:12, 13:07N-13:09, 13:11, 13:14-13:20, 13:22:01-13:23, 13:25, 13:27-13:34, 13:36-13:45, 13:47, 13:49N-13:50, 40:48, 45:10, 49:07, 55:09, 55:22, 55:24
35⁶	105 bp, 195 bp	1070 bp	8, 12, 27, 38, 39, 3902, 40, 44, 45, 48, 60, 70, 71, 72, 82	*07:27, 07:50, 08:04, 08:17, 08:54, 15:03:01-15:03:03, 15:47, 15:49, 15:54, 15:61-15:62, 15:64, 15:68-15:69, 15:91, 15:98, 15:103, 15:123, 15:127, 15:131-15:132, 15:151, 15:156, 15:158, 15:173, 15:210, 15:220, 18:37, 27:18, 27:29, 37:28, 38:03, 39:02:01-39:02:02, 39:08, 39:13:01-39:13:02, 39:23, 39:39, 39:49, 40:12, 40:46, 40:93, 42:11, 44:10, 44:15, 44:18, 44:40, 44:44, 44:130, 45:01, 45:05-45:07, 45:11-45:13, 48:01:01-48:05, 48:07-48:25, 49:20, 50:02, 52:16, 55:18, 82:01-82:03
36	280 bp	1070 bp	5, 7, 8, 13, 15, 16, 17, 18, 22, 35, 40, 42, 44, 46, 48, 49, 51, 53, 55, 56, 57, 58, 60, 61, 62, 63, 70, 71, 72, 75, 76, 77, 78	*07:09, 07:11, 07:17, 08:28, 08:35, 08:37, 13:04, 13:10, 13:26, 15:01:01:01-15:01:04, 15:01:06-15:08, 15:11:01-15:16:03, 15:18:01-15:21, 15:23-15:29, 15:31-15:36, 15:38:01-15:40, 15:43-15:44, 15:46-15:47, 15:49-15:57, 15:60-15:62, 15:64-15:72, 15:74-15:76, 15:78:01-15:82, 15:84-15:85, 15:87-15:89, 15:91-15:98, 15:101-15:129, 15:131-15:132, 15:134-15:136, 15:138-15:149N, 15:151-15:161, 15:163-15:167, 15:169-15:176, 15:178-15:187, 15:189-15:195, 15:197-15:207, 15:209N-15:215, 15:217-15:223, 15:225-15:228, 15:231-15:232, 15:234, 18:01:01-18:15, 18:17N-18:25, 18:27-18:40, 18:42-18:60, 18:62-18:66, 27:41, 35:01:01:01-35:01:29, 35:05:01-35:05:02, 35:07-35:08:04, 35:10-35:11:02, 35:14:01-35:17, 35:19-35:21, 35:23-35:30, 35:32, 35:35, 35:37, 35:40N-35:43:02, 35:45-35:54, 35:57-35:58, 35:61-35:64, 35:66-35:69, 35:71-35:72, 35:76-35:80, 35:82, 35:86, 35:89-35:94, 35:97, 35:99-35:105, 35:107-35:108:02, 35:110-35:126, 35:130N-35:135, 35:137-35:148, 35:158-35:159, 35:161, 35:165N-35:166, 35:168, 35:170-35:171, 35:173N-35:178, 39:07, 39:43, 40:03, 40:20, 40:38, 40:52, 40:59-40:60, 40:105, 40:158-40:159, 42:09, 44:17, 44:43:01-44:43:02, 45:09, 46:01:01-46:10, 46:12-46:17, 46:19-46:28, 48:02:01-48:02:02, 48:14, 48:23, 48:25, 49:04-49:05, 51:37, 51:45, 51:63, 51:97, 53:01:01-53:03, 53:05-53:06, 53:08:01-53:18, 53:20-53:26, 54:06, 54:09, 54:14, 55:14, 55:23, 55:32, 56:03, 56:09, 56:18, 56:31-56:32, 57:01:01-57:01:11, 57:06, 57:08, 57:10-57:11, 57:13-57:16, 57:18-57:27, 57:29-57:31, 57:33-57:38, 57:40-57:41, 57:43-57:45, 57:47-57:52, 58:01:01-58:02, 58:04-58:07, 58:09-58:19, 58:21-58:26, 58:29-58:33
37	195 bp	1070 bp	27, 35, 37, 44, 58, 76	*15:12, 15:14, 15:19, 15:91, 15:131, 15:161, 18:54, 18:56, 35:45, 35:71, 37:01:01-37:09, 37:12-37:13, 37:15-37:21, 37:23-37:28, 37:30N-37:31, 38:17, 44:17, 44:43:01-44:43:02, 45:09, 46:17, 53:22, 58:07, A*24:174
38⁶	105 bp, 395 bp, 435 bp	1070 bp	5, 7, 15, 41, 42, 62, 63, 70, 71, 75, 77	*07:04, 07:25, 15:09-15:10:02, 15:13:01-15:13:02, 15:16:01-15:18:04, 15:21, 15:23-15:24, 15:37, 15:44, 15:51-15:52, 15:66-15:67, 15:72, 15:80, 15:87, 15:90, 15:93, 15:95, 15:99, 15:108, 15:114-15:115, 15:119, 15:124, 15:133-15:134, 15:153, 15:157, 15:161-15:162,

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

				15:168, 15:176-15:177, 15:186, 15:189, 15:196-15:198, 15:200, 15:208, 15:216, 15:221-15:222, 15:226N, 15:229-15:230, 40:136, 41:08, 42:05:01-42:05:02
39⁶	115 bp, 150 bp	1070 bp	18	*18:01:01-18:15, 18:17N-18:28, 18:30-18:66
40⁶	80 bp	1070 bp	7, 27, 2708, 44, 60	*07:73, 27:01-27:21, 27:23-27:51, 27:53-27:66N, 27:68-27:74, 27:76-27:82, 38:22, 40:46, 40:93, 44:40, 44:44, 44:130
41	150 bp	800 bp	12, 13, 17, 18, 22, 27, 35, 37, 39, 44, 45, 47, 48, 51, 53, 56, 57, 58, 62, 70, 75, 77, 78	*08:49, 13:01:01-13:01:06, 13:06-13:07N, 13:12-13:13, 13:17, 13:20, 13:22:01-13:23, 13:25-13:26, 13:28-13:29, 13:36, 13:39, 13:43, 13:50, 14:10, 15:02:01-15:02:05, 15:13:01-15:13:02, 15:20-15:21, 15:25:01-15:25:03, 15:36, 15:44, 15:62, 15:77, 15:80, 15:85, 15:88-15:89, 15:106, 15:112, 15:121, 15:139, 15:144, 15:154, 15:165, 15:170, 15:194, 15:204, 15:213-15:214, 15:223, 18:22, 27:19, 27:30, 35:01:01:01-35:04:03, 35:06-35:08:04, 35:10-35:17, 35:19-35:21, 35:23-35:30, 35:33-35:36, 35:38-35:42:02, 35:45-35:50, 35:52, 35:54-35:57, 35:59, 35:61-35:63, 35:65Q, 35:69-35:71, 35:74, 35:76-35:78, 35:80-35:85, 35:90-35:96, 35:98, 35:100-35:101:02, 35:103-35:113, 35:115-35:116, 35:120-35:126, 35:128-35:134N, 35:136-35:150, 35:152-35:166, 35:168-35:173N, 35:175-35:178, 37:01:01-37:01:07, 37:03N-37:06, 37:08, 37:10-37:11, 37:13-37:31, 38:20, 39:42, 40:28, 44:02:01:01-44:14, 44:16-44:17, 44:19N, 44:21-44:30, 44:32-44:40, 44:42-44:46, 44:48-44:52N, 44:55-44:64:02, 44:66-44:98, 44:101-44:105, 44:107-44:134, 48:02:01-48:02:02, 48:25, 51:04, 51:42, 51:46, 51:56:01-51:56:02, 53:01:01-53:13, 53:15-53:26, 55:14, 56:09, 56:11-56:12, 57:01:01-57:01:04, 57:01:06-57:10, 57:12, 57:14-57:20, 57:22-57:30, 57:32-57:46, 57:48-57:52, 58:01:01-58:01:02, 58:01:04-58:01:09, 58:04-58:05, 58:09-58:15, 58:17N, 58:19, 58:21-58:24, 58:28-58:34, 83:01, C*03:102
42	135 bp	1070 bp	8, 18, 22, 35, 39, 78	*07:65, 07:134, 08:32, 15:202, 18:01:01-18:08, 18:10-18:15, 18:17N-18:36, 18:38-18:47, 18:50-18:53, 18:55-18:65, 35:01:01:01-35:03:02, 35:03:04-35:18, 35:20:01-35:24:02, 35:28-35:45, 35:48, 35:50-35:55, 35:57-35:62, 35:64-35:72, 35:74-35:153, 35:155-35:166, 35:168-35:178, 37:11, 39:19:01-39:19:02, 56:06, 78:01:01-78:05, 78:07
43^{6,10}	60 bp, 245 bp, 400 bp	1070 bp	5, 15, 44, 48, 60, 62, 63, 70, 71, 72, 75, 76, 77, 82	*15:01:01:01-15:01:04, 15:01:06-15:21, 15:23-15:40, 15:42-15:58, 15:60-15:67, 15:69-15:99, 15:102-15:129, 15:131-15:179, 15:181N-15:234, 40:12, 82:01-82:03
44¹⁰	210 bp	800 bp	27, 37	*07:27, 08:49, 18:54, 37:01:01-37:31, 38:17
45	170 bp	800 bp	16, 35, 38, 39, 3901, 3902, 67,	*08:55, 15:69, 15:186, 35:35, 38:01:01-38:09, 38:11-38:21, 38:23-38:29, 38:31-38:35, 39:01:01:01-39:01:01:02L, 39:01:03-39:20, 39:22-39:24:02,

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

			72	39:26-39:29, 39:31, 39:35, 39:37-39:42, 39:44-39:46, 39:48-39:49, 39:51-39:67, 51:101, 58:20, 67:01:01-67:03, C*15:51
46⁶	110 bp	1070 bp	38	*38:01:01-38:02:02, 38:03, 38:05, 38:08-38:24, 38:26-38:34N
47	395 bp	1070 bp	14, 16, 38, 39, 3901, 64, 65	*07:69, 07:85, 08:65, 14:01:01-14:20, 14:22-14:27, 38:01:01-38:02:03, 38:04-38:05, 38:08-38:25, 38:27-38:35, 39:01:01:01-39:01:01:02L, 39:01:03-39:01:12, 39:03-39:07, 39:09, 39:11-39:12, 39:14-39:15, 39:18-39:19:02, 39:22, 39:24:01-39:38Q, 39:40N-39:48, 39:50-39:57, 39:59-39:62, 39:64-39:67
48	160 bp, 425 bp	1070 bp	7, 703, 8, 14, 15, 16, 21, 39, 3901, 3902, 40, 41, 42, 45, 48, 50, 60, 61, 64, 65, 67, 70, 73, 81	*07:02:01-07:26, 07:28-07:35, 07:37, 07:39-07:64, 07:66-07:80, 07:82-07:139, 08:01:01-08:01:16, 08:04-08:05, 08:07-08:35, 08:37-08:51, 08:53-08:77, 14:01:01-14:02:04, 14:02:06-14:27, 27:14, 27:81, 39:01:01:01-39:01:01:02L, 39:01:03-39:20, 39:22-39:24:01, 39:25N-39:67, 40:01:01-40:01:23, 40:06:01:01-40:07, 40:09 [?] -40:11:02 [?] , 40:14:01 [?] -40:15 [?] , 40:16, 40:18 [?] , 40:21 [?] -40:22N [?] , 40:23, 40:24 [?] -40:38 [?] , 40:42 [?] -40:43 [?] , 40:44, 40:45 [?] -40:46 [?] , 40:48 [?] -40:50 [?] , 40:51, 40:52 [?] , 40:53, 40:54 [?] -40:58 [?] , 40:59-40:60, 40:61 [?] -40:65 [?] , 40:66, 40:67 [?] -40:69 [?] , 40:70, 40:71 [?] , 40:72:01-40:73, 40:74 [?] , 40:75, 40:77, 40:78 [?] , 40:79, 40:80 [?] -40:82 [?] , 40:83, 40:84 [?] -40:85 [?] , 40:86, 40:87:01 [?] -40:88 [?] , 40:90 [?] -40:92 [?] , 40:93, 40:95 [?] , 40:96, 40:98 [?] -40:102 [?] , 40:103, 40:104 [?] -40:108 [?] , 40:109-40:110, 40:111 [?] -40:116 [?] , 40:118N [?] -40:121 [?] , 40:123 [?] , 40:124:01, 40:124:02 [?] -40:126 [?] , 40:127, 40:128 [?] -40:130 [?] , 40:131, 40:132 [?] -40:134 [?] , 40:136 [?] -40:137 [?] , 40:138-40:140, 40:141 [?] , 40:145 [?] , 40:146-40:148, 40:149 [?] , 40:150, 40:151 [?] , 40:152-40:153, 40:154 [?] , 40:155N, 40:156 [?] , 40:158 [?] , 40:159, 40:160 [?] , 40:161-40:162, 40:163 [?] -40:164 [?] , 40:165, 40:166 [?] , 40:167, 40:168 [?] -40:173 [?] , 41:01-41:19, 42:01:01-42:02, 42:04-42:16, 45:01-45:13, 48:01:01-48:17, 48:19-48:25, 50:01:01-50:02, 50:04-50:14, 51:01:09, 51:01:21, 51:01:25, 51:10, 51:24:02-51:24:04, 54:11, 56:20:02, 67:01:01-67:03, 73:01-73:02, 81:02
49¹²	180 bp	1070 bp	15, 40, 44, 48, 60, 62, 71	*15:116, 15:124, 40:01:01-40:01:06, 40:01:08-40:01:17, 40:01:19-40:01:23, 40:07, 40:10:01-40:10:02, 40:12, 40:21-40:23, 40:25, 40:30, 40:33-40:34, 40:36, 40:38, 40:42-40:43, 40:46-40:49, 40:51-40:52, 40:54-40:55, 40:59-40:63, 40:65-40:67, 40:69, 40:73-40:74, 40:76, 40:79, 40:81, 40:84, 40:87:01-40:88, 40:92, 40:100-40:102, 40:106, 40:108, 40:112-40:114, 40:116-40:118N, 40:123-40:126, 40:128, 40:130, 40:132, 40:134-40:135, 40:137-40:141, 40:146-40:147, 40:149-40:156, 40:160, 40:163, 40:166, 40:168, 40:170-40:172, 44:31, 46:06, 48:03:01-48:03:02, 48:17, 48:23
50	290 bp	1070 bp	21, 4005, 41, 50, 60, 61	*18:48, 40:02:01-40:06:04, 40:08, 40:09 [?] -40:11:02 [?] , 40:13, 40:14:01 [?] -40:15 [?] , 40:18 [?] -40:19 [?] , 40:20, 40:22N [?] , 40:24 [?] -40:38 [?] , 40:39, 40:42 [?] -40:45 [?] , 40:47 [?] -40:50 [?] ,

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

				40:52 [?] -40:58 [?] , 40:61 [?] -40:65 [?] , 40:67 [?] -40:69 [?] , 40:70, 40:71 [?] , 40:72:02 [?] , 40:74 [?] -40:76 [?] , 40:78 [?] , 40:80 [?] -40:82 [?] , 40:84 [?] -40:88 [?] , 40:89, 40:90 [?] -40:92 [?] , 40:94, 40:95 [?] -40:96 [?] , 40:97, 40:98 [?] -40:121 [?] , 40:122, 40:123 [?] , 40:124:02 [?] -40:136 [?] , 40:141 [?] , 40:142N-40:144N, 40:145 [?] , 40:148 [?] -40:149 [?] , 40:151 [?] , 40:154 [?] , 40:156 [?] -40:169 [?] , 40:171 [?] -40:173 [?] , 47:01:01:01-47:08
51⁶	105 bp	1070 bp	7, 8, 22, 41, 42	*07:04, 07:25, 08:01:01-08:05, 08:07-08:12:03, 08:14-08:19N, 08:21-08:24, 08:26-08:39, 08:41-08:54, 08:56-08:69, 08:71-08:77, 35:87, 40:136, 41:01-41:08, 41:10-41:19, 42:01:01-42:02, 42:04-42:07, 42:09-42:16, 55:20
52	325 bp	1070 bp	7, 22, 27, 2708, 35, 42, 45, 46, 54, 55, 56, 67, 73, 78, 81, 82	*07:02:01-07:02:28, 07:04-07:07, 07:09-07:15, 07:17-07:26, 07:28-07:31, 07:33-07:36, 07:39-07:46, 07:47 ^w , 07:48-07:49N, 07:51-07:68:03, 07:70-07:84, 07:86-07:139, 14:21, 15:76, 15:101, 27:01-27:11, 27:13-27:15, 27:17, 27:19-27:21, 27:24-27:28, 27:30-27:38, 27:40-27:58, 27:60-27:76, 27:78-27:82, 35:76, 38:26, 40:166, 42:01:01-42:02, 42:04-42:06, 42:08-42:10, 42:12-42:16, 44:90, 44:97, 45:06, 46:01:01-46:01:07, 46:02 ^w , 46:03-46:28, 54:01:01-54:24, 55:01:01-55:05, 55:07-55:17, 55:19-55:53, 56:01:01-56:16, 56:18-56:22, 56:24-56:32, 67:01:01-67:03, 73:01-73:02, 81:01-81:05, 82:01-82:03, 83:01
53⁶	115 bp, 195 bp, 225 bp, 260 bp	1070 bp	35, 37, 44, 47, 57	*08:49, 08:60, 08:76, 35:38, 35:45, 35:71, 35:115, 35:169, 37:01:01-37:01:07, 37:03N-37:06, 37:08, 37:10-37:31, 40:132, 42:13, 44:02:01:01-44:14, 44:16-44:17, 44:19N-44:36, 44:38-44:63, 44:65-44:134, 51:42, 53:22, 57:07, 57:09, 57:24, 83:01, C*15:25
54	215 bp	800 bp	5, 8, 12, 17, 21, 22, 41, 42, 44, 45, 51, 5102, 5103, 52, 53, 56, 62	*08:09, 13:46, 15:83, 41:01, 41:05-41:07, 41:09, 41:12, 41:14, 41:16-41:17, 42:04, 44:06, 44:15, 44:18, 44:20, 44:100, 45:01-45:13, 51:01:01, 51:01:03-51:01:08, 51:01:10-51:02:01, 51:02:03-51:04, 51:06:01-51:07:01, 51:08-51:09:01, 51:10-51:14, 51:16-51:24:04, 51:26-51:46, 51:48-51:53, 51:55-51:77, 51:79-51:88, 51:90-51:92, 51:94-51:102, 51:104-51:115, 51:117-51:118N, 51:120-51:122, 52:01:02, 52:01:04, 52:01:09-52:03, 52:06:01-52:06:02, 52:09, 52:19, 52:21, 53:06, 55:20, 56:13, 58:08:01
55	130 bp, 270 bp	1070 bp	17, 18, 22, 35, 37, 46, 51, 53, 62, 78	*14:10, 15:57 ^w , 18:22, 35:21, 35:24:01-35:24:02, 35:81, 35:96, 35:109, 35:157, 37:04:01-37:04:02, 40:28, 46:01:01-46:28, 51:04, 51:46, 51:56:01-51:56:02, 53:02, 53:06, 57:14, 58:09, C*15:39
56^{6,13}	90 bp, 410 bp	1070 bp	15, 22, 27, 35, 47, 54, 55, 56, 78, 81, 82	*07:65, 27:01 ^w , 27:02:01-27:11, 27:13-27:15, 27:17, 27:19-27:21, 27:24-27:28, 27:30-27:38, 27:40-27:58, 27:60-27:76, 27:78-27:82, 35:76, 44:90, 44:97, 47:01:01:01-47:03, 47:06-47:08, 54:01:01-54:24, 55:01:01-55:05, 55:07-55:17, 55:19-55:53, 56:01:01-56:16, 56:18-56:22, 56:24-56:32, 81:01, 82:01-82:03, 83:01

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

57⁶	90 bp, 175 bp	1070 bp	15, 27, 35, 48, 60, 62, 75, 77, 81	*13:36, 15:02:01-15:02:05, 15:08, 15:11:01-15:11:05, 15:13:01-15:13:02, 15:15, 15:21, 15:31, 15:44, 15:55, 15:76 ^w , 15:88-15:89, 15:112, 15:121, 15:139, 15:144, 15:148, 15:170, 15:189, 15:191, 15:194, 15:209N, 15:213-15:215, 15:223, 27:24, 35:46, 40:31, 40:45, 40:80, 48:01:01-48:01:03, 48:04, 48:06-48:07, 48:09, 48:11, 48:15-48:16, 48:18-48:20, 48:22, 48:24, 81:01- 81:05
58	145 bp, 430 bp	1070 bp	44, 49, 59, 61	*40:13, 40:19, 40:109, 40:117, 44:18, 44:25, 44:50, 44:95, 49:01:01-49:01:03, 49:04-49:20, 51:112, 54:12, 56:21, 57:45, 57:51, 59:01:01:01-59:05
59⁶	120 bp, 210 bp	800 bp	5, 13, 15, 17, 22, 35, 45, 49, 50, 51, 5102, 5103, 52, 55, 56, 62, 63, 78	*07:78, 07:84, 13:16, 13:31 ^w , 13:48, 15:04 ^w , 15:16:01- 15:16:03, 15:42, 15:67, 15:95, 15:137 ^w , 40:95, 40:148, 40:161, 49:01:01, 49:01:03-49:10, 49:12-49:20, 50:01:01- 50:02, 50:04-50:11, 50:13-50:14, 51:01:01-51:03, 51:05, 51:07:01-51:09:02, 51:11N-51:14, 51:16-51:24:04, 51:26- 51:41N, 51:43-51:44N, 51:48-51:55, 51:57-51:58, 51:60, 51:61 ^w , 51:63, 51:65-51:80, 51:82-51:122, 52:01:01:01- 52:26, 54:20, 55:01:01-55:01:06, 55:03, 55:05, 55:09, 55:11, 55:15, 55:17, 55:21 ^w , 55:24-55:25, 55:28-55:29, 55:31, 55:33, 55:36, 55:38, 55:40, 55:44-55:45, 55:52- 55:53, 56:05:01-56:06, 56:21, 56:25, 58:08:01-58:08:02, 78:01:01-78:07
60	430 bp	1070 bp	5, 17, 27, 44, 51, 5102, 5103, 52, 53, 57, 58, 61	*27:02:01-27:02:02, 27:30, 27:53, 27:57, 27:62, 27:65N, 27:75, 27:77, 40:13, 40:19, 40:109, 40:117, 44:06, 44:25, 44:50, 44:95, 51:01:01-51:24:04, 51:26-51:46, 51:48- 51:53, 51:55-51:77, 51:79-51:122, 52:01:01:01-52:19, 52:21-52:26, 53:01:01-53:02, 53:04-53:08:02, 53:10, 53:14-53:26, 57:01:01-57:11, 57:13-57:52, 58:01:01- 58:02, 58:04-58:16, 58:18-58:34
61	145 bp	1070 bp	12, 21, 35, 40, 4005, 41, 45, 47, 50, 60, 61	*07:133, 15:46, 15:53, 15:106, 15:143, 15:212, 18:48, 35:19, 35:47, 35:63, 35:154, 40:01:01-40:11:02, 40:14:01-40:16, 40:18, 40:20, 40:22N-40:40, 40:42- 40:45, 40:48-40:75, 40:77-40:92, 40:94-40:95, 40:97- 40:108, 40:111-40:116, 40:118N-40:136, 40:138-40:156, 40:158-40:173, 41:01-41:04, 41:05 [?] , 41:06-41:19, 44:09, 44:46, 44:75, 44:90, 44:129, 44:131, 45:01-45:13, 47:02, 47:03 ^w , 50:01:01-50:02, 50:04-50:05, 50:07-50:14
62	300 bp	1070 bp	7, 12, 13, 15, 17, 18, 21, 27, 2708, 35, 37, 38, 39, 3902, 40, 4005, 41, 44, 45, 47, 48, 49, 50, 52, 60, 61, 62, 70, 72, 76	*07:54, 07:123, 08:17, 08:38, 08:54, 13:01:01-13:04, 13:06, 13:08Q-13:23, 13:25-13:35, 13:37-13:50, 15:01:01:01-15:01:04, 15:01:06-15:01:18, 15:01:20- 15:01:24, 15:03:01-15:07:02, 15:12, 15:14, 15:19-15:20, 15:24-15:27:03, 15:30, 15:32-15:36, 15:38:01-15:40, 15:42-15:43, 15:45-15:50, 15:53-15:54, 15:56-15:58, 15:60-15:63, 15:65-15:66, 15:68-15:71, 15:73-15:75, 15:77-15:79N, 15:81-15:87, 15:91-15:92, 15:94N, 15:96- 15:98, 15:101-15:107, 15:109-15:111N, 15:113, 15:116- 15:118, 15:122-15:123, 15:125-15:129, 15:131-15:132, 15:135-15:138, 15:140-15:142, 15:145-15:147, 15:150- 15:152, 15:154-15:160, 15:163-15:167, 15:169, 15:171- 15:175, 15:178-15:179, 15:181N-15:185, 15:187-15:188, 15:190N, 15:192-15:193, 15:195, 15:199, 15:201-15:207,

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

				15:210-15:212, 15:217-15:220, 15:224-15:225, 15:227-15:228, 15:231-15:234, 18:12, 27:01-27:21, 27:24-27:82, 35:10, 35:13, 35:16, 35:28, 35:63, 35:69, 35:80, 37:01:01-37:07, 37:09-37:31, 38:03-38:04, 38:25, 39:02:01-39:02:02, 39:08, 39:13:01-39:13:02, 39:22-39:23, 39:49, 40:01:01-40:07, 40:09-40:16, 40:18-40:24, 40:26-40:40, 40:42-40:67, 40:70-40:105, 40:107-40:165, 40:167-40:173, 41:01-41:19, 42:11, 44:02:01-44:05:03, 44:07-44:11, 44:13-44:134, 45:01-45:13, 47:01:01-47:08, 48:01:01-48:05, 48:07-48:15, 48:17-48:25, 49:01:01-49:20, 50:01:01-50:02, 50:04-50:14, 52:01:01-52:26, 53:17:01-53:17:02, 55:18, 55:34, 55:40, 78:05-78:06
63⁸	160 bp, 330 bp	1070 bp	22, 44, 45, 47, 54	*44:02:01:01-44:02:21, 44:06, 44:08-44:09, 44:11-44:12, 44:16, 44:19N-44:24, 44:27:01-44:27:02, 44:33-44:34, 44:41:01-44:41:02, 44:44, 44:48-44:49, 44:52N-44:53, 44:55, 44:59, 44:63, 44:66-44:68, 44:71-44:74, 44:80, 44:83-44:84, 44:86-44:87, 44:89-44:91, 44:93, 44:95, 44:97, 44:99-44:102, 44:104, 44:106, 44:112-44:113, 44:116, 44:118-44:119, 44:121, 44:126-44:127, 44:131-44:132, 54:01:01, 54:02-54:24, 83:01
64	180 bp, 210 bp	1070 bp	13, 15, 18, 35, 39, 40, 54, 55, 56, 59, 78	*07:65, 13:06, 15:42, 15:86, 15:224, 18:04, 35:42:02, 35:43:02, 35:60, 39:17, 39:63, 40:01:11, 40:58, 45:08, 46:18, 54:01:01-54:02, 54:05N, 54:07-54:08N, 54:10, 54:12-54:13, 54:16-54:24, 55:01:01-55:03, 55:05, 55:07, 55:10-55:12, 55:15-55:16, 55:18-55:19, 55:21, 55:25-55:26, 55:29-55:31, 55:33-55:45, 55:47-55:48, 55:50, 55:52-55:53, 56:05:01, 56:06, 56:10, 56:23, 59:01:01-59:01:01:02, 59:05, 78:01:01-78:01:02, 78:02:02-78:03, 78:07, C*15:02:04
65	180 bp	1070 bp	12, 15, 21, 22, 44, 45, 49, 50, 51, 56, 61, 62, 82	*13:03, 13:48, 15:73, 40:71, 44:10, 44:15, 44:18, 45:01, 45:04-45:07, 45:11-45:13, 46:11, 49:01:01-49:03, 49:06, 49:08-49:17, 49:19N-49:20, 50:01:01-50:02, 50:04-50:08, 50:10-50:13, 51:15, 51:62, 51:106, 52:25, 54:03, 56:01:01-56:02, 56:04, 56:07-56:08, 56:13-56:14, 56:16-56:17, 56:20:01-56:20:02, 56:24-56:30, 59:04, 82:01-82:03, C*03:12, C*03:19, C*03:102
66⁶	90 bp, 240 bp	800 bp	57	*55:14, 57:01:01-57:44, 57:46-57:50, 57:52
67^{6,13}	90 bp	1070 bp	5, 13, 15, 17, 39, 55, 56, 58, 60, 61, 62, 71	*13:11, 15:18:03, 15:73, 15:224, 39:17, 40:48, 40:71, 51:62, 52:25, 56:02, 56:04, 56:10, 58:01:01-58:02, 58:04-58:34, C*02:06^w, C*02:47^w
68⁶	95 bp	1070 bp	8, 18, 22, 35, 37, 38, 39, 44, 51, 5102, 5103, 53, 78	*07:65 ^w , 07:134 ^w , 08:32, 18:01:01-18:11, 18:13-18:15, 18:17N-18:36, 18:38-18:47, 18:49-18:65, 35:01:01-35:09:02, 35:11:01-35:12:03, 35:14:01-35:15, 35:17-35:18, 35:20:01-35:24:02, 35:27, 35:29-35:45, 35:48, 35:50-35:62, 35:64-35:68:02, 35:70-35:72, 35:74-35:75, 35:76 ^w , 35:77-35:79, 35:81-35:153, 35:155-35:166, 35:168-35:178, 37:08, 38:06-38:07, 39:19:01-39:19:02,

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

				44:06, 51:01:01-51:24:04, 51:26-51:46, 51:48-51:103, 51:105-51:111, 51:113-51:117, 51:119-51:122, 53:01:01-53:16, 53:18-53:26, 56:06 ^w , 78:01:01-78:04, 78:07
69⁶	115 bp, 150 bp	1070 bp	15, 18, 22, 27, 35, 39, 46, 55, 62, 72, 73, 75, 76	*07:100, 13:31, 13:41, 15:01:01:01-15:01:04, 15:01:06-15:01:16, 15:01:18-15:01:24, 15:04, 15:07:01-15:08, 15:11:01-15:12, 15:14-15:15, 15:19, 15:24, 15:26N-15:28, 15:30, 15:32, 15:34-15:35, 15:38:01-15:38:02, 15:43, 15:45-15:46, 15:50, 15:53-15:54, 15:56-15:58, 15:60, 15:63, 15:66, 15:68, 15:70-15:71, 15:73, 15:75-15:77, 15:79N, 15:81-15:82, 15:85, 15:87, 15:92, 15:94N, 15:96-15:97, 15:101-15:102, 15:104-15:105, 15:109-15:111N, 15:113, 15:117-15:118, 15:120, 15:122, 15:125-15:126, 15:128-15:129, 15:135, 15:137, 15:140, 15:142-15:149N, 15:152, 15:154, 15:157, 15:159-15:160, 15:163-15:167, 15:169, 15:171-15:172, 15:174-15:175, 15:178, 15:180-15:184, 15:187, 15:189-15:193, 15:201-15:203, 15:205-15:207, 15:209N, 15:211-15:212, 15:215, 15:217, 15:225, 15:227-15:228, 15:231-15:234, 18:19, 27:25, 27:75, 35:14:01-35:14:02, 35:43:01-35:44, 35:62, 35:67, 35:79, 35:86, 35:102, 35:117, 35:135, 35:163, 39:18, 39:36, 46:01:01-46:02, 46:04-46:05, 46:07N, 46:09-46:10, 46:12, 46:14-46:17, 46:20, 46:22-46:24, 46:27-46:28, 51:61, 52:21, 54:06, 55:21, 56:03, 73:01-73:02, A*26:68, A*68:56, C*06:20, C*12:50
70¹⁴	360 bp	1070 bp	Bw4	
71	350 bp	1070 bp	Bw6	
72	285 bp	800 bp	7, 703, 8, 35, 40, 41, 42, 48, 53, 60, 61, 81	*07:02:01-07:06, 07:08-07:18:02, 07:20-07:32, 07:34-07:39, 07:41-07:52, 07:54-07:59, 07:61-07:76, 07:79-07:83, 07:85-07:99, 07:101-07:121, 07:123-07:138, 08:01:01-08:05, 08:07-08:08N, 08:10-08:11, 08:13-08:15, 08:17-08:77, 35:66, 35:87, 37:07, 40:15-40:16, 40:30-40:32, 40:34, 40:45, 40:59, 40:80, 40:98, 40:137, 40:160, 41:02:01-41:02:04, 41:04, 41:10-41:11, 41:13, 41:18-41:19, 42:01:01-42:02, 42:05:01-42:07, 42:09-42:13, 42:15-42:16, 48:01:01-48:01:03, 48:05-48:12, 48:14-48:20, 48:22, 53:15, 81:01-81:05

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-B low resolution SSP typings.

When the primers in a primer mix can give rise to specific PCR products of more than one length this is indicated if the size difference is 20 base pairs or more. Size differences shorter than 20 base pairs are not given. For high resolution SSP kits the respective lengths of the specific PCR product(s) of the alleles amplified by these primer mixes are given.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 25 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-B low resolution typing.

In addition, wells number 28 to 30, 34, 41, 44, 45, 54, 59, 66 and 72 contain the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

In the presence of a specific amplification the intensity of the control band often decreases.

³The serological reactivity of all HLA-B alleles is not known. In this table we use the expert-assigned serological grouping in Tissue Antigens (2009) 73:95-170 and the serological grouping of the sequence-defined allele.

⁴Nucleotide sequence information is available for only exons 2 and 3 of many HLA Class I alleles and for only exon 2 of many HLA Class II alleles and not for other exons or for the introns of these alleles. We assume that unknown sequences in these exons and in the introns are conserved within loci and within allelic groups. The B*08:26, 08:50 and 08:62 and B*42:07 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets. The B*14:08 and the B*39:25N, 39:30, 39:32-39:34, 39:47 and 39:50 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The B*18:29 and the B*35:32, 35:37, 35:53N, 35:64, 35:68:01-35:68:02, 35:99, 35:118-35:119 and 35:174 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The B*41:09 and the B*45:02 and 45:03 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The B*54:01:02 and the B*55:01:07-55:02:06, 55:07, 55:10, 55:12, 55:16, 55:19, 55:26, 55:30, 55:35, 55:37, 55:39, 55:41-55:43, 55:47-55:48 and 55:50 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The B*55:04, 55:08, 55:13, 55:27, 55:46 and 55:49 and the B*56:15, 56:19N and 56:22 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The B*55:23 and 55:32 and the B*56:18 and 56:31-56:32 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

⁵The C*02:23 and C*04:77 alleles will be amplified by primer mix 25, the C*03:05, 03:25 and 03:27 alleles will be amplified by primer mix 27, the C*01:30 allele will be amplified by primer mix 28, the A*23:31, A*24:106 and C*16:10 alleles will be amplified by primer mix 30, the C*07:46 allele will be amplified by primer mix 32, the A*24:174 allele will be amplified by primer mix 37, the C*03:102 allele will be amplified by primer mixes 41 and 65, the C*15:51 allele will be amplified by primer mix 45, the C*15:25 allele will be amplified by primer mix 53, the C*15:39 allele will be amplified by primer mix 55, the C*15:02:04 allele will be amplified by primer mix 64, the C*03:12 and 03:19 alleles will be amplified by primer mix 65, the C*02:06 and 02:47 alleles will be weakly amplified by primer mix 67 and the A*26:68, A*68:56, C*06:20 and C*12:50 alleles will be amplified by primer mix 69.

⁶Specific PCR fragments shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR bands.

⁷Primer mix 28 may yield less specific PCR product than the other HLA-B low resolution primer mixes in B*40, B*41, B*45, B*49 and B*50 alleles.

⁸Primer mixes 28, 29, 33 and 63 give a lower yield of specific PCR product than the other HLA-B low resolution primer mixes.

⁹Primer mix 33 has pronounced tendencies of giving rise to nonspecific amplifications.

¹⁰Primer mixes 25, 43 and 44 may give rise to a primer oligomer artifact.

¹¹The B*57 and B*58 alleles might be faintly amplified by primer mix 33.

¹²The C*17:01 to C*17:04 alleles might be faintly amplified by primer mix 49.

¹³Primer mixes 56 and 67 may generate a false positive band of about 800 base pairs. This band should be disregarded when interpreting HLA-B low resolution typings.

¹⁴The Bw4-associated HLA-A specificities A9, A23, A24, A2403, A25 and A32 are not amplified by the primer pair in primer mix 70.

‘w’, might be weakly amplified.

‘?’, nucleotide sequence information not available for the primer matching sequence.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

SPECIFICITY TABLE

Specificities and sizes of the PCR products of the 24 primer mixes used for DR low resolution SSP typing

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	DR serology ³	Amplified HLA-DRB alleles ⁴
73^{6,8}	205 bp, 255 bp	515 bp	1	*01:01:01-01:02:05, 01:04-01:37
74	200 bp	430 bp	103	*01:03
75⁶	200 bp, 215 bp	430 bp	2, 15	*15:01:01:01-15:58
76	210 bp	430 bp	16	*16:01:01-16:05:02, 16:07-16:18
77^{5,6,7}	120 bp, 220 bp	430 bp	3, 17, 18, 11	*03:01:01:01-03:65, 11:07, 11:53, 11:103, 11:105, 11:107, 15:25
78^{5,6,7}	80 bp, 210 bp	430 bp	3, 6, 17, 11, 13, 14	*03:01:01:01-03:01:14, 03:04:01-03:06, 03:08-03:16, 03:18-03:20, 03:22-03:23, 03:25-03:26, 03:28, 03:30-03:31, 03:33-03:34, 03:36-03:37, 03:43-03:48, 03:50-03:52, 03:54-03:65, 08:40, 11:02:01-11:03, 11:11:01-11:11:02, 11:14:01-11:14:02, 11:16, 11:20-11:21, 11:36, 11:40-11:41, 11:48, 11:59, 11:63, 11:65:01-11:65:02, 11:68, 11:70, 11:73, 11:76, 11:79-11:80, 11:83, 11:85-11:87, 11:93, 13:01:01-13:04, 13:08, 13:10, 13:15-13:17, 13:19-13:20, 13:22-13:24, 13:27-13:29, 13:31-13:41, 13:43, 13:45, 13:48, 13:51-13:54, 13:57, 13:59, 13:61:01-13:61:02, 13:63-13:66:02, 13:68-13:76, 13:78-13:81, 13:83-13:85, 13:87-13:99, 13:101-13:102, 13:104-13:107, 13:109, 13:111-13:117, 14:16, 14:19, 14:21, 14:82, 14:95, 14:109
79^{5,6}	85 bp, 210 bp	430 bp	3, 6, 11, 13, 14, 1403, 18	*03:02:01-03:03, 03:27, 03:29, 03:38, 03:53, 11:13:01 ^w -11:13:02 ^w , 11:26, 11:34, 13:15, 13:19, 13:26, 13:44, 13:53, 13:57, 13:85-13:86, 13:104, 14:02-14:03:02, 14:06:01-14:06:02, 14:09, 14:12:01-14:13, 14:17-14:21, 14:24, 14:27, 14:29-14:30, 14:32:01 ^w -14:32:02 ^w , 14:33, 14:40-14:41, 14:47-14:49, 14:51, 14:63, 14:65 ^w , 14:67, 14:77-14:78, 14:80-14:81, 14:83, 14:85, 14:89, 14:94, 14:98, 14:102, 14:106, 14:108-14:109, 14:115
80^{5,6}	100 bp, 175 bp	430 bp	3, 4	*04:01:01-04:102
81⁶	210 bp, 235 bp	430 bp	7, 13, 14	*07:01:01:01-07:01:04, 07:03-07:21, 12:22, 13:17, 13:116, 14:50
82⁶	170 bp, 215 bp, 250 bp	515 bp	8, 12, 14	*08:01:01-08:19, 08:21-08:48, 11:67, 12:04, 12:16, 12:22, 14:11, 14:15, 14:68, 14:93

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

83^{5,6}	90 bp, 135 bp, 180 bp	430 bp	3, 9, 11	*03:08, 03:65, 09:01:02-09:16, 11:07, 11:53, 11:103, 11:105, 11:107
84	205 bp	430 bp	10	*10:01:01-10:03
85^{5,6}	100 bp, 170 bp	430 bp	3, 8, 11, 14	*03:08, 03:65, 08:31, 08:41, 11:01:01-11:70, 11:72-11:113
86^{5,6}	85 bp, 105 bp	430 bp	12	*08:32, 12:01:01-12:34
87⁸	215 bp	430 bp	6, 8, 11, 13, 14, 1403	*08:20-08:21, 11:01:01-11:04:08, 11:06:01-11:06:02, 11:08:01-11:12:02, 11:14:01-11:16, 11:18-11:21, 11:23-11:25, 11:27:01-11:33, 11:35-11:51, 11:54:01-11:54:02, 11:56-11:66, 11:68, 11:70, 11:72-11:81, 11:83-11:88, 11:90-11:97, 11:99-11:102, 11:106, 11:108-11:113, 13:01:01-13:08, 13:10-13:16, 13:18-13:43, 13:45-13:85, 13:87-13:115, 13:117-13:119, 14:03:01-14:03:02, 14:12:01-14:12:02, 14:16, 14:19, 14:21-14:22, 14:25, 14:27, 14:40, 14:53, 14:63, 14:67, 14:69, 14:74, 14:77-14:78, 14:84-14:85, 14:98, 14:102, 14:105, 14:109, 14:115-14:116, DRB3*02:27
88^{6,8}	195 bp, 225 bp	430 bp	6, 8, 11, 12, 13, 14	*08:01:01-08:02:04, 08:04:01-08:09, 08:11, 08:16-08:17, 08:20-08:22, 08:24, 08:26, 08:28, 08:31, 08:39, 08:41-08:44, 11:01:01-11:06:02, 11:09-11:12:02, 11:14:01-11:16, 11:20-11:21, 11:23-11:25, 11:27:01-11:30, 11:32-11:33, 11:35-11:41, 11:43-11:44, 11:46:01-11:51, 11:54:01-11:56, 11:58:01-11:63, 11:65:01-11:70, 11:72, 11:74:01-11:78, 11:80-11:88, 11:90-11:97, 11:99-11:102, 11:106, 11:108-11:113, 12:02:01-12:02:05, 12:13, 12:15-12:16, 12:18-12:21, 12:23, 12:26-12:27, 12:31N-12:33, 13:01:01-13:02:01, 13:02:03-13:02:05, 13:04-13:05:02, 13:07:01-13:09, 13:11:01-13:11:02, 13:14:01-13:24, 13:26-13:29, 13:31-13:32, 13:34-13:36, 13:38-13:43, 13:45-13:55, 13:57, 13:59, 13:61:01-13:65, 13:67-13:76, 13:78-13:80, 13:83-13:84, 13:87, 13:91-13:93, 13:96:01-13:100, 13:102-13:109, 13:111-13:114, 13:116-13:117, 14:15-14:16, 14:22, 14:24-14:25, 14:27, 14:37, 14:53, 14:73, 14:105
89⁷	175 bp	430 bp	3, 6, 11, 13, 14, 1403, 17, 18	*03:01:01:01-03:07, 03:09, 03:11:01-03:41, 03:43-03:45, 03:47-03:63, 08:20, 13:01:01-13:16, 13:18-13:42, 13:44, 13:46-13:66:02, 13:68-13:102, 13:104-13:115, 13:117-13:119, 14:02-14:03:02, 14:05:01-14:06:02, 14:09, 14:12:01-14:14, 14:17-14:21, 14:23:01, 14:23:03-14:24, 14:27, 14:29-14:30, 14:33, 14:36-14:37, 14:40-14:45,

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

				14:47-14:48, 14:51, 14:56, 14:59, 14:63-14:65, 14:67, 14:77-14:78, 14:80-14:81, 14:83-14:85, 14:89, 14:91, 14:94-14:96, 14:98, 14:100, 14:102-14:103, 14:106, 14:108-14:109, 14:115-14:116
90^{5,6}	100 bp, 140 bp, 155 bp	430 bp	4, 6, 8,13, 14, 1404	*04:62, 04:69, 04:73, 08:08, 11:69, 11:82, 13:45, 14:01:01-14:01:02, 14:04, 14:07:01-14:07:02, 14:10, 14:16, 14:22, 14:25-14:26, 14:28, 14:31-14:32:02, 14:35, 14:37-14:39, 14:49-14:50, 14:53-14:55, 14:57-14:58, 14:60-14:62, 14:68-14:71, 14:73-14:76, 14:79, 14:82, 14:86-14:88, 14:90, 14:93, 14:99, 14:101, 14:104-14:105, 14:107, 14:110-14:114, 14:117, DRB4*01:03:01:02N
91^{5,6,9}	110 bp, 135 bp, 170 bp	430 bp	3, 4, 6, 9, 11, 13,14,1404	*03:10, 09:01:02-09:01:05, 09:01:07-09:02:02, 09:04-09:16, 11:13:01-11:13:02, 11:17, 11:52, 13:43, 14:01:01-14:02, 14:04-14:11, 14:13-14:14, 14:16-14:18, 14:19 ^w , 14:20, 14:21 ^w , 14:22-14:23:03, 14:26, 14:28-14:36, 14:38-14:39, 14:41, 14:43-14:52, 14:54-14:57, 14:59-14:62, 14:64-14:65, 14:68, 14:70-14:76, 14:79-14:83, 14:86-14:88, 14:90-14:97, 14:99-14:101, 14:103-14:108, 14:109 ^w , 14:110-14:114, 14:117, 15:27, 15:34
92^{5,6,8,10}	110 bp, 175 bp, 225 bp	430 bp	2, 3, 4, 6, 8, 11,13, 14, 1403, 1404, 16	*03:10, 08:09, 08:20-08:21, 08:32, 08:35, 11:13:01-11:13:02, 11:17, 11:23, 11:25, 11:31, 11:45, 11:52, 11:55, 11:64, 11:89, 11:96, 13:13, 13:18, 13:43, 13:45, 13:47, 13:55, 13:119, 14:01:01-14:01:03, 14:03:01-14:05:03, 14:07:01-14:08, 14:10-14:12:02, 14:14-14:16, 14:18, 14:22-14:23:03, 14:25-14:28, 14:31-14:32:02, 14:34-14:36, 14:38-14:40, 14:42-14:45, 14:49-14:50, 14:53-14:65, 14:67-14:79, 14:81-14:82, 14:84-14:93, 14:95-14:97, 14:99-14:105, 14:107, 14:110-14:117, 15:21 ^w , 16:04 ^w , 16:18 ^w
93^{6,7}	160 bp, 240 bp	430 bp	52	DRB3*01:01:02:01-01:15, DRB3*02:01-02:28, DRB3*03:01:01-03:03
94¹⁰	215 bp	430 bp	53	DRB4*01:01:01:01-01:08
95	175 bp	430 bp	51	DRB5*01:01:01-01:14, DRB5*02:02-02:05
96¹¹	-	-		Negative Control

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of DR low resolution SSP subtypings.

When the primers in a primer mix can give rise to specific PCR products of more than one length this is indicated if the size difference is 20 base pairs or more. Size differences shorter than 20 base pairs are not given. For high resolution SSP kits the respective lengths of the specific PCR product(s) of the alleles amplified by these primer mixes are given.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers, e.g. the primers in

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

wells 75 and 90 to 92.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 430 base pairs, for most wells, or a band of 515 base pairs, for some wells.

Well number 73 contains the primer pair giving rise to the longer, 515 bp, internal positive control band in order to help in the correct orientation of the DR low resolution typing.

In addition, well number 82 contains the primer pair giving rise to the longer, 515 bp, internal positive control band in order to allow kit identification.

In the presence of a specific amplification the intensity of the control band often decreases.

³The serological split of all DRB1 alleles is not known. In this table we use the expert-assigned serological grouping in Tissue Antigens (2009) 73:95-170 and the serological grouping of the sequence-defined allele.

⁴For several DRB alleles only partial second exon nucleotide sequences are available. In these instances it is not known whether some of the primers of the SSP set are completely matched with the target sequences or not. We assume that unknown sequences in the first hyperpolymorphic region of the second exon of DRB alleles are conserved within allelic groups and that unknown sequences of codons 87 to 92 are identical with the DRB1*0101 consensus sequence.

The DRB1*08:09 and the DRB1*14:15 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The DRB1*08:20 and the DRB1*13:18, 13:47 and 13:55 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The DRB1*08:31, 08:41 and DRB1*11:67 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The DRB1*13:13 and 13:119 and DRB1*14:84 and 14:116 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

⁵Specific PCR fragments shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR bands.

⁶Individual alleles can give rise to two differently sized specific PCR fragments in primer mixes 73, 75, 77 to 83, 85, 86, 88 and 90 to 93.

⁷Due to sharing of sequence motifs in codon 38, DRB3*01:14 will also be amplified in primer mixes 77, 78 and 89 in addition to primer mix 93.

⁸Primer mix 73, 87, 88 and 92 may give rise to primer oligomer formation.

⁹Primer mix 91 has a tendency of primer oligomer formation and also has an intense primer cloud due to the high number of primers present in the primer mix.

¹⁰The DRB4*01:03:01:02N allele is amplified by the primer pair in well No. 94, whereas the DRB4*02:01N and DRB4*03:01N null alleles are not amplified by this primer pair.

¹¹Primer mix 96 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by control primer pairs. PCR product sizes range from 75 to 200 base pairs. The PCR product generated by the control primer pair is 430 base pairs.

‘w’, might be weakly amplified.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

INTERPRETATION TABLE																									
HLA-A low resolution SSP typing																									
Amplification patterns of the A*01:01 to A*80:02 alleles																									
		Well ⁶																							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Length of spec.		120	210	205	190	160	135	175	165	75	85	80	125	175	100	90	240	140	200	160	220	240	85	75	360
PCR product(s)		225 145	365 255	235 205		535 160	210 175	205 175	200 165			500 175	185 125	225 175	240 200	205 135	395 370	180 140		200 160	245 220	375 240	240 85	495 240	160 75
Length of int.		800	800	1070	800	800	800	1070	800	800	1070	1070	800	1070	1070	1070	1070	1070	1070	800	800	800	800	800	1070
pos. control ¹																									
5'-primer(s) ²		98	48	363	98	144	176	98	98	266	257	301	103	98	98	203	41	180	98	180	78	28	78	176	341
		5'-CTT 3'	5'-gCT 3'	5'-ATA 3'	5'-CTA 3'	5'-gCC 3'	5'-gCA 3'	5'-CTC 3'	5'-CTA 3'	5'-ACg 3'	5'-Cgg 3'	5'-Cgg 3'	5'-CCT 3'	5'-CTT 3'	5'-CAC 3'	5'-gAA 3'	5'-CTT 3'	5'-TTT 3'	5'-CAC 3'	5'-TTT 3'	5'-TCT 3'	5'-TCg 3'	5'-TCT 3'	5'-gCA 3'	5'-ggC 3'
		103	78		413	317	368	368	102	266	259	302	423	423	238	362	355	203	203		106	261	527	261	
		5'-CCT 3'	5'-TCT 3'		5'-CCg 3'	5'-gCT 3'	5'-gTT 3'	5'-gTT 3'	5'-ACA 3'	5'-ACg 3'	5'-CgA 3'	5'-ggA 3'	5'-gCT 3'	5'-gCT 3'	5'-AgA 3'	5'-ggT 3'	5'-CCg 3'	5'-gAA 3'	5'-gAA 3'		5'-CCA 3'	5'-AAC 3'	5'-TgC 3'	5'-AAC 3'	
		123	106						413	266	261	385			355	363		418			2 nd			341	
		5'-AgT 3'	5'-CCA 3'						5'-CCg 3'	5'-Agg 3'	5'-AAC 3'	5'-ggC 3'			5'-CCg 3'	5'-ATA 3'		5'-AgC 3'			5'-CCT 3'			5'-ggA 3'	
		363														363							355		
		5'-ATA 3'														5'-ATA 3'							5'-CCC 3'		
																5'-TAC 3'									
3'-primer(s) ³		203	240	527	256	265	270	259	259	302	299	341	257	282	257	299	238	290	256	299	265	97	265	292	418
		5'-TCT 3'	5'-ggA 3'	5'-CCA 3'	5'-CTg 3'	5'-CCC 3'	5'-ACA 3'	5'-gTT 3'	5'-gTT 3'	5'-ggC 3'	5'-TCg 3'	5'-CgT 3'	5'-gCA 3'	5'-gAC 3'	5'-gCA 3'	5'-CCA 3'	5'-CCT 3'	5'-CAA 3'	5'-CCC 3'	5'-CCA 3'	5'-CCC 3'	5'-ggT 3'	5'-CCC 3'	5'-gTg 3'	5'-gTC 3'
		545	292	527	559	570	502	502	259			521	506	282	299	411	243	317	256	299	282	355	282	292	
		5'-AgA 3'	5'-gTg 3'	5'-CCT 3'	5'-CCg 3'	5'-CCg 3'	5'-CTg 3'	5'-CTT 3'	5'-gTT 3'			5'-ggg 3'	5'-TgT 3'	5'-gAC 3'	5'-TCg 3'	5'-TCA 3'	5'-TCA 3'	5'-ggA 3'	5'-CTC 3'	5'-CCA 3'	5'-gAC 3'	5'-gAC 3'	5'-gAC 3'	5'-gTT 3'	
				555			538	539	538				559	559	418	526	265	555	259	341	282			570	
				5'-CCA 3'			5'-CAG 3'	5'-TCT 3'	5'-CCA 3'				5'-CTC 3'		5'-gTC 3'	5'-CCA 3'	5'-CCC 3'	5'-CCA 3'	5'-gTT 3'	5'-gTT 3'	5'-gAC 3'		5'-CAC 3'	5'-CCA 3'	
				555									559		555		555				502			555	
				5'-CCA 3'									5'-CgT 3'		5'-CCA 3'		5'-CCA 3'				5'-CTT 3'			5'-CCA 3'	
				506																	506				
				5'-TgT 3'																					
Well No.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
HLA-A allele ⁴	ser ⁵																								
*01:01:01:01:01:22, 01:01:24-01:04N, 01:06- 01:07, 01:09-01:11N, 01:16N- 01:18N, 01:20, 01:22N- 01:27N, 01:29, 01:31N- 01:33, 01:35-01:50, 01:52N- 01:78, 01:80-01:82, 01:84- 01:94, 01:96-01:98, 01:100- 01:101	A1, Null, –	1			4																				
*01:01:23, 01:08, 01:14- 01:15N, 01:30, 01:79, 01:99	A1, Null, –	1																							
*01:12, 01:19	A1, –	1		3																					
*01:13	A1	1			4							11		13		15									
*01:21	A1	1		3	4																				
*01:28	–	1			4							11				15									
*01:51	–	1			4				8		10														
*01:83	–	1			4						10														
*01:95	–	1			4	5												17							
*02:01:01:01:02:01:15, 02:01:17-02:01:19, 02:01:21- 02:16, 02:18-02:22:02, 02:24:01-02:33, 02:36-02:45, 02:47, 02:49-02:54, 02:57- 02:61, 02:63-02:69, 02:71- 02:77, 02:79:01-02:97:02, 02:99, 02:101:01-02:102, 02:104-02:128, 02:130- 02:134, 02:136-02:145, 02:147-02:168, 02:170- 02:236, 02:238-02:242, 02:244-02:308, 02:310- 02:323, 02:325-02:326	A2, A19, Low A2, A203, A210, Null, –																								
*02:17:01-02:17:02	A2		2					w																	
*02:34-02:35:01, 02:35:03, 02:56:01-02:56:02, 02:62, 02:103	A2		2											13						20		22			
*02:35:02	A2													13						20		22			
*02:46, 02:70	A2		2																	20		22			
*02:48, 02:129	A2, –																			20		22			
*02:55	A2, A28		2						8													21		23	
*02:78	–		w		4															20		22			
*02:135	–		2											13											24
*02:146	–		2								10														
*02:169	–		2		4																				
*02:237	–		2												14		16								
*02:243	–		2															18			21				
*02:309	–		2										12		14										24
Well No.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
HLA-A allele ⁴	ser ⁵																								
*03:01:01:01-03:01:02, 03:01:04-03:01:18, 03:01:20- 03:01:22, 03:01:24-03:07, 03:10-03:11N, 03:13-03:17, 03:19-03:22:02, 03:23:02, 03:25-03:29, 03:31, 03:33- 03:35, 03:37-03:40, 03:42, 03:44-03:49, 03:51-03:56, 03:58, 03:60-03:62, 03:64- 03:71, 03:73-03:74, 03:76- 03:81, 03:83-03:87, 03:90- 03:94, 03:96-03:106, 03:109- 03:110, 03:112-03:132	A3, Null, –			3										13											
*03:01:03, 03:09, 03:23:01	A3, –		w	3										13											
*03:01:19	–			3								12	13											24	
*03:01:23, 03:08, 03:32, 03:36N, 03:57, 03:59, 03:72, 03:107, 03:111	A3, Null, –			3																					
*03:12	A3			3	4																				
*03:18	–	1			4									13											
*03:24, 03:50	A3, –			3				8						13											
*03:30	A3			3		5								13											
*03:41	–			3																				23	
*03:43, 03:82	–			3										13		15		17							
*03:63	–			3								11		13										23	
*03:75	–													13										23	
*03:88	–			3	4							11												23	
*03:89, 03:108	–		w	3																					
*03:95	–													13	14		16								
*11:01:01-11:05, 11:07- 11:09, 11:12-11:17, 11:19- 11:24:02, 11:26-11:27, 11:29- 11:59, 11:61-11:93, 11:95- 11:106	A11, Null, –				4							11													
*11:06, 11:18	A11, –		w		4							11													
*11:10	A11				4			8				11													
*11:11	–				4							11	12												
*11:25, 11:60	A11, –			3	4							11													
*11:94	–	1			4							11													
*23:01:01-23:13, 23:15-23:46	A23, Null, –					5	6																		
*23:14, 24:05, 24:13:02, 24:24 ⁷	A23, A9, A24					5	6	7																	
*24:02:01:01-24:04, 24:06- 24:11N, 24:13:01, 24:17, 24:20-24:23, 24:25-24:43, 24:45N-24:50, 24:54-24:56, 24:58-24:63, 24:66-24:81, 24:83N-24:88, 24:90N-24:91, 24:93, 24:95-24:113, 24:115- 24:128, 24:130-24:137, 24:139-24:182	A24, A9, Low A24, A2403, Null, –					5		7																	
Well No.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
HLA-A allele ⁴	ser ⁵																								
*24:14-24:15, 24:51-24:53, 24:57, 24:64, 24:94, 24:114, 24:138	A24, –					5																			
*24:18	A24, A3					5		7																23	
*24:19, 24:44	A9					5		7				11													
*24:28	A9		w			5		7																	
*24:82	–					5		7													21				
*24:89	–		w					7																	
*24:92	–			3		5																			
*24:129	–							7																	
*25:01:01-25:04, 25:07-25:12N, 25:14-25:16	A25, Null, –								8	9				13											
*25:05	A25								8	9			12	13						20					
*25:06	A25								8	9			12												
*25:13	–								8	9				13										24	
*26:01:01-26:01:20, 26:01:22, 26:08, 26:10-26:15, 26:17-26:18, 26:20, 26:23-26:29, 26:31-26:33, 26:35-26:43:02, 26:45-26:53, 26:55-26:63, 26:66-26:69	A26, A10, Null, –								8		10			13											
*26:01:21, 26:04, 26:34	A26, –								8		10														
*26:02	A26								8		10			w											
*26:03:01-26:03:02, 26:06, 26:21	A26, –		w						8			11		13										23	
*26:05	A26								8					13										23	
*26:07:01, 26:64	A26, –										10			13											
*26:07:02	A26		w								10			13											
*26:09	A26								8		10		12												
*26:16	A26							7			10			13											
*26:19	–			4										13	14										
*26:22	A26								8		10			13	14						21				
*26:30	A26		w						8					13										23	24
*26:54	–								8		10		12	13						20					
*26:65	–								8		10			13											24
*29:01:01-29:06, 29:08N-29:12, 29:15-29:18, 29:20-29:27, 29:29-29:31	A29, Null, –														14										
*29:07	A29					6									14										
*29:13	–														14			17							
*29:14	–														14		16								
*29:19	–														14				19						
*29:28	–								8						14										
*30:01:01-30:04:02, 30:06-30:07, 30:09-30:12, 30:14-30:15, 30:17-30:20, 30:22-30:43, 30:45, 30:47-30:54	A30, Null, –															15									
*30:13, 30:16, 30:44, 30:46	A30, –		w													15									
*30:08	A30				4											15									
*30:55	–													13		15									
*31:01:02-31:02, 31:05-31:07, 31:09-31:28, 31:30-31:34, 31:36-31:54	A31, Null, –																16								
Well No.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
HLA-A allele ⁴	ser ⁵																								
*31:03	A31											11	12		14		16								
*31:04	A31												12		14		16								24
*31:08	A31, A24					5											16								
*31:29	–						6										16								
*31:35	–															15	16	17							
*32:01:01-32:02, 32:06- 32:12, 32:14, 32:16-32:36	A32, Null, –									9								17							
*32:03	A32																	17							
*32:04	A32, A3			3						9															
*32:05	A32					5											16	17							
*32:13	A32					5				9								17							
*32:15	A32								8	9								17							
*33:01:01-33:01:06, 33:03:01- 33:12, 33:14-33:18, 33:20- 33:21, 33:23, 33:25-33:47, 33:50	A33, –																	18							
*33:13, 33:48	–										10				14			18							
*33:19	–						7											18							
*33:22	–																	18		21					
*33:24	–																	18					23		
*33:49	–			w														18							
*33:51	–								8																
*34:01:01-34:01:02, 34:05- 34:06	A34, A10								8			11	12												
*34:02:01, 34:03, 34:07	A34			3					8			11	12												
*34:02:02	–			w					8			11	12												
*34:04	A34			3					8			11	12		14										
*34:08	A34			3					8			11	12	13											
*34:09	–			3					8				12												24
*36:01, 36:03, 36:05	A36, –	1																				22			
*36:02	A36	1		3																		22	23		
*36:04	A36	1			4																	22			
*43:01	A43												12	13											
*66:01, 66:04-66:08, 66:10- 66:11, 66:13-66:15	A66, A26, –								8			11		13											
*66:02-66:03, 66:16	A66, A10, –								8				12												24
*66:09	–								8			11		13	14					21					
*66:12	–								8					13											24
*68:01:01:01-68:04, 68:06- 68:12, 68:14, 68:16-68:19, 68:21:01-68:28, 68:31-68:44, 68:46-68:65, 68:67-68:70, 68:72-68:83	A68, A28, Null, –								8											20					
*68:05, 68:15, 68:20	A68		w						8											20			23		
*68:13, 68:66	A68				4				8											20					
*68:29	A68								8										18	20	21				
*68:30	A68		w						8											20					
*68:45	–							7	8											20					
*68:71	–								8					13						20					
Well No.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
HLA-A allele ⁴	ser ⁵																								
*69:01	A69							8													21				
*74:01-74:06, 74:08-74:12N, 74:14N-74:15	A74, Null, –																			19					
*74:07	A74																	17		19					
*74:13	–													13						19					
*80:01	A80						6																	23	
*80:02	–						6					11													
B*18:27							6																		
Well No.		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-A low resolution SSP typing.

In addition, wells number 2, 4, 5, 6, 8, 9, 12 and 19 to 23 contain the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

²The nucleotide position, in the 1st, 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk, imgt, hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk, imgt, hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

⁴The sequence of the A*0105N has been shown to be identical to A*01:04N.

The A*01:34N allele has been renamed A*01:01:38L.

The A*020116 allele has been renamed to A*02:134.

The A*020120 allele has been shown to be identical to A*02:01:18.

The sequence of the A*0223 allele has been shown to be identical to A*02:22:01.

The sequence of the A*0298 allele has been shown to be identical to A*02:96.

The A*02:100 allele has never been assigned.

The A*1128 allele has been renamed to A*11:15:02.

The sequence of the A*2401 allele has been shown to be in error.

The sequence of the A*2412 allele has been shown to be identical to A*24:08.

The A*2416 allele has been renamed to A*31:08.

The A*2465 allele has been renamed to A*24:13:02.

The A*26:44 allele has been renamed to A*26:43:02.

The sequence of the A*3005 allele has been shown to be identical to A*30:04.

The A*3021 allele has been renamed to A*30:11:02.

The sequence of the A*31011 allele has been shown to be identical to A*31:01:02.

The sequence of the A*3302 allele has been shown to be identical to A*33:03:01.

⁵The serological reactivity of all HLA-A alleles is not known. In this table we use the expert-assigned serological grouping in Tissue Antigens (2009) 73:95-170 and the serological grouping of the sequence-defined allele.

⁶The primer pairs in wells 1, 2, 11 and 15 will in many samples give rise to two or three HLA-specific PCR fragments.

⁷The A*23:14 and the A*24:05, 24:13:02 and 24:24 alleles will give rise to identical amplification patterns. These four alleles can be separated by the respective high resolution SSP primer sets.

'w', may be weakly amplified.

INTERPRETATION TABLE																							
HLA-B low resolution SSP																							
Amplification patterns of the B*07:02 to B*83:01 alleles																							
Well																							
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72
180	290	105	325	115	215	130	90	175	430	145	430	145	300	160	210	180	180	240	90	150	360	350	285
1070	1070	1070	1070	1070	800	1070	1070	1070	800	1070	1070	1070	1070	1070	1070	1070	800	1070	1070	1070	1070	1070	800
355	72	540	1st I	355	141	209	41	209	48	357	49	206	1st I	15	141	420	209	209	206	165	1st I	1st I	355
5' -Agg 3'	5' -TCA 3'	5' -gCT 3'	5' -gAC 3'	5' -TCA 3'	5' -ATT 3'	5' -ggC 3'	5' -CTg 3'	5' -ggC 3'	5' -ggC 3'	5' -Tgg 3'	5' -Cag 3'	5' -gAA 3'	5' -Cag 3'	5' -gCA 3'	5' -ATT 3'	5' -TTA 3'	5' -ggA 3'	5' -ggA 3'	5' -gAC 3'	5' -ACC 3'	5' -Cag 3'	5' -Cag 3'	5' -TCA 3'
363	363	363	363	418	357	209	368	363	206	206	206	206	206	418	420	209	369	369	463	463	363	363	363
5' -Agg 3'	5' -TCA 3'	5' -gCT 3'	5' -gAC 3'	5' -TCA 3'	5' -ATT 3'	5' -ggC 3'	5' -CTg 3'	5' -ggC 3'	5' -ggC 3'	5' -Tgg 3'	5' -Cag 3'	5' -gAA 3'	5' -Cag 3'	5' -gCA 3'	5' -ATT 3'	5' -TTA 3'	5' -ggA 3'	5' -ggA 3'	5' -gAC 3'	5' -ACC 3'	5' -Cag 3'	5' -Cag 3'	5' -TCA 3'
499	193	603	282	538	309	299	282	259	309	435	309	311	259	175	311	559	256	256	259	272	317	311	603
5' -ggA 3'	5' -CgT 3'	5' -gTg 3'	5' -gCC 3'	5' -gTC 3'	5' -ATC 3'	5' -TCA 3'	5' -gCC 3'	5' -gTT 3'	5' -ATC 3'	5' -TCT 3'	5' -ATC 3'	5' -ggT 3'	5' -CTC 3'	5' -CCg 3'	5' -ggT 3'	5' -Cag 3'	5' -CCC 3'	5' -CCC 3'	5' -gTT 3'	5' -TgC 3'	5' -ggA 3'	5' -ggT 3'	5' -gTg 3'
193	605	605	605	572	538	583	418	499	527	527	527	527	259	538	559	259	256	256	259	538	605	605	605
5' -TgT 3'	5' -gCT 3'	5' -gCT 3'	5' -gCT 3'	5' -gCg 3'	5' -gTC 3'	5' -gTg 3'	5' -gTC 3'	5' -ggA 3'	5' -CCT 3'	5' -CCT 3'	5' -CCT 3'	5' -CCT 3'	5' -CTC 3'	5' -gTC 3'	5' -CgT 3'	5' -CgT 3'	5' -CTT 3'	5' -CTC 3'	5' -CTC 3'	5' -CCA 3'	5' -gCT 3'	5' -gCT 3'	5' -gCT 3'
262	262	262	262	262	262	262	262	262	262	262	262	262	262	262	262	262	262	262	262	262	262	262	262
5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'	5' -TgC 3'
559	420	420	420	559	420	420	420	559	420	420	420	559	420	420	420	559	420	420	420	559	420	420	420
5' -CgT 3'	5' -gCT 3'	5' -gCT 3'	5' -gCT 3'	5' -CgT 3'	5' -gCT 3'	5' -gCT 3'	5' -gCT 3'	5' -CgT 3'	5' -gCT 3'	5' -gCT 3'	5' -gCT 3'	5' -CgT 3'	5' -gCT 3'	5' -gCT 3'	5' -gCT 3'	5' -CgT 3'	5' -gCT 3'	5' -gCT 3'	5' -gCT 3'	5' -CgT 3'	5' -gCT 3'	5' -gCT 3'	5' -gCT 3'
Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.	Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*07:02:01-07:02:28, 07:05:01-07:06, 07:10, 07:12-07:15, 07:18:01-07:18:02, 07:21-07:23, 07:26, 07:29-07:31, 07:34-07:35, 07:39, 07:41-07:46, 07:49N, 07:52, 07:55-07:59, 07:61-07:64, 07:66-07:68:03, 07:70-07:72, 07:74-07:76, 07:79-07:80, 07:82-07:83, 07:86-07:99, 07:101-07:121, 07:124-07:130, 07:132, 07:135N-07:138	B7, B42, Null, –	25																							48
*07:03, 07:08, 07:16, 07:32, 07:37	B7, B703, –	25																							48
*07:04, 07:25	B7	25													38										48
*07:07, 07:77	B7, –	25																							48
*07:09, 07:11, 07:17	B7	25											36												48
*07:19, 07:33, 07:40, 07:53, 07:122, 07:139	B7, 42, –																								48
*07:20, 07:24, 07:131	B7, –	25		27																					48
*07:27	–	25										35							44						
*07:28	B7	25					30																		48
*07:36, 07:81	B7, –	25																							
*07:38	–	25																							
*07:47	B7	25																							48
*07:48, 07:51	B7																								48
*07:50	–	25										35													48
*07:54, 07:123	B7, –	25																							48
*07:60	–			27																					48
*07:65	–	25																	42						
*07:69, 07:85	–	25																						47	48
*07:73	–	25															40								48
*07:78	–	25									34														48
*07:84	–	25																							48
*07:100	–			27																					48
*07:133	–	25																							48
*07:134	–	25																	42						48
*08:01:01-08:01:16, 08:05, 08:08N, 08:10-08:11, 08:15, 08:18-08:19N, 08:22-08:24, 08:27, 08:29-08:31, 08:33-08:34, 08:39, 08:41-08:48, 08:51, 08:53, 08:56-08:59, 08:61, 08:63-08:64, 08:66-08:69, 08:71-08:73, 08:75	B8, Null, –	26							32																48
*08:02-08:03, 08:52	B8, –	26							32																
*08:04	B8	26							32			35													48
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	ser. ⁵	Well No.
																									HLA-B allele ⁴
			52																			71	72	B7, B42, Null, –	*07:02:01-07:02:28, 07:05:01-07:06, 07:10, 07:12-07:15, 07:18:01-07:18:02, 07:21-07:23, 07:26, 07:29-07:31, 07:34-07:35, 07:39, 07:41-07:46, 07:49N, 07:52, 07:55-07:59, 07:61-07:64, 07:66-07:68:03, 07:70-07:72, 07:74-07:76, 07:79-07:80, 07:82-07:83, 07:86-07:99, 07:101-07:121, 07:124-07:130, 07:132, 07:135N-07:138
																						71	72	B7, B703, –	*07:03, 07:08, 07:16, 07:32, 07:37
		51	52																			71	72	B7	*07:04, 07:25
			52																			71		B7, –	*07:07, 07:77
			52																			71	72	B7	*07:09, 07:11, 07:17
			52																			71		B7, 42, –	*07:19, 07:33, 07:40, 07:53, 07:122, 07:139
			52																			71	72	B7, –	*07:20, 07:24, 07:131
																					70	72	–	*07:27	
			52																			71	72	B7	*07:28
			52																			70	72	B7, –	*07:36, 07:81
																						70	72	-	*07:38
			w																			71	72	B7	*07:47
			52																			71	72	B7	*07:48, 07:51
																						71	72	-	*07:50
			52										62									71	72	B7, –	*07:54, 07:123
			52																			71		–	*07:60
			52				56								64				w			71	72	–	*07:65
																						71	72	–	*07:69, 07:85
			52																			71	72	–	*07:73
			52																			71		–	*07:78
			52																			71		–	*07:84
			52																			69	71	–	*07:100
			52										61									71	72	–	*07:133
			52																w			71	72	–	*07:134
			51																			71	72	B8, Null, –	*08:01:01-08:01:16, 08:05, 08:08N, 08:10-08:11, 08:15, 08:18-08:19N, 08:22-08:24, 08:27, 08:29-08:31, 08:33-08:34, 08:39, 08:41-08:48, 08:51, 08:53, 08:56-08:59, 08:61, 08:63-08:64, 08:66-08:69, 08:71-08:73, 08:75
			51																			70	72	B8, –	*08:02-08:03, 08:52
			51																			71	72	B8	*08:04
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*08:07, 08:14, 08:74, 08:77	B8, –	26																							48
*08:09	B8	26							32																48
*08:12:01-08:12:03, 08:16	B8	26							32																48
*08:13, 08:20, 08:40, 08:70	B8, –	26																							48
*08:17, 08:54	–	26							32			35													48
*08:21	B8	26	27						32																48
*08:25	B8	26	27																						48
*08:26, 08:50, 08:62, 42:07 ⁶	B8, –								32																48
*08:28, 08:37	B8, –	26										36													48
*08:32	B8	26							32									42							48
*08:35	–	26							32			36													48
*08:36	–	26							32																48
*08:38	–	26							32																48
*08:49	–	26																41		44					48
*08:55	–	26																			45				48
*08:60, 08:76	–	26							32																48
*08:65	–								32															47	48
*13:01:01-13:01:06, 13:17, 13:20, 13:22:01-13:23, 13:25, 13:28-13:29, 13:43, 13:50	B13, –		27	28							34							41							
*13:02:01-13:02:12, 13:08Q, 13:15, 13:18-13:19, 13:27, 13:30, 13:32-13:34, 13:37-13:38, 13:40, 13:42, 13:44-13:45, 13:47, 13:49N	B13, –, Null		27	28							34														
*13:03	B49, B15		27	28																					
*13:04, 13:10	B13, B15, B49		27	28								36													
*13:06	B13		27	28														41							
*13:07N	Null		27	28							34							41							
*13:09	–			28							34														
*13:11	B13		27	28							34														
*13:12-13:13	B13		27	28														41							
*13:14	B13		27								34														
*13:16	B13		27	28							34														
*13:21, 13:35	–		27	28																					
*13:26	–		27	28								36						41							
*13:31	–		27	28							34														
*13:36	–		27	28							34							41							
*13:39	–			28							34							41							
*13:41	–		27	28							34														
*13:46	–		27	28					32																
*13:48	–		27	28																					
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	Well No.
																								ser. ⁵ HLA-B allele ⁴
		51																				71	72	B8, – *08:07, 08:14, 08:74, 08:77
		51		54																		71		B8 *08:09
		51																				71		B8 *08:12:01-08:12:03, 08:16
																						71	72	B8, – *08:13, 08:20, 08:40, 08:70
		51										62										71	72	– *08:17, 08:54
		51																				71	72	B8 *08:21
																						71	72	B8 *08:25
		51																				71	72	B8, – *08:26, 08:50, 08:62, 42:07 ⁶
		51																				71	72	B8, – *08:28, 08:37
		51																68				71	72	B8 *08:32
		51																				71	72	– *08:35
		51																				71	72	– *08:36
		51										62										71	72	– *08:38
		51		53																		71	72	– *08:49
																						71	72	– *08:55
		51		53																		71	72	– *08:60, 08:76
		51																				71	72	– *08:65
												62									70			B13, – *13:01:01-13:01:06, 13:17, 13:20, 13:22:01-13:23, 13:25, 13:28-13:29, 13:43, 13:50
												62									70			B13, –, Null *13:02:01-13:02:12, 13:08Q, 13:15, 13:18-13:19, 13:27, 13:30, 13:32-13:34, 13:37-13:38, 13:40, 13:42, 13:44-13:45, 13:47, 13:49N
												62				65					70			B49, B15 *13:03
												62									70			B13, B15, B49 *13:04, 13:10
												62		64							70			B13 *13:06
																					70			Null *13:07N
												62									71			– *13:09
												62					67				70			B13 *13:11
												62									70			B13 *13:12-13:13
												62									70			B13 *13:14
										59		62									70			B13 *13:16
												62									70			– *13:21, 13:35
												62									70			– *13:26
										w		62								69	70			– *13:31
								57													70			– *13:36
												62									71			– *13:39
												62									69	70		– *13:41
					54							62									70			– *13:46
										59		62				65					70			– *13:48
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*14:01:01-14:01:02, 14:07N, 14:12, 14:14, 14:19, 14:26	B64, Null, –				28	29																		47	48
*14:02:01-14:02:02, 14:02:04, 14:03-14:04, 14:09, 14:11, 14:15-14:18, 14:20, 14:22-14:23, 14:25, 14:27	B14, B65, –				28		30																	47	48
*14:02:03, 14:02:06, 14:24	B65, –				28																			47	48
*14:02:05	B65				28		30																	47	
*14:05-14:06:02, 14:13	B14, –						30																	47	48
*14:08, 39:25N, 39:30, 39:32-39:34, 39:47, 39:50 ⁷	B16, B39, Null, –					29																		47	48
*14:10	–					29												41						47	48
*14:21	–				28																				48
*15:01:01-15:01:01:02N, 15:01:03, 15:01:06-15:01:16, 15:01:18, 15:01:20-15:01:24, 15:26N-15:27:03, 15:32, 15:34-15:35, 15:38:01-15:38:02, 15:50, 15:56, 15:60, 15:70-15:71, 15:75, 15:79N, 15:81-15:82, 15:92, 15:94N, 15:96-15:97, 15:102, 15:104-15:105, 15:109-15:111N, 15:113, 15:117-15:118, 15:122, 15:125, 15:128-15:129, 15:135, 15:140, 15:145-15:147, 15:152, 15:159-15:160, 15:163-15:164, 15:166-15:167, 15:169, 15:171-15:172, 15:174-15:175, 15:178, 15:181N-15:184, 15:187, 15:190N, 15:192-15:193, 15:201, 15:203, 15:206, 15:211, 15:217, 15:225, 15:227-15:228, 15:231-15:232, 15:234	B62, Null, –							31				36							43						
*15:01:02	B62							31		33			36						43						
*15:01:04	B62												36						43						
*15:01:17, 15:05:01-15:06, 15:33, 15:39:01-15:40, 15:65, 15:78:01-15:78:03, 15:84, 15:107, 15:136, 15:141, 15:155, 15:179, 15:185, 15:195, 15:199, 15:218Q-15:219	B62, –							31					36						43						
*15:01:19, 15:28, 15:120, 15:149N	B62, Null, –							31					36						43						
*15:02:01-15:02:05, 15:88, 15:112, 15:121, 15:139, 15:170, 15:194, 15:213-15:214, 15:223	B75, –							31					36					41		43					
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: 91M								Lot-specific information														www.olerup-ssp.com			
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	Well No.	
																								ser. ⁵	HLA-B allele ⁴
																						71		B64, Null, –	*14:01:01-14:01:02, 14:07N, 14:12, 14:14, 14:19, 14:26
																						71		B14, B65, –	*14:02:01-14:02:02, 14:02:04, 14:03-14:04, 14:09, 14:11, 14:15 14:18, 14:20, 14:22-14:23, 14:25, 14:27
																						71		B65, –	*14:02:03, 14:02:06, 14:24
																						71		B65	*14:02:05
																						71		B14, –	*14:05-14:06:02, 14:13
																						71		B16, B39, Null, –	*14:08, 39:25N, 39:30, 39:32-39:34, 39:47, 39:50 ⁷
						55																71		–	*14:10
			52																			71		–	*14:21
													62								69	71		B62, Null, –	*15:01:01-15:01:01:02N, 15:01:03, 15:01:06-15:01:16, 15:01:18, 15:01:20-15:01:24, 15:26N-15:27:03, 15:32, 15:34-15:35, 15:38:01-15:38:02, 15:50, 15:56, 15:60, 15:70-15:71, 15:75, 15:79N, 15:81-15:82, 15:92, 15:94N, 15:96-15:97, 15:102, 15:104-15:105, 15:109-15:111N, 15:113, 15:117-15:118, 15:122, 15:125, 15:128-15:129, 15:135, 15:140, 15:145-15:147, 15:152, 15:159-15:160, 15:163-15:164, 15:166-15:167, 15:169, 15:171-15:172, 15:174-15:175, 15:178, 15:181N-15:184, 15:187, 15:190N, 15:192-15:193, 15:201, 15:203, 15:206, 15:211, 15:217, 15:225, 15:227-15:228, 15:231-15:232, 15:234
												62								69	71			B62	*15:01:02
												62								69	71			B62	*15:01:04
												62										71		B62, –	*15:01:17, 15:05:01-15:06, 15:33, 15:39:01-15:40, 15:65, 15:78:01-15:78:03, 15:84, 15:107, 15:136, 15:141, 15:155, 15:179, 15:185, 15:195, 15:199, 15:218Q-15:219
																				69	71			B62, Null, –	*15:01:19, 15:28, 15:120, 15:149N
								57														71		B75, –	*15:02:01-15:02:05, 15:88, 15:112, 15:121, 15:139, 15:170, 15:194, 15:213-15:214, 15:223
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	Well No.	

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*15:03:01-15:03:02, 15:47, 15:49, 15:61, 15:98, 15:103, 15:123, 15:127, 15:132, 15:151, 15:156, 15:158, 15:173, 15:210, 15:220	B70, B72, –								32			35	36							43					
*15:03:03	B72							31	32			35	36							43					
*15:04	B62							31					36							43					
*15:07:01-15:07:02, 15:126, 15:205, 15:207	B62, –			27				31					36							43					
*15:08, 15:11:01-15:11:03, 15:11:05, 15:15, 15:148, 15:191, 15:209N, 15:215	B75, B62, Null, –							31					36							43					
*15:09	B70								32	33					38					43					
*15:10:01, 15:37, 15:90, 15:99, 15:133, 15:229	B70, B71, –								32						38					43					
*15:10:02	B71							31	32						38					43					
*15:11:04	B75												36							43					
*15:12, 15:14, 15:19	B76							31					36	37						43					
*15:13:01-15:13:02	B77, –							31					36		38			41		43					
*15:16:01-15:16:03, 15:67, 15:95	B63, –									33			36		38					43					
*15:17:01:01-15:17:02, 15:162, 15:168, 15:177, 15:196, 15:208, 15:216	B63, –							31		33					38					43					
*15:18:01-15:18:02, 15:18:04, 15:51-15:52, 15:72, 15:93, 15:108, 15:114, 15:119, 15:134, 15:153, 15:176, 15:197-15:198, 15:200, 15:221, 15:226N	B71, B70, Null, –								32				36		38					43					
*15:18:03	B71								32				36		38					43					
*15:20, 15:25:01-15:25:03, 15:204	B62, –							31					36					41		43					
*15:21, 15:44	B75							31					36		38			41		43					
*15:23, 15:115	B5, B70, –								32				36		38					43					
*15:24, 15:87, 15:157	B15, B62, –							31					36		38					43					
*15:29	B70								32				36							43					
*15:30, 15:58, 15:63	B62							31												43					
*15:31	B75							31					36							43					
*15:36	–			w				31					36					41		43					
*15:42	B15							31												43					
*15:43	B15							31					36							43					
*15:45	B62			27				31												43					
*15:46	–				28			31	32				36							43					
*15:48, 15:150, 15:188	B62, –							31												43					
*15:53, 15:212	–				28				32				36							43					
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	ser. ⁵	Well No. HLA-B allele ⁴
													62									71		B70, B72, –	*15:03:01-15:03:02, 15:47, 15:49, 15:61, 15:98, 15:103, 15:123, 15:127, 15:132, 15:151, 15:156, 15:158, 15:173, 15:210, 15:220
													62									71		B72	*15:03:03
									w				62							69		71		B62	*15:04
													62							69		71		B62, –	*15:07:01-15:07:02, 15:126, 15:205, 15:207
								57												69		71		B75, B62,N ull, –	*15:08, 15:11:01-15:11:03, 15:11:05, 15:15, 15:148, 15:191, 15:209N, 15:215
																						71		B70	*15:09
																						71		B70, B71, –	*15:10:01, 15:37, 15:90, 15:99, 15:133, 15:229
																						71		B71	*15:10:02
								57												69		71		B75	*15:11:04
													62							69		71		B76	*15:12, 15:14, 15:19
								57														70		B77, –	*15:13:01-15:13:02
									59													70		B63, –	*15:16:01-15:16:03, 15:67, 15:95
																						70		B63, –	*15:17:01:01-15:17:02, 15:162, 15:168, 15:177, 15:196, 15:208, 15:216
																						71		B71, B70, Null, –	*15:18:01-15:18:02, 15:18:04, 15:51-15:52, 15:72, 15:93, 15:108, 15:114, 15:119, 15:134, 15:153, 15:176, 15:197-15:198, 15:200, 15:221, 15:226N
																	67					71		B71	*15:18:03
													62									71		B62, –	*15:20, 15:25:01-15:25:03, 15:204
								57														71		B75	*15:21, 15:44
																					70			B5, B70, –	*15:23, 15:115
													62							69	70			B15, B62, –	*15:24, 15:87, 15:157
																						71		B70	*15:29
													62							69		71		B62	*15:30, 15:58, 15:63
								57														71		B75	*15:31
													62								70			–	*15:36
									59				62	64								71		B15	*15:42
													62							69	70			B15	*15:43
													62							69		71		B62	*15:45
												61	62							69		71		–	*15:46
													62									71		B62, –	*15:48, 15:150, 15:188
												61	62							69		71		–	*15:53, 15:212
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*15:54	B72								32			35	36							43					
*15:55	B15			27					31				36							43					
*15:57	B62								31				36							43					
*15:62	–								32			35	36					41		43					
*15:64	B71								32			35	36							43					
*15:66	B62								31				36		38					43					
*15:68	–			27								35	36												
*15:69	B72								32			35	36							43		45			
*15:73	B62								31											43					
*15:74	B72								32				36							43					
*15:76	–								31				36							43					
*15:77	B62							30	31									41		43					
*15:80	B70								32				36		38			41		43					
*15:83	B62								31	32										43					
*15:85, 15:154, 15:165	B62, –								31				36					41		43					
*15:86	–								31											43					
*15:89	B77			w					31				36					41		43					
*15:91, 15:131	–								32			35	36	37						43					
*15:101	–								31				36												
*15:106	–				28				31	32			36					41		43					
*15:116	B62								31				36							43					
*15:124	B71								32				36		38					43					
*15:137	–								31											43					
*15:138	–	25							31				36							43					
*15:142	–		26						31				36							43					
*15:143	–								31	32			36							43					
*15:144	–								31				36					41		43					
*15:161	–								32				36	37	38					43					
*15:180	–		26										36												
*15:186	–								32				36		38					43		45			
*15:189	–							30	31				36		38					43					
*15:202	–								31				36						42	43					
*15:222	–									33			36		38					43					
*15:224	–								31											43					
*15:230	–	25							31	33					38					43					
*15:233	–							30	31											43					
*18:01:01-18:03, 18:05-18:08, 18:10-18:11, 18:13-18:15, 18:17N-18:18, 18:20-18:21, 18:23N-18:25, 18:27-18:28, 18:30-18:36, 18:38-18:40, 18:42-18:43, 18:45-18:47, 18:50-18:53, 18:55, 18:57-18:60, 18:62-18:65	B18, Null, –												36			39			42						
*18:04	B18												36			39			42						
*18:09	B18												36			39									
*18:12	B18												36			39			42						
*18:19	B18												36			39			42						
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.
																								ser. ⁵	HLA-B allele ⁴
													62							69	71			B72	*15:54
								57													71			B15	*15:55
					w								62							69	71			B62	*15:57
													62								71			–	*15:62
																					71			B71	*15:64
													62							69	71			B62	*15:66
													62							69	71			–	*15:68
													62								71			B72	*15:69
													62			65	67			69	71			B62	*15:73
													62								71			B72	*15:74
			52					w												69	71			–	*15:76
													62							69	71			B62	*15:77
																					71			B70	*15:80
					54								62								71			B62	*15:83
													62							69	71			B62, –	*15:85, 15:154, 15:165
													62	64							71			–	*15:86
								57													70			B77	*15:89
													62								71			–	*15:91, 15:131
			52										62							69	71			–	*15:101
												61	62								71			–	*15:106
49													62								71			B62	*15:116
49																					71			B71	*15:124
										w			62							69	71			–	*15:137
													62								71			–	*15:138
													62							69	71			–	*15:142
												61								69	71			–	*15:143
								57												69	71			–	*15:144
																					71			–	*15:161
																				69	71			–	*15:180
																					71			–	*15:186
								57												69	71			–	*15:189
													62							69	71			–	*15:202
																					70			–	*15:222
													62	64			67				71			–	*15:224
																					70			–	*15:230
													62							69	71			–	*15:233
																			68			71		B18, Null, –	*18:01:01-18:03, 18:05-18:08, 18:10-18:11, 18:13-18:15, 18:17N-18:18, 18:20-18:21, 18:23N-18:25, 18:27-18:28, 18:30-18:36, 18:38-18:40, 18:42 18:43, 18:45-18:47, 18:50-18:53, 18:55, 18:57-18:60, 18:62-18:65
														64					68		71			B18	*18:04
																		68		70				B18	*18:09
													62								71			B18	*18:12
																			68	69	71			B18	*18:19
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*18:22	B18												36			39		41	42						
*18:26, 18:41, 18:61	B18, –															39		42							
*18:29, 35:32, 35:37, 35:53N, 35:64, 35:68:01-35:68:02, 35:99, 35:118-35:119, 35:174 ⁸	B35, Null, –												36					42							
*18:37	–											35	36			39									
*18:44	–				28								36			39		42							
*18:48	–												36			39									
*18:49	–												36			39									
*18:54	–												36	37		39				44					
*18:56	–												36	37		39		42							
*18:66	–												36			39									
*27:01	B27					29											40								
*27:02:01-27:02:02, 27:53, 27:57, 27:65N	B27, Null, –					29											40								
*27:03-27:05:15, 27:05:17- 27:06, 27:09-27:10, 27:13, 27:17, 27:20, 27:27, 27:31, 27:35-27:37, 27:45-27:46, 27:48- 27:51, 27:54-27:56, 27:58, 27:60- 27:61, 27:64N, 27:66N, 27:68- 27:69, 27:72-27:74, 27:78-27:80, 27:82	B27, Null, –					29											40								
*27:05:16, 27:07, 27:11, 27:15, 27:21, 27:28, 27:32, 27:34, 27:38, 27:43, 27:47, 27:63, 27:70-27:71, 27:76	B27, –																40								
*27:08, 27:26, 27:40, 27:42, 27:44	B2708, B27, B7, –					29											40								
*27:12	–					29											40								
*27:14, 27:81	B27, –																40							48	
*27:16, 27:39, 27:59N	B27, Null, –					29											40								
*27:18	–					29						35					40								
*27:19	B27																40	41							
*27:23	–					29											40								
*27:24	B27																40								
*27:25	B27																40								
*27:29	B27					29						35					40								
*27:30	B27																40	41							
*27:33	–																40								
*27:41	–					29						36					40								
*27:52, 27:67	–					29																			
*27:62	–																40								
*27:75	–					29																			
*27:77	–					29											40								
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.
																								ser. ⁵	HLA-B allele ⁴
						55													68			71		B18	*18:22
																			68			71		B18, –	*18:26, 18:41, 18:61
																			68			71		B35, Null, –	*18:29, 35:32, 35:37, 35:53N, 35:64, 35:68:01-35:68:02, 35:99, 35:118-35:119, 35:174 ⁸
																						71		–	*18:37
																			68			71		–	*18:44
	50											61										71		–	*18:48
																			68			71		–	*18:49
																			68		70			–	*18:54
																			68			71		–	*18:56
																						71		–	*18:66
			52				w					62										70		B27	*27:01
			52				56			60		62										70		B27, Null, –	*27:02:01-27:02:02, 27:53, 27:57, 27:65N
																								B27, Null, –	*27:03-27:05:15, 27:05:17-27:06, 27:09-27:10, 27:13, 27:17, 27:20, 27:27, 27:31, 27:35-27:37, 27:45-27:46, 27:48, 27:51, 27:54-27:56, 27:58, 27:60, 27:61, 27:64N, 27:66N, 27:68-27:69, 27:72-27:74, 27:78-27:80, 27:82
			52				56					62										70		B27, –	*27:05:16, 27:07, 27:11, 27:15, 27:21, 27:28, 27:32, 27:34, 27:38, 27:43, 27:47, 27:63, 27:70-27:71, 27:76
			52				56					62										71		B2708, B27, B7, –	*27:08, 27:26, 27:40, 27:42, 27:44
												62										71		–	*27:12
			52				56					62										70		B27, –	*27:14, 27:81
												62										70		B27, Null, –	*27:16, 27:39, 27:59N
												62										71		–	*27:18
			52				56					62										70		B27	*27:19
																						70		–	*27:23
			52				56	57				62										70		B27	*27:24
			52				56					62									69	70		B27	*27:25
												62										70		B27	*27:29
			52				56			60		62										70		B27	*27:30
			52				56					62										71		–	*27:33
			52				56					62										70		–	*27:41
			52				56					62										70		–	*27:52, 27:67
			52				56			60		62										70		–	*27:62
			52				56			60		62									69	70		–	*27:75
										60		62										70		–	*27:77
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*35:01:01:01-35:01:09, 35:01:11-35:01:29, 35:07-35:08:04, 35:11:01-35:11:02, 35:15, 35:20:01-35:20:02, 35:23, 35:29, 35:40N-35:42:01, 35:48, 35:50, 35:52, 35:54, 35:57, 35:61, 35:77-35:78, 35:82, 35:90-35:94, 35:100-35:101:02, 35:103-35:105, 35:107-35:108:02, 35:110-35:112, 35:116, 35:120-35:124, 35:126, 35:130N-35:134N, 35:137-35:148, 35:158-35:159, 35:161, 35:165N-35:166, 35:168, 35:170-35:171, 35:173N, 35:175-35:178	B35, Null, –												36					41	42						
*35:01:10	B35									33			36					41	42						
*35:02:01-35:03:02, 35:03:04-35:04:01, 35:04:03, 35:06, 35:12:01-35:12:03, 35:33-35:34, 35:36, 35:39, 35:55, 35:59, 35:65Q, 35:70, 35:74, 35:83-35:85, 35:95, 35:98, 35:106, 35:128-35:129N, 35:136, 35:149-35:150, 35:152-35:153, 35:155-35:156, 35:160, 35:162, 35:172	B35, Null, –																	41	42						
*35:03:03, 35:56	B35																	41							
*35:04:02	B35									33								41	42						
*35:05:01-35:05:02, 35:51, 35:58, 35:72, 35:89, 35:97, 35:114	B35, –			27									36					42							
*35:09:01-35:09:02, 35:18, 35:31, 35:75, 35:88, 35:127, 35:151	B35, –																	42							
*35:10, 35:28, 35:69, 35:80	B35, –												36					41	42						
*35:13	B35																	41	42						
*35:14:01-35:14:02, 35:62	B35												36					41	42						
*35:16	B35			27									36					41	42						
*35:17, 35:30, 35:113, 35:125	B35, –			27									36					41	42						
*35:19	B35, –												36					41							
*35:21, 35:24:01-35:24:02	B35, B78												36					41	42						
*35:22	B35			27														42							
*35:25, 35:49	B35												36					41							
*35:26	B35					30							36					41							
*35:27	B35												36					41							
*35:35	B35												36					41	42			45			
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	Well No.
																								ser. ⁵
																								HLA-B allele ⁴
																			68			71		B35, Null, – *35:01:01:01-35:01:09, 35:01:11-35:01:29, 35:07-35:08:04, 35:11:01-35:11:02, 35:15, 35:20:01-35:20:02, 35:23, 35:29, 35:40N-35:42:01, 35:48, 35:50, 35:52, 35:54, 35:57, 35:61, 35:77-35:78, 35:82, 35:90-35:94, 35:100-35:101:02, 35:103-35:105, 35:107-35:108:02, 35:110-35:112, 35:116, 35:120-35:124, 35:126, 35:130N-35:134N, 35:137-35:148, 35:158-35:159, 35:161, 35:165N-35:166, 35:168, 35:170-35:171, 35:173N, 35:175-35:178
																			68			71		B35 *35:01:10
																			68			71		B35, Null, – *35:02:01-35:03:02, 35:03:04-35:04:01, 35:04:03, 35:06, 35:12:01-35:12:03, 35:33-35:34, 35:36, 35:39, 35:55, 35:59, 35:65Q, 35:70, 35:74, 35:83-35:85, 35:95, 35:98, 35:106, 35:128-35:129N, 35:136, 35:149-35:150, 35:152-35:153, 35:155-35:156, 35:160, 35:162, 35:172
																			68			71		B35 *35:03:03, 35:56
																			68			71		B35 *35:04:02
																			68			71		B35, – *35:05:01-35:05:02, 35:51, 35:58, 35:72, 35:89, 35:97, 35:114
																			68			71		B35, – *35:09:01-35:09:02, 35:18, 35:31, 35:75, 35:88, 35:127, 35:151
												62										71		B35, – *35:10, 35:28, 35:69, 35:80
												62										71		B35 *35:13
																			68	69		71		B35 *35:14:01-35:14:02, 35:62
												62										71		B35 *35:16
																			68			71		B35, – *35:17, 35:30, 35:113, 35:125
												61										71		B35, – *35:19
						55													68			71		B35, B78 *35:21, 35:24:01-35:24:02
																			68			71		B35 *35:22
																						71		B35 *35:25, 35:49
																						71		B35 *35:26
																			68			71		B35 *35:27
																			68			71		B35 *35:35
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*35:38, 35:169	B35, –																	41	42						
*35:42:02	–												36					41	42						
*35:43:01, 35:67, 35:79, 35:86, 35:102, 35:117, 35:135	B35, –												36						42						
*35:43:02	–												36						42						
*35:44	–																		42						
*35:45, 35:71	B35												36	37				41	42						
*35:46	B35				28								36					41							
*35:47	B35				28								36					41							
*35:60	B35																		42						
*35:63	–				28								36					41							
*35:66	B35												36						42						
*35:76	B35, 22												36					41	42						
*35:81, 35:96, 35:109, 35:157	–																	41	42						
*35:87	–								32										42						
*35:115	–												36					41	42						
*35:154	–				28													41							
*35:163	–																	41	42						
*35:164	–				27													41	42						
*37:01:01-37:01:07, 37:03N, 37:06, 37:13, 37:15-37:21, 37:23-37:27, 37:30N-37:31	B37, Null, –													37				41		44					
*37:01:08, 37:09	B37, –													37						44					
*37:02	B37, B27					29								37						44					
*37:04:01-37:04:02	B37, –													37				41		44					
*37:05	–													37				41		44					
*37:07	–	25												37						44					
*37:08	B37													37				41		44					
*37:10, 37:22, 37:29	B37, –																	41		44					
*37:11	–																	41	42		44				
*37:12	B37								32					37						44					
*37:14	–																	41		44					
*37:28	–												35	37				41		44					
*38:01:01-38:02:02, 38:08-38:09, 38:11-38:16, 38:18-38:19, 38:21, 38:23-38:24, 38:27-38:29, 38:31-38:32, 38:34N	B38, Null, –					29																45	46	47	
*38:02:03	–																					45		47	
*38:03	B38					29						35										45	46		
*38:04, 38:25	B38, –																					45		47	
*38:05, 38:33	B38, –							30														45	46	47	
*38:06	B38																					45			
*38:07	B38					29																45			
*38:10	B38					29																		46	47
*38:17	–					29								37						44	45	46	47		
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

www.olerup-ssp.com

For *In Vitro* Diagnostic Use

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*38:20	–					29												41				45	46	47	
*38:22	–					29											40						46	47	
*38:26	–					29																45	46		
*38:30	–					29			32														46	47	
*38:35	–					29																45		47	
*39:01:01:01-39:01:01:02L, 39:01:03-39:01:08, 39:01:10- 39:01:12, 39:03, 39:05:01- 39:06:02, 39:09, 39:11, 39:14- 39:15, 39:24:01, 39:26-39:29, 39:31, 39:35, 39:37-39:38Q, 39:40N-39:41, 39:44, 39:46, 39:48, 39:51-39:57, 39:59-39:62, 39:64-39:67	B39, B3901, Low B39, Null, –					29																45		47	48
*39:01:09, 39:12, 39:45	B39, B3901, –																					45		47	48
*39:02:01, 39:08	B39, B3902					29						35										45			48
*39:02:02, 39:13:01-39:13:02, 39:23, 39:49	B39, B3902, –											35										45			48
*39:04	B39						30															45		47	48
*39:07	B16					29						36										45		47	48
*39:10:01-39:10:02, 39:16, 39:20	B39, –																					45			48
*39:17	B39																					45			48
*39:18	B39					29																45		47	48
*39:19:01	B39																	42				45		47	48
*39:19:02	B39					29												42				45		47	48
*39:22	B39					29																45		47	48
*39:24:02	–					29																45		47	
*39:36	–					29																		47	48
*39:39	B39					29						35										45			48
*39:42	B39					29												41				45		47	48
*39:43	–					29						36												47	48
*39:58	–					29																45			48
*39:63	–																					45			48
*40:01:01-40:01:06, 40:01:08- 40:01:10, 40:01:12-40:01:17, 40:01:19-40:01:23, 40:07, 40:51, 40:66, 40:73, 40:79, 40:124:01, 40:139-40:140, 40:146-40:147, 40:150, 40:152-40:153, 40:155N	B60, –, –, Null					28																			48
*40:01:07, 40:01:18, 40:72:01, 40:77	B60, –					28																			48
*40:01:11	–					28																			48
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.
																								ser. ⁵	HLA-B allele ⁴
																				70				–	*38:20
																				70				–	*38:22
			52																	70				–	*38:26
																				70				–	*38:30
																				70				–	*38:35
																						71		B39, B3901, Low B39, Null, –	*39:01:01:01-39:01:01:02L, 39:01:03-39:01:08, 39:01:10-39:01:12, 39:03, 39:05:01-39:06:02, 39:09, 39:11, 39:14-39:15, 39:24:01, 39:26-39:29, 39:31, 39:35, 39:37-39:38Q, 39:40N-39:41, 39:44, 39:46, 39:48, 39:51-39:57, 39:59-39:62, 39:64-39:67
																						71		B39, B3901, –	*39:01:09, 39:12, 39:45
												62										71		B39, B3902	*39:02:01, 39:08
												62										71		B39, B3902, –	*39:02:02, 39:13:01-39:13:02, 39:23, 39:49
																						71		B39	*39:04
																						71		B16	*39:07
																						71		B39, –	*39:10:01-39:10:02, 39:16, 39:20
													64			67						71		B39	*39:17
																			69			71		B39	*39:18
																			68			71		B39	*39:19:01
																			68			71		B39	*39:19:02
												62										71		B39	*39:22
																						71		–	*39:24:02
																				69		71		-	*39:36
																						71		B39	*39:39
																						71		B39	*39:42
																						71		–	*39:43
																						71		–	*39:58
													64									71		–	*39:63
49												61	62									71		B60, –, Null	*40:01:01-40:01:06, 40:01:08-40:01:10, 40:01:12-40:01:17, 40:01:19-40:01:23, 40:07, 40:51, 40:66, 40:73, 40:79, 40:124:01, 40:139-40:140, 40:146-40:147, 40:150, 40:152-40:153, 40:155N
												61	62									71		B60, –	*40:01:07, 40:01:18, 40:72:01, 40:77
49												61	62	64								71		–	*40:01:11
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*40:02:01-40:02:12, 40:04, 40:39, 40:89, 40:94, 40:97, 40:122, 40:142N-40:144N	B41, B61, Null, –																								
*40:03, 40:20	B61											36													
*40:05	B4005, B50		27																						
*40:06:01:01-40:06:04, 40:70	B61, –																								48
*40:08	B61, –																								
*40:09, 40:11:01-40:11:02, 40:18, 40:24, 40:27:01-40:27:02, 40:29, 40:35, 40:37, 40:50, 40:56-40:57, 40:64, 40:78, 40:82, 40:85, 40:90-40:91, 40:99, 40:104, 40:107, 40:111, 40:115, 40:119-40:120, 40:133Q, 40:145, 40:169, 40:173	B61, –																								?
*40:10:01-40:10:02, 40:22N, 40:33, 40:36, 40:42-40:43, 40:49, 40:54-40:55, 40:61-40:63, 40:65, 40:67, 40:81, 40:84, 40:87:01-40:88, 40:92, 40:100-40:102, 40:108, 40:112-40:114, 40:116, 40:118N, 40:123, 40:124:02-40:126, 40:128, 40:130, 40:134, 40:141, 40:151, 40:154, 40:156, 40:163, 40:168, 40:171-40:172	B60, Null, –				28																				?
*40:12	B60, B48								32		35							43							
*40:13	–																								
*40:14:01-40:14:03, 40:121, 40:129, 40:164	B60, –				28																				?
*40:15, 40:32	B40, –	25			28																				?
*40:16	B61	25			28																				48
*40:19	B61																								
*40:21	B40, B15																								?
*40:23	B40	25			28																				48
*40:25, 40:69, 40:106	B40, B60, –				28																				?
*40:26	B21									33															?
*40:28	–									33								41							?
*40:30, 40:34, 40:160	B60, –				28																				?
*40:31, 40:45, 40:80	B60, –				28																				?
*40:38, 40:52	B60				28							36													?
*40:40	B61																								
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.
																								ser. ⁵	HLA-B allele ⁴
	50											61	62									71		B41, B61, Null, –	*40:02:01-40:02:12, 40:04, 40:39, 40:89, 40:94, 40:97, 40:122, 40:142N-40:144N
	50											61	62									71		B61	*40:03, 40:20
	50											61	62									71		B4005, B50	*40:05
	50											61	62									71		B61, –	*40:06:01:01-40:06:04, 40:70
	50											61										71		B61, –	*40:08
	?											61	62									71		B61, –	*40:09, 40:11:01-40:11:02, 40:18, 40:24, 40:27:01-40:27:02, 40:29, 40:35, 40:37, 40:50, 40:56-40:57, 40:64, 40:78, 40:82, 40:85, 40:90-40:91, 40:99, 40:104, 40:107, 40:111, 40:115, 40:119-40:120, 40:133Q, 40:145, 40:169, 40:173
49	?											61	62									71		B60, Null, –	*40:10:01-40:10:02, 40:22N, 40:33, 40:36, 40:42-40:43, 40:49, 40:54-40:55, 40:61-40:63, 40:65, 40:67, 40:81, 40:84, 40:87:01-40:88, 40:92, 40:100-40:102, 40:108, 40:112-40:114, 40:116, 40:118N, 40:123, 40:124:02-40:126, 40:128, 40:130, 40:134, 40:141, 40:151, 40:154, 40:156, 40:163, 40:168, 40:171-40:172
49												62										71		B60, B48	*40:12
	50							58		60		62										70		–	*40:13
	?											61	62									71		B60, –	*40:14:01-40:14:03, 40:121, 40:129, 40:164
	?											61	62									71	72	B40, –	*40:15, 40:32
												61	62									71	72	B61	*40:16
	?							58		60		62										70		B61	*40:19
49												62										71		B40, B15	*40:21
49												61	62									71		B40	*40:23
49	?											61										71		B40, B60, –	*40:25, 40:69, 40:106
	?											61	62									71		B21	*40:26
	?				55							61	62									71		–	*40:28
49	?											61	62									71	72	B60, –	*40:30, 40:34, 40:160
	?							57				61	62									71	72	B60, –	*40:31, 40:45, 40:80
49	?											61	62									71		B60	*40:38, 40:52
												61	62									71		B61	*40:40
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*40:44, 40:75, 40:86, 40:103, 40:127, 40:131, 40:162, 40:165, 40:167	B61, –																								48
*40:46	B60											35					40								?
*40:47	B40				28																				
*40:48	B60				28						34														?
*40:53, 40:72:02	B60, B61				28																				48
*40:58	B40				28																				?
*40:59	B40				28							36													48
*40:60	–				28							36													48
*40:68	–																								?
*40:71	B61			27																					?
*40:74, 40:149	B60, –																								?
*40:76	B60				28																				
*40:83	–																								48
*40:93	–											35					40								48
*40:95	–																								?
*40:96	–																								48
*40:98	–	25																							?
*40:105	–											36													?
*40:109	–																								48
*40:110	–				28																				48
*40:117	–				28																				
*40:132	–				28																				?
*40:135	–				28																				
*40:136	–	25			28				32							38									?
*40:137	–																								?
*40:138	–																								48
*40:148, 40:161	–																								48
*40:157	–																								
*40:158	–	25			28							36													?
*40:159	–											36													48
*40:166	–				28																				?
*40:170	–																								?
*41:01, 41:06-41:07, 41:12, 41:14, 41:16-41:17	B41, –				28				32																48
*41:02:01-41:02:04, 41:11, 41:13, 41:19	B41, –				28				32																48
*41:03:01-41:03:02, 41:15	B41, –				28				32																48
*41:04, 41:10, 41:18	B41, –				28																				48
*41:05	B41				28				32																48
*41:08	B41	25			28				32							38									48
*41:09, 45:02-45:03 ⁹	B45, –				28				32																48
*42:01:01-42:02, 42:06, 42:10, 42:12, 42:15	B42, –								32																48
*42:04	B42								32																48
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: 91M												Lot-specific information												www.olerup-ssp.com	
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	ser. ⁵	Well No.
																									HLA-B allele ⁴
												61	62									71			*40:44, 40:75, 40:86, 40:103, B61, – 40:127, 40:131, 40:162, 40:165, 40:167
49												62										71			B60 *40:46
49	?											62									70				B40 *40:47
49	?											61	62				67					71			B60 *40:48
												61	62									71			B60, B61 *40:53, 40:72:02
												61	62		64							71			B40 *40:58
49												61	62									71	72		B40 *40:59
49												61	62									71			- *40:60
												61										71			- *40:68
												61	62				65	67				71			B61 *40:71
49	?											61	62									71			B60, – *40:74, 40:149
49	?											62													B60 *40:76
												61	62									71			- *40:83
												62										71			- *40:93
										59		61	62									71			- *40:95
												62										70			- *40:96
												61	62									71	72		- *40:98
												61	62									71			- *40:105
										58	60	62										70			- *40:109
												62										70			- *40:110
49	?									58	60	62										70			- *40:117
49	?			53								61	62									71			- *40:132
49	?											61	62									71			- *40:135
												61	62									71			- *40:136
49												62										71	72		- *40:137
49												61	62									71			- *40:138
										59		61	62									71			- *40:148, 40:161
												62										70			- *40:157
												61	62									71			- *40:158
												61	62									71			- *40:159
49	?		52									61										71			- *40:166
49												61	62									71			- *40:170
		51			54							61	62									71			B41, – *41:01, 41:06-41:07, 41:12, 41:14, 41:16-41:17
		51										61	62									71	72		B41, – *41:02:01-41:02:04, 41:11, 41:13, 41:19
		51										61	62									71			B41, – *41:03:01-41:03:02, 41:15
		51										61	62									71	72		B41, – *41:04, 41:10, 41:18
		51			54							?	62									71			B41 *41:05
		51										61	62									71			B41 *41:08
					54							61	62									71			B45, – *41:09, 45:02-45:03 ⁹
		51	52																			71	72		B42, – *42:01:01-42:02, 42:06, 42:10, 42:12, 42:15
		51	52		54																	71			B42 *42:04
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*42:05:01-42:05:02	B42	25							32						38										48
*42:08	B42								32																48
*42:09	B42												36												48
*42:11	–								32			35													48
*42:13	–								32																48
*42:14	–								32																48
*42:16	–																								48
*44:02:01:01-44:02:21, 44:11, 44:19N, 44:21-44:24, 44:27:01-44:27:02, 44:33-44:34, 44:48, 44:52N, 44:55, 44:59, 44:63, 44:66-44:68, 44:71-44:74, 44:80, 44:84, 44:86-44:87, 44:89, 44:93, 44:101-44:102, 44:104, 44:112-44:113, 44:116, 44:118-44:119, 44:121, 44:126	B44, Null, –				28													41							
*44:03:01-44:03:06, 44:03:08-44:05:03, 44:13, 44:26, 44:28:01-44:30, 44:32, 44:35-44:36, 44:38-44:39, 44:42, 44:45, 44:51, 44:56N, 44:58N, 44:61N, 44:69-44:70, 44:76-44:79, 44:82, 44:85, 44:88, 44:92, 44:94, 44:96, 44:98, 44:105, 44:107-44:109, 44:114-44:115, 44:117, 44:120, 44:122-44:125, 44:128, 44:133	B44, Null, –				28													41							
*44:03:07, 44:07, 44:81, 44:103, 44:111, 44:134	B44, –																	41							
*44:06	B44																	41							
*44:08	B44			w														41							
*44:09	B45				28													41							
*44:10	B44				28							35						41							
*44:12	B44				28													41							
*44:14	B44				28				32									41							
*44:15	B12				28				32			35													
*44:16, 44:91, 44:132	B44, B47, –				28		30											41							
*44:17, 44:43:01-44:43:02	B44, –				28							36	37					41							
*44:18	B44				28				32			35													
*44:20, 44:100	B44, –				28				32																
*44:25, 44:50	B44				28													41							
*44:31	B44				28																				
*44:37, 44:64:01-44:64:02	B44, –				28		30											41							
*44:40, 44:130	B44, –											35					40	41							
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.
																								ser. ⁵	HLA-B allele ⁴
		51	52																			71	72	B42	*42:05:01-42:05:02
			52																			71		B42	*42:08
		51	52																			71	72	B42	*42:09
		51											62									71	72	–	*42:11
		51	52	53																		71	72	–	*42:13
		51	52																			71		–	*42:14
		51	52																			71	72	–	*42:16
				53									62	63								70		B44, Null, –	*44:02:01:01-44:02:21, 44:11, 44:19N, 44:21-44:24, 44:27:01- 44:27:02, 44:33-44:34, 44:48, 44:52N, 44:55, 44:59, 44:63, 44:66-44:68, 44:71-44:74, 44:80, 44:84, 44:86-44:87, 44:89, 44:93, 44:101-44:102, 44:104, 44:112-44:113, 44:116, 44:118- 44:119, 44:121, 44:126
				53									62									70		B44, Null, –	*44:03:01-44:03:06, 44:03:08- 44:05:03, 44:13, 44:26, 44:28:01- 44:30, 44:32, 44:35-44:36, 44:38 44:39, 44:42, 44:45, 44:51, 44:56N, 44:58N, 44:61N, 44:69- 44:70, 44:76-44:79, 44:82, 44:85, 44:88, 44:92, 44:94, 44:96, 44:98, 44:105, 44:107- 44:109, 44:114-44:115, 44:117, 44:120, 44:122-44:125, 44:128, 44:133
				53									62									70		B44, –	*44:03:07, 44:07, 44:81, 44:103, 44:111, 44:134
				53	54						60		63						68			70		B44	*44:06
				53									62	63								70		B44	*44:08
				53								61	62	63								71		B45	*44:09
				53									62				65					70		B44	*44:10
				53										63								70		B44	*44:12
				53									62									70		B44	*44:14
					54								62				65					70		B12	*44:15
				53									62	63								70		B44, B47, –	*44:16, 44:91, 44:132
				53									62									70		B44, –	*44:17, 44:43:01-44:43:02
					54					58			62				65					70		B44	*44:18
				53	54								62	63								70		B44, –	*44:20, 44:100
				53						58	60		62									70		B44	*44:25, 44:50
49				53									62									70		B44	*44:31
													62									70		B44, –	*44:37, 44:64:01-44:64:02
				53									62									70		B44, –	*44:40, 44:130
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*44:41:01-44:41:02, 44:53, 44:99	B44, –				28																				
*44:44	B44											35					40	41							
*44:46, 44:75, 44:129	B12, –				28													41							
*44:47, 44:65	B44, –				28																				
*44:49	B44		26		28													41							
*44:54	B44			27	28																				
*44:57	–			w														41							
*44:60, 44:110	–			27	28													41							
*44:62	–				28				32	33								41							
*44:83	–																	41							
*44:90	–				28													41							
*44:95	–				28													41							
*44:97	–				28													41							
*44:106	–			27	28																				
*44:127	–				28													41							
*44:131	–																	41							
*45:01, 45:05, 45:07, 45:11-45:13	B45, –				28				32			35													48
*45:04	B21				28				32																48
*45:06	B45				28				32			35													48
*45:08	–				28				32																48
*45:09	–				28				32				36	37											48
*45:10	–				28				32		34														48
*46:01:01-46:01:07, 46:04-46:05, 46:07N, 46:09-46:10, 46:14-46:16, 46:22-46:24, 46:27-46:28	B46, Null, –								31				36												
*46:02	B46								31				36												
*46:03, 46:08, 46:13:01-46:13:03, 46:19, 46:21:01-46:21:02, 46:25-46:26	B46, –								31				36												
*46:06	–								31				36												
*46:11	B22								31																
*46:12, 46:20	–			27					31				36												
*46:17	–								31				36	37											
*46:18	–								31																
*47:01:01:01-47:01:02, 47:06-47:08	B47, –				28																				
*47:02	B47				28																				
*47:03	B47				28																				
*47:04-47:05	B17, –				28	29																			
*48:01:01-48:01:03, 48:07, 48:09, 48:11, 48:19-48:20, 48:22	B48, –											35													48
*48:02:01-48:02:02, 48:25	B48, B70, –											35	36					41							48
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.
																								ser. ⁵	HLA-B allele ⁴
				53									62	63							70			B44, –	*44:41:01-44:41:02, 44:53, 44:99
				53									62	63							70			B44	*44:44
				53								61	62									71		B12, –	*44:46, 44:75, 44:129
				53									62								70			B44, –	*44:47, 44:65
				53									62	63							70			B44	*44:49
				53									62								70			B44	*44:54
				53									62								70			–	*44:57
				53									62								70			–	*44:60, 44:110
				53									62								70			–	*44:62
				53									62	63							70			–	*44:83
			52	53			56					61	62	63								71		–	*44:90
				53					58		60		62	63							70			–	*44:95
			52	53			56						62	63							70			–	*44:97
				53									62	63							70			–	*44:106
				53									62	63										–	*44:127
				53								61	62	63								71		–	*44:131
				54								61	62			65						71		B45, –	*45:01, 45:05, 45:07, 45:11-45:13
				54								61	62			65						71		B21	*45:04
			52	54								61	62			65						71		B45	*45:06
				54								61	62		64							71		–	*45:08
				54								61	62									71		–	*45:09
				54								61	62									71		–	*45:10
			52				55														69	71		B46, Null, –	*46:01:01-46:01:07, 46:04-46:05, 46:07N, 46:09-46:10, 46:14-46:16, 46:22-46:24, 46:27-46:28
			w				55														69	71		B46	*46:02
			52				55															71		B46, –	*46:03, 46:08, 46:13:01-46:13:03, 46:19, 46:21:01-46:21:02, 46:25-46:26
49			52				55															71		-	*46:06
			52				55									65						71		B22	*46:11
			52				55														69	71		–	*46:12, 46:20
			52				55														69	71		–	*46:17
			52				55								64							71		–	*46:18
	50						56						62								70			B47, –	*47:01:01:01-47:01:02, 47:06-47:08
	50						56					61	62									71		B47	*47:02
	50						56					w	62								70	w		B47	*47:03
	50												62								70			B17, –	*47:04-47:05
								57					62									71	72	B48, –	*48:01:01-48:01:03, 48:07, 48:09, 48:11, 48:19-48:20, 48:22
													62									71		B48, B70, –	*48:02:01-48:02:02, 48:25
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*48:03:01-48:03:02	B48											35													48
*48:04, 48:24	B48, -											35													48
*48:05, 48:08	B48, -	25										35													48
*48:06	-																								48
*48:10, 48:12	B48											35													48
*48:13	-											35													48
*48:14	B48											35	36												48
*48:15	B48	25										35													48
*48:16	B48											35													48
*48:17	-											35													48
*48:18	B48											35													
*48:21	-					29						35													48
*48:23	-											35	36												48
*49:01:01, 49:01:03, 49:06, 49:08-49:10, 49:12-49:17, 49:19N	B49, Null, -				28																				
*49:01:02, 49:11	B49, -				28																				
*49:02	B49				28																				
*49:03	B49																								
*49:04-49:05	B49				28								36												
*49:07	-				28							34													
*49:18	-				28						33														
*49:20	-				28							35													
*50:01:01-50:01:03, 50:04-50:05, 50:08, 50:10-50:11, 50:13	B50, -				28																				48
*50:02	B45				28							35													48
*50:06	-				28																				48
*50:07	-																								48
*50:09	-				28																				48
*50:12	-				28																				48
*50:14	-				28						33														48
*51:01:01, 51:01:03, 51:01:05-51:01:08, 51:01:10-51:01:20, 51:01:22-51:01:24, 51:01:26-51:02:01, 51:02:03, 51:02:05-51:03, 51:07:01, 51:09:01, 51:11N-51:12, 51:13:02-51:14, 51:16-51:19, 51:21-51:23, 51:26-51:33, 51:38-51:41N, 51:43, 51:48-51:53, 51:55, 51:57-51:58, 51:60, 51:65-51:67, 51:69-51:77, 51:79-51:80, 51:82-51:88, 51:90-51:91, 51:94-51:96, 51:98N, 51:100, 51:102, 51:105, 51:107-51:111, 51:113-51:115, 51:117, 51:120-51:122	B51, B5102, B5103, Null, -										33														
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.
																								ser. ⁵	HLA-B allele ⁴
49												62										71		B48	*48:03:01-48:03:02
								57				62										71		B48, –	*48:04, 48:24
												62										71	72	B48, -	*48:05, 48:08
								57														71	72	–	*48:06
												62										71	72	B48	*48:10, 48:12
												62										71		–	*48:13
												62										71	72	B48	*48:14
								57				62										71	72	B48	*48:15
								57														71	72	B48	*48:16
49												62										71	72	-	*48:17
								57				62									70	72		B48	*48:18
												62										71		–	*48:21
49												62										71		–	*48:23
									58	59		62				65						70		B49, Null, –	*49:01:01, 49:01:03, 49:06, 49:08-49:10, 49:12-49:17, 49:19N
									58			62				65						70		B49, –	*49:01:02, 49:11
									59			62				65						70		B49	*49:02
									59			62				65						70		B49	*49:03
									58	59		62										70		B49	*49:04-49:05
									58	59		62										70		–	*49:07
									58	59		62										70		–	*49:18
									58	59		62				65						70		–	*49:20
									59		61	62				65						71		B50, –	*50:01:01-50:01:03, 50:04-50:05, 50:08, 50:10-50:11, 50:13
									59		61	62				65						71		B45	*50:02
									59		62					65						71		–	*50:06
									59		61	62				65						71		–	*50:07
									59		61	62										71		–	*50:09
											61	62				65						71		–	*50:12
									59		61	62										71		–	*50:14
																								B51, B5102, B5103, Null, –	*51:01:01, 51:01:03, 51:01:05-51:01:08, 51:01:10-51:01:20, 51:01:22-51:01:24, 51:01:26-51:02:01, 51:02:03, 51:02:05-51:03, 51:07:01, 51:09:01, 51:11N-51:12, 51:13:02-51:14, 51:16-51:19, 51:21-51:23, 51:26-51:33, 51:38-51:41N, 51:43, 51:48-51:53, 51:55, 51:57-51:58, 51:60, 51:65-51:67, 51:69-51:77, 51:79-51:80, 51:82-51:88, 51:90-51:91, 51:94-51:96, 51:98N, 51:100, 51:102, 51:105, 51:107-51:111, 51:113-51:115, 51:117, 51:120-51:122
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*51:01:02, 51:02:02, 51:05, 51:07:02, 51:09:02, 51:89, 51:103, 51:116, 51:119	B51, B5102, –									33															
*51:01:04, 51:02:04, 51:13:01, 51:24:01, 51:34-51:35, 51:92, 51:99	B51, B5102, –																								
*51:01:09	B51									33															48
*51:01:21, 51:01:25, 51:24:03-51:24:04	B51, –									33															48
*51:04, 51:46, 51:56:01-51:56:02	B51, –									33								41							
*51:06:01-51:06:02, 51:59	B51, –									33															
*51:08, 51:20, 51:44N	B51, Null								32	33															
*51:10	B51																								48
*51:15	-																								
*51:24:02	B51																								48
*51:36	B51								32																
*51:37, 51:63	B51, –									33			36												
*51:42	-																	41							
*51:45	-												36												
*51:54, 51:78	-									33															
*51:61	-									33															
*51:62	-																								
*51:64	-			27						33															
*51:68	-		26							33															
*51:81	-																								
*51:93	-																								
*51:97	-								32	33			36												
*51:101	-									33													45		
*51:104, 51:118N	Null, –									33															
*51:106	-									33															
*51:112	-									33															
*52:01:01:01-52:01:01:02, 52:01:03, 52:01:06-52:01:08, 52:04-52:05, 52:07-52:08, 52:10:01-52:13, 52:15, 52:17-52:18, 52:22-52:24	B52, –									33															
*52:01:02, 52:01:04, 52:01:09-52:03, 52:06:01-52:06:02, 52:09	B52, –									33															
*52:01:05, 52:14	B52, –																								
*52:16	-									33			35												
*52:19	-								32	33															
*52:20	-									33															
*52:21	-									33															
*52:25	-																								
*52:26	-							30		33															
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.
																								ser. ⁵	HLA-B allele ⁴
										59	60								68		70			B51, B5102, –	*51:01:02, 51:02:02, 51:05, 51:07:02, 51:09:02, 51:89, 51:103, 51:116, 51:119
					54					59	60								68		70			B51, B5102, –	*51:01:04, 51:02:04, 51:13:01, 51:24:01, 51:34-51:35, 51:92, 51:99
										59	60								68		70			B51	*51:01:09
					54					59	60								68		70			B51, –	*51:01:21, 51:01:25, 51:24:03- 51:24:04
					54	55					60								68		70			B51, –	*51:04, 51:46, 51:56:01- 51:56:02
					54						60								68		70			B51, –	*51:06:01-51:06:02, 51:59
					54					59	60								68		70			B51, Null	*51:08, 51:20, 51:44N
					54						60								68		70			B51	*51:10
											60					65			68		70			-	*51:15
					54					59	60								68		70			B51	*51:24:02
					54					59	60								68		70			B51	*51:36
					54					59	60								68		70			B51, –	*51:37, 51:63
				53	54						60								68		70			-	*51:42
					54						60								68		70			-	*51:45
										59									68		70			-	*51:54, 51:78
					54					w	60								68	69	70			-	*51:61
					54						60					65	67	68		70				-	*51:62
					54						60								68		70			-	*51:64
					54					59	60								68		70			-	*51:68
					54						60								68		70			-	*51:81
										59	60								68		70			-	*51:93
					54					59	60								68		70			-	*51:97
					54					59	60								68		70			-	*51:101
					54					59	60										70			Null, –	*51:104, 51:118N
					54					59	60					65		68		70				-	*51:106
					54				58	59	60										70			-	*51:112
										59	60		62								70			B52, –	*52:01:01:01-52:01:01:02, 52:01:03, 52:01:06-52:01:08, 52:04-52:05, 52:07-52:08, 52:10:01-52:13, 52:15, 52:17- 52:18, 52:22-52:24
					54					59	60		62								70			B52, –	*52:01:02, 52:01:04, 52:01:09- 52:03, 52:06:01-52:06:02, 52:09
										59	60		62								70			B52, –	*52:01:05, 52:14
										59	60		62								70			-	*52:16
					54					59	60		62								70			-	*52:19
										59			62								70			-	*52:20
					54					59	60		62								69	70		-	*52:21
										59	60		62			65	67				70			-	*52:25
										59	60		62								70			-	*52:26
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*53:01:01-53:01:05, 53:05, 53:08:01-53:08:02, 53:10, 53:16, 53:18, 53:20-53:21, 53:23-53:26	B53, –												36					41							
*53:02	B53												36					41							
*53:03, 53:09, 53:11-53:13	B35, B53												36					41							
*53:04, 53:07, 53:19	B53, –																	41							
*53:06	B51, B53												36					41							
*53:14	–			27									36												
*53:15	–												36					41							
*53:17:01-53:17:02	–												36					41							
*53:22	–												36	37				41							
*54:01:01, 54:02, 54:05N, 54:07- 54:08N, 54:10, 54:13, 54:16- 54:19, 54:21-54:24	B54, Null, –																								
*54:01:02, 55:01:07-55:02:06, 55:07, 55:10, 55:12, 55:16, 55:19, 55:26, 55:30, 55:35, 55:37, 55:39, 55:41-55:43, 55:47- 55:48, 55:50 ¹⁰	B54, B55, –																								
*54:03	B22																								
*54:04, 54:15	B54, –																								
*54:06	–												36												
*54:09, 54:14	–												36												
*54:11	B54																							48	
*54:12	–																								
*54:20	–																								
*55:01:01-55:01:06, 55:03, 55:05, 55:11, 55:15, 55:25, 55:29, 55:31, 55:33, 55:36, 55:38, 55:44-55:45, 55:52-55:53	B55, –																								
*55:04, 55:08, 55:13, 55:27, 55:46, 55:49, 56:15, 56:19N, 56:22 ¹¹	B55, B56, Null, –																								
*55:09, 55:24	B22, B55											34													
*55:14	–												36					41							
*55:17, 55:28	B55, –																								
*55:18	–											35													
*55:20	B22								32																
*55:21	B55																								
*55:22	B22											34													
*55:23, 55:32, 56:18, 56:31- 56:32 ¹²	B55, –												36												
*55:34	–																								
*55:40	–																								
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	Well No.
																								ser. ⁵
											60								68		70			B53, –
											60								68		70			B53
						55					60								68		70			B35, B53
											60								68		70			B53, –
											60								68		70			B51, B53
						54	55				60								68		70			–
											60								68		70		72	–
											60								68		70			–
											60	62									70			–
											60								68		70			–
						53					60													–
																								B54, Null, –
						52									63	64							71	B54, Null, –
																								B54, B55, –
																								B22
																								B54, –
																								–
																								–
																								B54
																								–
																								–
																								–
																								B55, –
																								B55, B56, Null, –
																								B22, B55
																								–
																								B55, –
																								–
																								B22
																								B55
																								B22
																								B55, –
																								–
																								–
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*55:51	–			27																					
*56:01:01-56:01:04, 56:08, 56:14, 56:16, 56:20:01, 56:24, 56:26-56:30	B56, Null, –																								
*56:02, 56:04	B56																								
*56:03	B22, 15												36												
*56:05:01	B56									33															
*56:05:02	B56									33															
*56:06	B78									33								42							
*56:07	B56																								
*56:09	B56												36					41							
*56:10	B55																								
*56:11-56:12	B22, B56																	41							
*56:13	B56								32																
*56:17	B56																								
*56:20:02	–																								48
*56:21	–									33															
*56:23	–																								
*56:25	–																								
*57:01:01-57:01:04, 57:01:06- 57:01:11, 57:06, 57:08, 57:10, 57:15-57:16, 57:18-57:20, 57:22- 57:23, 57:25-57:27, 57:29-57:30, 57:33-57:38, 57:40-57:41, 57:43- 57:44, 57:48-57:50, 57:52	B57, –												36					41							
*57:01:05, 57:11, 57:13, 57:21, 57:31, 57:47	B57, –												36												
*57:02:01-57:03:02, 57:05, 57:17, 57:28N, 57:32, 57:39, 57:42, 57:46	B57, Null, –																	41							
*57:04	B57						30											41							
*57:07	B57																	41							
*57:09	B57								32									41							
*57:12	B57																	41							
*57:14	–												36					41							
*57:24	–												36					41							
*57:45, 57:51	–				28								36					41							
*58:01:01-58:01:02, 58:01:04- 58:01:09, 58:04-58:05, 58:10N- 58:15, 58:19, 58:21-58:24, 58:29- 58:33	B58, Null, –												36					41							
*58:01:03, 58:02, 58:06, 58:16, 58:25-58:26	B58, –												36												
*58:07	B58												36	37											
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	Well No.
																								ser. ⁵
																								HLA-B allele ⁴
			52				56															71		–
																								*55:51
			52				56									65						71		B56, Null, –
																								*56:01:01-56:01:04, 56:08, 56:14, 56:16, 56:20:01, 56:24, 56:26-56:30
			52				56									65	67					71		B56
																								*56:02, 56:04
			52				56													69		71		B22, 15
																								*56:03
			52				56			59				64								71		B56
																								*56:05:01
			52				56			59												71		B56
																								*56:05:02
			52				56			59				64					w			71		B78
																								*56:06
			52				56									65						70		B56
																								*56:07
			52				56															71		B56
																								*56:09
			52				56							64			67					71		B55
																								*56:10
			52				56															71		B22, B56
																								*56:11-56:12
			52		54		56									65						71		B56
																								*56:13
																65						71		B56
																								*56:17
			52				56									65						71		–
																								*56:20:02
			52				56			58	59											70		–
																								*56:21
														64								71		–
																								*56:23
			52				56			59						65						71		–
																								*56:25
											60						66					70		B57, –
																								*57:01:01-57:01:04, 57:01:06- 57:01:11, 57:06, 57:08, 57:10, 57:15-57:16, 57:18-57:20, 57:22 57:23, 57:25-57:27, 57:29-57:30, 57:33-57:38, 57:40-57:41, 57:43 57:44, 57:48-57:50, 57:52
											60						66					70		B57, –
																								*57:01:05, 57:11, 57:13, 57:21, 57:31, 57:47
											60						66					70		B57, Null, –
																								*57:02:01-57:03:02, 57:05, 57:17, 57:28N, 57:32, 57:39, 57:42, 57:46
											60						66					70		B57
																								*57:04
						53					60						66					70		B57
																								*57:07
						53					60						66					70		B57
																								*57:09
																	66					71		B57
																								*57:12
							55				60						66					70		–
																								*57:14
						53					60						66					70		–
																								*57:24
										58	60											70		–
																								*57:45, 57:51
											60							67				70		B58, Null, –
																								*58:01:01-58:01:02, 58:01:04- 58:01:09, 58:04-58:05, 58:10N- 58:15, 58:19, 58:21-58:24, 58:29 58:33
											60							67				70		B58, –
																								*58:01:03, 58:02, 58:06, 58:16, 58:25-58:26
											60							67				70		B58
																								*58:07
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
HLA-B allele ⁴	ser. ⁵																								
*58:08:01	B17, B5									33															
*58:08:02	–									33															
*58:09	B17											36						41							
*58:17N	Null											36						41							
*58:18	–			27								36													
*58:20	–																					45			
*58:27	–																								
*58:28, 58:34	–																	41							
*59:01:01:01-59:01:01:02, 59:05	B59, –																								
*59:02-59:03	B59, –																								
*59:04	–																								
*67:01:01, 67:03	B67, –					29																45			48
*67:01:02-67:02	B67, –																					45			48
*73:01-73:02	B73, –																								48
*78:01:01-78:01:02, 78:02:02-78:03, 78:07	B78, –									33								42							
*78:02:01, 78:04	B35, B78									33								42							
*78:05	–									33								42							
*78:06	–									33															
*81:01	B81																								
*81:02	B81																								48
*81:03-81:05	Null, –																								
*82:01-82:03	B82, –								32			35							43						
*83:01	–																	41							
A*23:31, A*24:106, C*16:10						30																			
A*24:174														37											
A*26:68, A*68:56, C*06:20, C*12:50																									
C*01:30				28																					
C*02:06, C*02:47																									
C*02:23, C*04:77		25																							
C*03:05, C*03:25, C*03:27				27																					
C*03:12, C*03:19																									
C*03:102																		41							
C*07:46									32																
C*15:02:04																									
C*15:25																									
C*15:39																									
C*15:51																							45		
Well No.		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.
																								ser. ⁵	HLA-B allele ⁴
					54				59	60							67				70			B17, B5	*58:08:01
									59	60							67				70			–	*58:08:02
					55					60							67				70			B17	*58:09
																	67				70			Null	*58:17N
										60							67				70			–	*58:18
										60							67				70			–	*58:20
										60							67				70			–	*58:27
										60							67				70			–	*58:28, 58:34
									58					64							70			B59, –	*59:01:01:01-59:01:01:02, 59:05
									58												70			B59, –	*59:02-59:03
									58							65					70			–	*59:04
			52																			71		B67, –	*67:01:01, 67:03
			52																			71		B67, –	*67:01:02-67:02
			52																	69		71		B73, –	*73:01-73:02
										59				64				68				71		B78, –	*78:01:01-78:01:02, 78:02:02-78:03, 78:07
										59								68				71		B35, B78	*78:02:01, 78:04
										59			62									71		–	*78:05
										59			62									71		–	*78:06
			52				56	57														71	72	B81	*81:01
			52					57														71	72	B81	*81:02
			52					57														71	72	Null, –	*81:03-81:05
			52				56									65						71		B82, –	*82:01-82:03
			52	53			56							63								71		–	*83:01
																								A*23:31, A*24:106, C*16:10	
																									A*24:174
																					69			A*26:68, A*68:56, C*06:20, C*12:50	
																									C*01:30
																		w							C*02:06, C*02:47
																									C*02:23, C*04:77
																									C*03:05, C*03:25, C*03:27
																	65								C*03:12, C*03:19
																	65								C*03:102
																									C*07:46
														64											C*15:02:04
				53																					C*15:25
					55																				C*15:39
																									C*15:51
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72		Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 25 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-B low resolution typing.

In addition, wells number 28 to 30, 34, 41, 44, 45, 54, 59, 66 and 72 contain the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

²The nucleotide position, in the 1st, 2nd or 3rd exon or in the 1st intron, matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk, imgt, hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position, in the 2nd, or 3rd exon or the 1st or 3rd introns, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk, imgt, hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

⁴The sequence of the B*0701 allele has been shown to be in error.

The sequence of the B*08:06 allele has been shown to be identical to B*08:20.

The sequence of the B*1305 allele has been shown to be identical to B*13:04.

The B*1324 allele has been renamed B*13:22:02

The B*150105 allele has been corrected and renamed B*15:120

The B*1522 allele has been renamed B*35:43.

The sequence of the B*1541 allele has been shown to be identical to B*15:39.

The B*1559 allele has been renamed B*35:44.

The B*15:100 allele has never been assigned.

The sequence of the B*1816 allele has been shown to be identical to B*18:14.

The sequence of the B*27051 allele has been shown to be identical to B*27:05:02.

The sequence of the B*2722 allele has been shown to be identical to the corrected B*27:06 sequence.

The B*3573 allele has been renamed B*35:08:03.

The B*35:43:02 allele has been renamed B*35:185.

The sequence of the B*39012 allele has been shown to be identical to B*39:01:01:01.

The sequence of the B*3921 allele has been shown to be identical to B*39:24.

The sequence of the B*4017 allele has been shown to be identical to B*40:16.

The sequence of the B*4041 allele has been shown to be identical to B*40:40.

The sequence of the B*4203 allele has never been assigned.

The sequence of the B*4401 allele has been shown to be identical to B*44:02:01:01.

The sequence of the B*5003 allele has been shown to be identical to B*50:02.

The sequence of the B*5125 allele has been shown to be identical to B*51:22.

The B*5147 allele has been renamed B*51:09:02.

The sequence of the B*5506 allele has been shown to be identical to B*55:04.

The sequence of the B*5803 allele has never been assigned.

The B*7901 allele has been renamed B*15:18:01.

The B*9530 allele has been renamed B*15:27:02.

⁵The serological reactivity of all HLA-B alleles is not known. In this table we use the expert-assigned serological grouping in Tissue Antigens (2009) 73:95-170 and the serological grouping of the sequence-defined allele.

⁶The B*08:26, 08:50 and 08:62 and B*42:07 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

⁷The B*14:08 and the B*39:25N, 39:30, 39:32-39:34, 39:47 and 39:50 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

⁸The B*18:29 and the B*35:32, 35:37, 35:53N, 35:64, 35:68:01-35:68:02, 35:99, 35:118-35:119 and 35:174 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

⁹The B*41:09 and the B*45:02 and 45:03 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

¹⁰The B*54:01:02 and the B*55:01:07-55:02:06, 55:07, 55:10, 55:12, 55:16, 55:19, 55:26, 55:30, 55:35, 55:37, 55:39, 55:41-55:43, 55:47-55:48 and 55:50 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

¹¹The B*55:04, 55:08, 55:13, 55:27, 55:46 and 55:49 and the B*56:15, 56:19N and 56:22 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

¹²The B*55:23 and 55:32 and the B*56:18 and 56:31-56:32 alleles give rise to identical amplification patterns with the HLA-B low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

‘ser’, serological HLA specificity.

‘w’, might be weakly amplified.

‘?’, nucleotide sequence information not available for the primer matching sequence.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

INTERPRETATION TABLE													
DR low resolution SSP typing													
Amplification patterns of the DRB1*01:01 to DRB1*10:03 alleles													
		Well ⁶											
		73	74	75	76	77	78	79	80	81	82	83	84
Length of spec.		205	200	200	210	120	80	85	100	210	170	90	205
PCR product(s)		255		215		220	210	210	175	235	215	135	
											250	180	
Length of int.		515	430	430	430	430	430	430	430	430	515	430	430
pos. control ¹													
5'-primer(s) ²		13 (124) 5'-A.T 3'	14 (129) 5'-gAA 3'	13 (126) 5'-Agg 3'	13 (126) 5'-Agg 3'	13 (125) 5'-gTC 3'	13 (125) 5'-gTC 3'	13 (125) 5'-gTC 3'	13 (125) 5'-ACA 3'	14 (127) 5'-ATA 3'	16 (133) 5'-gTT 3'	26 (165) 5'-TAT 3'	31 (178) 5'-gCg 3'
		14 (129) 5'-gAA 3'		13 (126) 5'-AAG 3'	13 (126) 5'-AAG 3'	47 (227) 5'-gTT 3'	16 (133) 5'-gTT 3'		13 (125) 5'-ACC 3'	14 (127) 5'-ATA 3'	16 (133) 5'-gTT 3'	58 (261) 5'-gAg 3'	
									13 (125) 5'-ATA 3'	16 (133) 5'-gTT 3'			
									13 (125) 5'-gTC 3'				
3'-primer(s) ³		67 (286) 5'-gAg 3'	67 (286) 5'-gAT 3'	67 (286) 5'-gAT 3'	67 (286) 5'-gAA 3'	73 (305) 5'-ggC 3'	26 (164) 5'-ggT 3'	28 (171) 5'-CTC 3'	33 (184) 5'-gTg 3'	71 (298) 5'-CTC 3'	58 (260) 5'-CCT 3'	57 (257) 5'-CgA 3'	86 (344) 5'-CAC 3'
		67 (286) 5'-gAg 3'		70 (295) 5'-CTg 3'	67 (286) 5'-gAg 3'	73 (305) 5'-ggC 3'	71 (299) 5'-gCT 3'	70 (295) 5'-CTg 3'	58 (260) 5'-Cgg 3'	73 (305) 5'-ggC 3'	74 (307) 5'-CAg 3'	73 (305) 5'-ggC 3'	86 (344) 5'-CCA 3'
		67 (286) 5'-gAT 3'		70 (295) 5'-Tg 3'	70 (297) 5'-CTg 3'	74 (308) 5'-CCC 3'				77 (317) 5'-AAT 3'	86 (344) 5'-CAC 3'	78 (319) 5'-CAC 3'	
		71 (299) 5'-gCg 3'		71 (298) 5'-CgC 3'	72 (301) 5'-ggC 3'					78 (319) 5'-CAC 3'			
		86 (344) 5'-CCA 3'		71 (299) 5'-gCT 3'									
				73 (305) 5'-ggC 3'									
Well No.	DR	73	74	75	76	77	78	79	80	81	82	83	84
DRB1 allele ⁴	ser ⁵												
*01:01:01-01:02:05, 01:04-01:37	DR1, Null, –	73											
*01:03	DR103, DR1		74										
*03:01:01-01:03:01:14, 03:04:01-03:06, 03:09, 03:11:01-03:16, 03:18-03:20, 03:22-03:23, 03:25-03:26, 03:28, 03:30-03:31, 03:33-03:34, 03:36-03:37, 03:43-03:45, 03:47-03:48, 03:50-03:52, 03:54-03:63	DR3, DR17, –					77	78						
*03:02:01-03:03, 03:27, 03:29, 03:38, 03:53	DR3, DR18, –					77		79					
Well No.	DR	73	74	75	76	77	78	79	80	81	82	83	84

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

INTERPRETATION TABLE											
DR low resolution SSP typing											
Amplification patterns of the DRB1*01:01 to DRB1*10:03 alleles											
Well ⁶											
85	86	87	88	89	90	91	92	93	94	95	96
100	85	215	195	175	100	110	110	160	215	175	Negative control
170	105		225		140	135	175	240			
					155	170	225				
430	430	430	430	430	430	430	430	430	430	430	
13 (125)	16 (133)	10 (116)	10 (116)	13 (125)	1 st I (164)	26 (125)	13 (116)	10 (170)	28 (125)	13 (125)	
5'-gTC 3'	5'-gTT 3'	5'-gCT 3'	5'-gCT 3'	5'-gTC 3'	5'-CAA 3'	5'-gTA 3'	5'-gTC 3'	5'-gCT 3'	5'-gAT 3'	5'-gTA 3'	
16 (133)		12 (122)	12 (122)		37 (197)	34 (189)	34 (189)	10 (116)			
5'-gTC 3'		5'-TAT 3'	5'-TAT 3'		5'-gTT 3'	5'-CAG 3'	5'-CAG 3'	5'-gCT 3'			
38 (200)		13(125)	13 (125)		37 (197)			38 (199)			
5'-CgT 3'		5'-gTC 3'	5'-gTC 3'		5'-gTA 3'			5'-TCC 3'			
			16 (133)								Negative control
			5'-gTT 3'								
			16 (133)								
			5'-gTC 3'								
58 (260)	30 (175)	70 (295)	67 (286)	58 (260)	42 (213)	57 (257)	57 (257)	51 (239)	87 (346)	57 (258)	
5'-CCT 3'	5'-gTg 3'	5'-gTC 3'	5'-gAA 3'	5'-Cgg 3'	5'-TCA 3'	5'-CAG 3'	5'-CAG 3'	5'-CCC 3'	5'-CTC 3'	5'-gCg 3'	
58 (260)	38 (199)	71 (299)	71 (298)	58 (260)	57 (257)	70 (295)	60 (265)	77 (317)	87 (346)	58 (260)	
5'-CCT 3'	5'-CAG 3'	5'-gCT 3'	5'-CgC 3'	5'-CAG 3'	5'-CAG 3'	5'-CTg 3'	5'-gTg 3'	5'-AAT 3'	5'-CTT 3'	5'-CCT 3'	
58 (260)			71 (298)		71 (298)	70 (296)	70 (296)				
5'-CCT 3'			5'-CTC 3'		5'-CgC 3'	5'-TCC 3'	5'-TCC 3'				
							74 (307)				
							5'-CAG 3'				
85	86	87	88	89	90	91	92	93	94	95	96
											DR
											ser ⁵
											Well No.
											DRB1 allele ⁴
											DR1, *01:01:01-01:02:05, 01:04-Null, – 01:37
											DR103, DR1 *01:03
											*03:01:01-01:03:01:14, 03:04:01-03:06, 03:09, 03:11:01-03:16, 03:18-DR3, 03:20, 03:22-03:23, 03:25-DR17, – 03:26, 03:28, 03:30-03:31, 03:33-03:34, 03:36-03:37, 03:43-03:45, 03:47-03:48, 03:50-03:52, 03:54-03:63
				89							DR3, *03:02:01-03:03, 03:27, DR18, – 03:29, 03:38, 03:53
85	86	87	88	89	90	91	92	93	94	95	96
											DR
											Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.	DR	73	74	75	76	77	78	79	80	81	82	83	84
DRB1 allele⁴	ser⁵												
*03:07, 03:17, 03:21, 03:24, 03:32, 03:35, 03:39- 03:41, 03:49	DR3, –					77							
*03:08, 03:65	DR3, –					77	78					83	
*03:10	DR3					77	78						
*03:42	–					77							
*03:46, 03:64	–					77	78						
*04:01:01-04:61, 04:63- 04:68, 04:70-04:72:02, 04:74-04:102	DR3, DR4, Null, –								80				
*04:62, 04:69, 04:73	DR4, –								80				
*07:01:01-07:01:04, 07:03-07:21	DR7, Null, –									81			
*08:01:01-08:02:04, 08:04:01-08:07, 08:11, 08:16-08:17, 08:22, 08:24, 08:26, 08:28, 08:39, 08:42- 08:44	DR8, –										82		
*08:03:02, 08:10, 08:12- 08:15, 08:18-08:19, 08:23, 08:25, 08:27, 08:29- 08:30:03, 08:33-08:34, 08:36-08:38, 08:45-08:48	DR8, –										82		
*08:08	DR8										82		
*08:09, 14:15 ⁷	DR8										82		
*08:20, 13:18, 13:47, 13:55 ⁸	DR13, –												
*08:21	DR8										82		
*08:31, 08:41, 11:67 ⁹	DR8, DR11, –										82		
*08:32	–										82		
*08:35	–										82		
*08:40	–						78				82		
*09:01:02-09:01:05, 09:01:07-09:02:02, 09:04- 09:16	DR9, –											83	
*09:01:06, 09:03	DR9											83	
*10:01:01-10:03	DR10, –												84
Well No.	DR	73	74	75	76	77	78	79	80	81	82	83	84

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

85	86	87	88	89	90	91	92	93	94	95	96	DR	Well No.
												ser ⁵	DRB1 allele ⁴
				89								DR3, –	*03:07, 03:17, 03:21, 03:24, 03:32, 03:35, 03:39- 03:41, 03:49
85												DR3, –	*03:08, 03:65
						91	92					DR3	*03:10
												–	*03:42
												–	*03:46, 03:64
												DR3, DR4, Null, –	*04:01:01-04:61, 04:63- 04:68, 04:70-04:72:02, 04:74-04:102
					90							DR4, –	*04:62, 04:69, 04:73
												DR7, Null, –	*07:01:01-07:01:04, 07:03-07:21
			88									DR8, –	*08:01:01-08:02:04, 08:04:01-08:07, 08:11, 08:16-08:17, 08:22, 08:24, 08:26, 08:28, 08:39, 08:42- 08:44
												DR8, –	*08:03:02, 08:10, 08:12- 08:15, 08:18-08:19, 08:23, 08:25, 08:27, 08:29- 08:30:03, 08:33-08:34, 08:36-08:38, 08:45-08:48
			88		90							DR8	*08:08
			88				92					DR8	*08:09, 14:15 ⁷
		87	88	89			92					DR13, –	*08:20, 13:18, 13:47, 13:55 ⁸
		87	88				92					DR8	*08:21
85			88									DR8, DR11, –	*08:31, 08:41, 11:67 ⁹
	86						92					–	*08:32
							92					–	*08:35
												–	*08:40
						91						DR9, –	*09:01:02-09:01:05, 09:01:07-09:02:02, 09:04- 09:16
												DR9	*09:01:06, 09:03
												DR10, –	*10:01:01-10:03
85	86	87	88	89	90	91	92	93	94	95	96	DR	Well No.

Negative control

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.	DR	73	74	75	76	77	78	79	80	81	82	83	84
DRB1 allele⁴	ser⁵												
*11:01:01-11:01:15, 11:04:01-11:04:08, 11:06:01-11:06:02, 11:09- 11:10:02, 11:12:01- 11:12:02, 11:15, 11:24, 11:27:01-11:30, 11:32- 11:33, 11:35, 11:37-11:39, 11:43-11:44, 11:46:01- 11:47, 11:49:01-11:51, 11:54:01-11:54:02, 11:56, 11:58:01-11:58:02, 11:60- 11:62, 11:66, 11:72, 11:74:01-11:75, 11:77- 11:78, 11:81, 11:84, 11:88, 11:90-11:92, 11:94-11:95, 11:97, 11:99-11:102, 11:106, 11:108-11:113	DR11, –												
*11:02:01-11:03, 11:11:01- 11:11:02, 11:14:01- 11:14:02, 11:16, 11:20- 11:21, 11:36, 11:40-11:41, 11:48, 11:59, 11:63, 11:65:01-11:65:02, 11:68, 11:70, 11:76, 11:80, 11:83, 11:85-11:87, 11:93	DR11, DR13, –						78						
*11:05	DR11												
*11:07, 11:53, 11:103, 11:105, 11:107	DR11, –					77						83	
*11:08:01-11:08:02, 11:18- 11:19:03, 11:42, 11:57	DR11, –												
*11:13:01-11:13:02	DR11							w					
*11:17, 11:52	DR11, DR14												
*11:22, 11:98, 11:104	–												
*11:23, 11:25, 11:96	DR11, –												
*11:26, 11:34	DR11							79					
*11:31, 11:45, 11:64	DR11, –												
*11:55	DR11												
*11:69, 11:82	–												
*11:73, 11:79	–						78						
*11:89	–												
*12:01:01-12:01:04, 12:03:02, 12:05-12:12, 12:14, 12:17, 12:24N- 12:25, 12:28-12:30, 12:34	DR12, Null, –												
*12:02:01-12:02:05, 12:13, 12:15, 12:18-12:21, 12:23, 12:26-12:27, 12:31N-12:33	DR12, Null, –												
*12:04	DR12										82		
*12:16	–										82		
*12:22	–									81	82		
Well No.	DR	73	74	75	76	77	78	79	80	81	82	83	84

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

85	86	87	88	89	90	91	92	93	94	95	96	DR	Well No.
												ser ⁵	DRB1 allele ⁴
85		87	88									DR11, –	*11:01:01-11:01:15, 11:04:01-11:04:08, 11:06:01-11:06:02, 11:09- 11:10:02, 11:12:01- 11:12:02, 11:15, 11:24, 11:27:01-11:30, 11:32- 11:33, 11:35, 11:37-11:39, 11:43-11:44, 11:46:01- 11:47, 11:49:01-11:51, 11:54:01-11:54:02, 11:56, 11:58:01-11:58:02, 11:60- 11:62, 11:66, 11:72, 11:74:01-11:75, 11:77- 11:78, 11:81, 11:84, 11:88, 11:90-11:92, 11:94-11:95, 11:97, 11:99-11:102, 11:106, 11:108-11:113
85		87	88									DR11, DR13, –	*11:02:01-11:03, 11:11:01- 11:11:02, 11:14:01- 11:14:02, 11:16, 11:20- 11:21, 11:36, 11:40-11:41, 11:48, 11:59, 11:63, 11:65:01-11:65:02, 11:68, 11:70, 11:76, 11:80, 11:83, 11:85-11:87, 11:93
85			88									DR11	*11:05
85												DR11, –	*11:07, 11:53, 11:103, 11:105, 11:107
85		87										DR11, –	*11:08:01-11:08:02, 11:18- 11:19:03, 11:42, 11:57
85						91	92					DR11	*11:13:01-11:13:02
85						91	92					DR11, DR14	*11:17, 11:52
85												–	*11:22, 11:98, 11:104
85		87	88				92					DR11, –	*11:23, 11:25, 11:96
85												DR11	*11:26, 11:34
85		87					92					DR11, –	*11:31, 11:45, 11:64
85			88				92					DR11	*11:55
85			88		90							–	*11:69, 11:82
85		87										–	*11:73, 11:79
85							92					–	*11:89
	86											DR12, Null, –	*12:01:01-12:01:04, 12:03:02, 12:05-12:12, 12:14, 12:17, 12:24N- 12:25, 12:28-12:30, 12:34
	86		88									DR12, Null, –	*12:02:01-12:02:05, 12:13, 12:15, 12:18-12:21, 12:23, 12:26-12:27, 12:31N-12:33
	86											DR12	*12:04
	86		88									–	*12:16
	86											–	*12:22
85	86	87	88	89	90	91	92	93	94	95	96	DR	Well No.

Negative control

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.	DR	73	74	75	76	77	78	79	80	81	82	83	84
DRB1 allele⁴	ser⁵												
*13:01:01-13:02:01, 13:02:03-13:02:05, 13:04, 13:08, 13:16, 13:20, 13:22- 13:24, 13:27-13:29, 13:31- 13:32, 13:34-13:36, 13:38- 13:41, 13:48, 13:51-13:52, 13:54, 13:59, 13:61:01- 13:61:02, 13:63-13:65, 13:68-13:76, 13:78-13:80, 13:83-13:84, 13:87, 13:91- 13:93, 13:96:01-13:99, 13:102, 13:105-13:107, 13:109, 13:111-13:114, 13:117	DR11, DR13, DR14, Null, –						78						
*13:02:02, 13:03:01- 13:03:06, 13:10, 13:33:01- 13:33:03, 13:37, 13:66:01- 13:66:02, 13:81, 13:88- 13:90, 13:94-13:95, 13:101, 13:115	DR13, –						78						
*13:05:01-13:05:02, 13:07:01-13:07:02, 13:11:01-13:11:02, 13:14:01-13:14:03, 13:21:01-13:21:02, 13:42, 13:46, 13:49-13:50:02, 13:62, 13:100, 13:108	DR11, DR13, DR6, –												
*13:06, 13:12:01-13:12:02, 13:25, 13:30, 13:56, 13:58, 13:60, 13:77, 13:82, 13:110, 13:118	DR11, DR13, DR6, –												
*13:09	DR13												
*13:13, 13:119, 14:84, 14:116 ¹⁰	DR13, –												
*13:15, 13:19, 13:53, 13:57, 13:104	DR13, –						78	79					
*13:17, 13:116	DR13, –						78			81			
*13:26	DR14							79					
*13:43	DR13						78						
*13:44, 13:86	–							79					
*13:45	DR13						78						
*13:67, 13:103	DR13, –												
*13:85	–						78	79					
Well No.	DR	73	74	75	76	77	78	79	80	81	82	83	84

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

85	86	87	88	89	90	91	92	93	94	95	96	DR	Well No.
												ser ⁵	DRB1 allele ⁴
		87	88	89								DR11, DR13, DR14, Null, –	*13:01:01-13:02:01, 13:02:03-13:02:05, 13:04, 13:08, 13:16, 13:20, 13:22- 13:24, 13:27-13:29, 13:31- 13:32, 13:34-13:36, 13:38- 13:41, 13:48, 13:51-13:52, 13:54, 13:59, 13:61:01- 13:61:02, 13:63-13:65, 13:68-13:76, 13:78-13:80, 13:83-13:84, 13:87, 13:91- 13:93, 13:96:01-13:99, 13:102, 13:105-13:107, 13:109, 13:111-13:114, 13:117
		87		89								DR13, –	*13:02:02, 13:03:01- 13:03:06, 13:10, 13:33:01- 13:33:03, 13:37, 13:66:01- 13:66:02, 13:81, 13:88- 13:90, 13:94-13:95, 13:101, 13:115
		87	88	89								DR11, DR13, DR6, –	*13:05:01-13:05:02, 13:07:01-13:07:02, 13:11:01-13:11:02, 13:14:01-13:14:03, 13:21:01-13:21:02, 13:42, 13:46, 13:49-13:50:02, 13:62, 13:100, 13:108
		87		89								DR11, DR13, DR6, –	*13:06, 13:12:01-13:12:02, 13:25, 13:30, 13:56, 13:58, 13:60, 13:77, 13:82, 13:110, 13:118
			88	89								DR13	*13:09
		87		89			92					DR13, –	*13:13, 13:119, 14:84, 14:116 ¹⁰
		87	88	89								DR13, –	*13:15, 13:19, 13:53, 13:57, 13:104
			88									DR13, –	*13:17, 13:116
		87	88	89								DR14	*13:26
		87	88			91	92					DR13	*13:43
				89								–	*13:44, 13:86
		87	88		90		92					DR13	*13:45
		87	88									DR13, –	*13:67, 13:103
		87		89								–	*13:85
85	86	87	88	89	90	91	92	93	94	95	96	DR	Well No.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.	DR	73	74	75	76	77	78	79	80	81	82	83	84
DRB1 allele⁴	ser⁵												
*14:01:01-14:01:02, 14:04, 14:07:01-14:07:02, 14:10, 14:26, 14:28, 14:31, 14:35, 14:38-14:39, 14:54-14:55, 14:57, 14:60-14:62, 14:70-14:71, 14:75-14:76, 14:79, 14:86-14:88, 14:90, 14:99, 14:101, 14:104, 14:107, 14:110-14:114, 14:117	DR14, DR1404, DR4, DR6, –												
*14:01:03, 14:08, 14:23:02, 14:34, 14:72, 14:92N, 14:97	DR14, Null, –												
*14:02, 14:06:01-14:06:02, 14:09, 14:13, 14:17, 14:20, 14:29-14:30, 14:33, 14:41, 14:47-14:48, 14:51, 14:80, 14:83, 14:94, 14:106, 14:108	DR14, DR6, –							79					
*14:03:01-14:03:02, 14:12:01-14:12:02, 14:40, 14:63, 14:67, 14:77-14:78, 14:85, 14:102, 14:115	DR14, DR1403, DR6, –							79					
*14:05:01-14:05:03, 14:14, 14:23:01, 14:23:03, 14:36, 14:43-14:45, 14:56, 14:59, 14:64, 14:91, 14:96, 14:100, 14:103	DR14, –												
*14:11	DR14										82		
*14:16	DR6						78						
*14:18, 14:81	DR14, –							79					
*14:19, 14:21, 14:109	DR14, –						78	79					
*14:22, 14:105	DR14, –												
*14:24	DR14							79					
*14:25, 14:53	DR6, DR13, 14												
*14:27	DR14							79					
*14:32:01-14:32:02	DR14							w					
*14:37	DR14												
*14:42	–												
*14:46, 14:52	DR14												
*14:49	DR14							79					
*14:50	DR14									81			
*14:58	DR14												
*14:65	DR6							w					
*14:68, 14:93	DR14, –										82		
*14:69	–												
*14:73	–												
*14:74	–												
*14:82	–						78						
*14:89	–							79					
Well No.	DR	73	74	75	76	77	78	79	80	81	82	83	84

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

85	86	87	88	89	90	91	92	93	94	95	96	DR	Well No.
												ser ⁵	DRB1 allele ⁴
					90	91	92					DR14, DR1404 , DR4, DR6, –	*14:01:01-14:01:02, 14:04, 14:07:01-14:07:02, 14:10, 14:26, 14:28, 14:31, 14:35, 14:38-14:39, 14:54-14:55, 14:57, 14:60-14:62, 14:70- 14:71, 14:75-14:76, 14:79, 14:86-14:88, 14:90, 14:99, 14:101, 14:104, 14:107, 14:110-14:114, 14:117
						91	92					DR14, Null, –	*14:01:03, 14:08, 14:23:02, 14:34, 14:72, 14:92N, 14:97
				89		91						DR14, DR6, –	*14:02, 14:06:01-14:06:02, 14:09, 14:13, 14:17, 14:20, 14:29-14:30, 14:33, 14:41, 14:47-14:48, 14:51, 14:80, 14:83, 14:94, 14:106, 14:108
		87		89			92					DR14, DR1403 , DR6, –	*14:03:01-14:03:02, 14:12:01-14:12:02, 14:40, 14:63, 14:67, 14:77-14:78, 14:85, 14:102, 14:115
				89		91	92					DR14, –	*14:05:01-14:05:03, 14:14, 14:23:01, 14:23:03, 14:36, 14:43-14:45, 14:56, 14:59, 14:64, 14:91, 14:96, 14:100, 14:103
						91	92					DR14	*14:11
		87	88		90	91	92					DR6	*14:16
				89		91	92					DR14, –	*14:18, 14:81
		87		89		w						DR14, –	*14:19, 14:21, 14:109
		87	88		90	91	92					DR14, –	*14:22, 14:105
			88	89								DR14	*14:24
		87	88		90		92					DR6, DR13, 14	*14:25, 14:53
		87	88	89			92					DR14	*14:27
					90	91	92					DR14	*14:32:01-14:32:02
			88	89	90							DR14	*14:37
				89			92					–	*14:42
						91						DR14	*14:46, 14:52
					90	91	92					DR14	*14:49
					90	91	92					DR14	*14:50
					90		92					DR14	*14:58
				89		91	92					DR6	*14:65
					90	91	92					DR14, –	*14:68, 14:93
		87			90		92					–	*14:69
			88		90	91	92					–	*14:73
		87			90	91	92					–	*14:74
					90	91	92					–	*14:82
				89			92					–	*14:89
85	86	87	88	89	90	91	92	93	94	95	96	DR	Well No.

Negative control

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Well No.	DR	73	74	75	76	77	78	79	80	81	82	83	84
DRB1 allele⁴	ser⁵												
*14:95	–						78						
*14:98	–							79					
*15:01:01:01-15:20, 15:22-15:24, 15:26, 15:28-15:33, 15:35-15:58	DR15, DR2, Null, –			75									
*15:21	DR2			75									
*15:25	–			75		77							
*15:27, 15:34	–			75									
*16:01:01-16:03, 16:05:01-16:05:02, 16:07-16:17	DR16, Null, –				76								
*16:04, 16:18	DR16, –				76								
DRB3*01:01:02:01-01:15, DRB3*02:01:02:26, DRB3*02:28, DRB3*03:01:01-03:03	DR52, –												
DRB3*02:27	–												
DRB4*01:01:01:01-01:03:01:01, DRB4*01:03:01:03-01:08	DR53, –												
DRB4*01:03:01:02N	Null												
DRB5*01:01:01:01:14, DRB5*02:02:02:05	DR51, Null, –												
DRB1 allele⁴	ser⁵												
Well No.	DR	73	74	75	76	77	78	79	80	81	82	83	84

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 430 base pairs, for most wells, or a band of 515 base pairs, for some wells.

Well number 73 contains the primer pair giving rise to the longer, 515 bp, internal positive control band in order to help in the correct orientation of the DR low resolution typing.

In addition, well number 82 contains the primer pair giving rise to the longer, 515 bp, internal positive control band in order to allow kit identification.

²The codon, and in parenthesis the nucleotide, in the 2nd exon, matching the specificity-determining 3'-end of the primer is given. Codon and nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given. ³The codon, and in parenthesis the nucleotide, in the 2nd exon, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Codon and nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The codon, and in parenthesis the nucleotide, in the 2nd exon, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Codon and nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

85	86	87	88	89	90	91	92	93	94	95	96	DR	Well No.
												ser ⁵	DRB1 allele ⁴
				89		91	92					–	*14:95
		87		89								–	*14:98
												DR15, DR2, Null, –	*15:01:01:01-15:20, 15:22- 15:24, 15:26, 15:28-15:33, 15:35-15:58
							w					DR2	*15:21
												–	*15:25
						91						–	*15:27, 15:34
												DR16, Null, –	*16:01:01-16:03, 16:05:01- 16:05:02, 16:07-16:17
							w					DR16, –	*16:04, 16:18
								93				DR52, –	DRB3*01:01:02:01-01:15, DRB3*02:01:02:26, DRB3*02:28, DRB3*03:01:01-03:03
		87						93				–	DRB3*02:27
									94			DR53, –	DRB4*01:01:01:01- 01:03:01:01, DRB4*01:03:01:03-01:08
					90			94				Null	DRB4*01:03:01:02N
										95		DR51, Null, –	DRB5*01:01:01-01:14, DRB5*02:02-02:05
85	86	87	88	89	90	91	92	93	94	95	96	ser ⁵	DRB1 allele ⁴
												DR	Well No.

⁴The sequence of the DRB1*0702 allele has been shown to be identical to DRB1*07:01:01:01.

The sequence of the DRB1*080301 allele has been shown to be identical to DRB1*08:03:02.

The sequence of the DRB1*09011 allele has been shown to be identical to DRB1*09:01:02.

The sequence of the DRB1*1171 allele has been shown to be identical to DRB1*11:02:01.

The sequence of the DRB1*12031 allele has been shown to be identical to DRB1*12:01:01.

The DRB1*1466 allele has been renamed DRB1*14:32:02.

The sequence of the DRB1*1606 allele has been shown to be identical to DRB1*16:05:01.

The sequence of the DRB3*010101 allele has been shown to be identical to DRB3*01:01:02:01.

The DRB4*0101102N allele has been renamed DRB4*01:03:10:02N.

The sequence of the DRB5*0201 allele has been shown to be identical to DRB5*02:02.

Due to sharing of sequence motifs in codon 38, DRB3*01:14 will also be amplified in primer mixes 77, 78 and 89 in addition to primer mix 93.

⁵The serological reactivity of all DRB alleles is not known. In this table we use the expert-assigned serological grouping in Tissue Antigens (2009) 73:95-170 and the serological grouping of the sequence-defined allele.

⁶Primer mix 96 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by control primer pairs. PCR product sizes range from 75 to 200 base pairs. The PCR product generated by the control primer pair is 430 base pairs.

⁷The DRB1*08:09 and the DRB1*14:15 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

⁸The DRB1*08:20 and the DRB1*13:18, 13:47 and 13:55 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

⁹The DRB1*08:31, 08:41 and DRB1*11:67 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

¹⁰The DRB1*13:13 and 13:119 and DRB1*14:84 and 14:116 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

‘ser’, serological HLA specificity.

‘w’, may be weakly amplified.

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

CELL LINE VALIDATION SHEET																						
HLA-A low resolution primer set																						
					Well																	
						1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
					Lot No.:	201193101	201191802	201193103	201191804	201191805	201191806	201191807	201191808	201191809	201191810	201191811	201191812	201191813	201191814	201193115	201191816	
	IHWC cell line		A*	A*																		
1	9001	SA	*24:02			-	-	-	-	+	-	+	-	-	-	-	-	-	-	-	-	-
2	9280	LK707	*02:01			-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	9011	E4181324	*01:01			+	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9275	GU373	*30:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
5	9009	KAS011	*01:01			+	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353	SM	*02:01	*26:03		-	+	-	-	-	-	-	+	-	-	+	-	+	-	-	-	-
7	9020	QBL	*26:01			-	-	-	-	-	-	-	+	-	+	-	-	+	-	-	-	-
8	9025	DEU	*31:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
9	9026	YAR	*26:01			-	-	-	-	-	-	-	+	-	+	-	-	+	-	-	-	-
10	9107	LKT3	*24:02			-	-	-	-	+	-	+	-	-	-	-	-	-	-	-	-	-
11	9051	PITOUT	*29:02			-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-	-
12	9052	DBB	*02:01			-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9004	JESTHOM	*02:01			-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071	OLGA	*31:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
15	9075	DKB	*24:02			-	-	-	-	+	-	+	-	-	-	-	-	-	-	-	-	-
16	9037	SWEIG007	*29:02			-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-	-
17	9282	CTM3953540	*03:01	*80:01		-	-	+	-	-	+	-	-	-	-	-	-	+	-	-	-	-
18	9257	32367	*33:03	*74:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	9038	BM16	*02:01			-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059	SLE005	*02:01			-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064	AMALA	*02:17			-	+	-	-	-	-	W	-	-	-	-	-	-	-	-	-	-
22	9056	KOSE	*02:01			-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124	IHL	*02:01	*34:01		-	+	-	-	-	-	-	+	-	-	+	+	-	-	-	-	-
24	9035	JBUSH	*32:01			-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
25	9049	IBW9	*33:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285	WT49	*02:05			-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191	CH1007	*24:10	*29:01		-	-	-	-	+	-	+	-	-	-	-	-	-	+	-	-	-
28	9320	BEL5GB	*02:01	*29:02		-	+	-	-	-	-	-	-	-	-	-	-	-	+	-	-	-
29	9050	MOU	*29:02			-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-	-
30	9021	RSH	*30:01	*68:02		-	-	-	-	-	-	-	+	-	-	-	-	-	-	+	-	-
31	9019	DUCAF	*30:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
32	9297	HAG	*02:01			-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098	MT14B	*31:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
34	9104	DHIF	*31:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
35	9302	SSTO	*32:01			-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
36	9024	KT17	*02:06	*11:01		-	+	-	+	-	-	-	-	-	-	+	-	-	-	-	-	-
37	9065	HHKB	*03:01			-	-	+	-	-	-	-	-	-	-	-	-	+	-	-	-	-
38	9099	LZL	*02:17			-	+	-	-	-	-	W	-	-	-	-	-	-	-	-	-	-
39	9315	CML	*01:01	*03:01		+	-	+	+	-	-	-	-	-	-	-	-	+	-	-	-	-
40	9134	WHONP199	*02:07	*30:01		-	+	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
41	9055	H0301	*03:01			-	-	+	-	-	-	-	-	-	-	-	-	+	-	-	-	-
42	9066	TAB089	*02:07			-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076	T7526	*02:06	*02:07		-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057	TEM	*66:01			-	-	-	-	-	-	-	+	-	-	+	-	+	-	-	-	-
45	9239	SHJO	*23:01	*24:02		-	-	-	-	+	+	+	-	-	-	-	-	-	-	-	-	-
46	9013	SCHU	*03:01			-	-	+	-	-	-	-	-	-	-	-	-	+	-	-	-	-
47	9045	TUBO	*02:16	*03:01		-	+	+	-	-	-	-	-	-	-	-	-	+	-	-	-	-
48	9303	TER-ND	*02:01	*11:01		-	+	-	+	-	-	-	-	-	-	+	-	-	-	-	-	-

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

CELL LINE VALIDATION SHEET													
HLA-A low resolution primer set													
					Lot No.:	Well							
						17	18	19	20	21	22	23	24
						201191817	201191818	201191819	201191820	201191821	201191822	201191823	201193124
	IHWC cell line		A*	A*									
1	9001	SA	*24:02		-	-	-	-	-	-	-	-	-
2	9280	LK707	*02:01		-	-	-	-	-	-	-	-	-
3	9011	E4181324	*01:01		-	-	-	-	-	-	-	-	-
4	9275	GU373	*30:01		-	-	-	-	-	-	-	-	-
5	9009	KAS011	*01:01		-	-	-	-	-	-	-	-	-
6	9353	SM	*02:01	*26:03	-	-	-	-	-	-	+	-	-
7	9020	QBL	*26:01		-	-	-	-	-	-	-	-	-
8	9025	DEU	*31:01		-	-	-	-	-	-	-	-	-
9	9026	YAR	*26:01		-	-	-	-	-	-	-	-	-
10	9107	LKT3	*24:02		-	-	-	-	-	-	-	-	-
11	9051	PITOUT	*29:02		-	-	-	-	-	-	-	-	-
12	9052	DBB	*02:01		-	-	-	-	-	-	-	-	-
13	9004	JESTHOM	*02:01		-	-	-	-	-	-	-	-	-
14	9071	OLGA	*31:01		-	-	-	-	-	-	-	-	-
15	9075	DKB	*24:02		-	-	-	-	-	-	-	-	-
16	9037	SWEIG007	*29:02		-	-	-	-	-	-	-	-	-
17	9282	CTM3953540	*03:01	*80:01	-	-	-	-	-	-	+	-	-
18	9257	32367	*33:03	*74:01	-	+	+	-	-	-	-	-	-
19	9038	BM16	*02:01		-	-	-	-	-	-	-	-	-
20	9059	SLE005	*02:01		-	-	-	-	-	-	-	-	-
21	9064	AMALA	*02:17		-	-	-	-	-	-	-	-	-
22	9056	KOSE	*02:01		-	-	-	-	-	-	-	-	-
23	9124	IHL	*02:01	*34:01	-	-	-	-	-	-	-	-	-
24	9035	JBUSH	*32:01		+	-	-	-	-	-	-	-	-
25	9049	IBW9	*33:01		-	+	-	-	-	-	-	-	-
26	9285	WT49	*02:05		-	-	-	-	-	-	-	-	-
27	9191	CH1007	*24:10	*29:01	-	-	-	-	-	-	-	-	-
28	9320	BEL5GB	*02:01	*29:02	-	-	-	-	-	-	-	-	-
29	9050	MOU	*29:02		-	-	-	-	-	-	-	-	-
30	9021	RSH	*30:01	*68:02	-	-	-	+	-	-	-	-	-
31	9019	DUCAF	*30:02		-	-	-	-	-	-	-	-	-
32	9297	HAG	*02:01		-	-	-	-	-	-	-	-	-
33	9098	MT14B	*31:01		-	-	-	-	-	-	-	-	-
34	9104	DHIF	*31:01		-	-	-	-	-	-	-	-	-
35	9302	SSTO	*32:01		+	-	-	-	-	-	-	-	-
36	9024	KT17	*02:06	*11:01	-	-	-	-	-	-	-	-	-
37	9065	HHKB	*03:01		-	-	-	-	-	-	-	-	-
38	9099	LZL	*02:17		-	-	-	-	-	-	-	-	-
39	9315	CML	*01:01	*03:01	-	-	-	-	-	-	-	-	-
40	9134	WHONP199	*02:07	*30:01	-	-	-	-	-	-	-	-	-
41	9055	H0301	*03:01		-	-	-	-	-	-	-	-	-
42	9066	TAB089	*02:07		-	-	-	-	-	-	-	-	-
43	9076	T7526	*02:06	*02:07	-	-	-	-	-	-	-	-	-
44	9057	TEM	*66:01		-	-	-	-	-	-	-	-	-
45	9239	SHJO	*23:01	*24:02	-	-	-	-	-	-	-	-	-
46	9013	SCHU	*03:01		-	-	-	-	-	-	-	-	-
47	9045	TUBO	*02:16	*03:01	-	-	-	-	-	-	-	-	-
48	9303	TER-ND	*02:01	*11:01	-	-	-	-	-	-	-	-	-

April 2014
Rev. No.: 05



April 2014
Rev. No.: 05

CE
0088

For *In Vitro* Diagnostic Use

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

CELL LINE VALIDATION SHEET																					
HLA-B low resolution SSP kit																					
					Prod. No.:	Well															
						57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72
						201190033	201190034	201190035	201190036	201190037	201190038	201190039	201190040	201190041	201190042	201190043	201190044	201190045	201190046	201190047	201188648
	IHWC cell line		B*																		
1	9001 SA		*07:02			-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	
2	9280 LK707		*52:01	*73:01		-	-	+	+	-	+	-	-	-	-	-	-	+	+	+	
3	9011 E4181324		*52:01			-	-	+	+	-	+	-	-	-	-	-	-	+	-	-	
4	9275 GU373		*15:10	*53:01		-	-	-	+	-	-	-	-	-	-	-	+	-	+	-	
5	9009 KAS011		*37:01			-	-	-	-	-	+	-	-	-	-	-	-	+	-	-	
6	9353 SM		*39:01	*51:01		-	-	+	+	-	-	-	-	-	-	-	+	+	+	-	
7	9020 QBL		*18:01			-	-	-	-	-	-	-	-	-	-	-	+	-	-	-	
8	9025 DEU		*35:01			-	-	-	-	-	-	-	-	-	-	-	-	+	-	-	
9	9026 YAR		*38:01			-	-	-	-	-	-	-	-	-	-	-	-	+	-	-	
10	9107 LKT3		*54:01			-	-	-	-	-	-	+	+	-	-	-	-	-	+	-	
11	9051 PITOUT		*44:03			-	-	-	-	-	+	-	-	-	-	-	-	+	-	-	
12	9052 DBB		*57:01			-	-	-	+	-	-	-	-	-	+	-	-	-	+	-	
13	9004 JESTHOM		*27:05			-	-	-	-	-	+	-	-	-	-	-	-	+	-	-	
14	9071 OLGA		*15:01	*15:20		-	-	-	-	-	+	-	-	-	-	-	-	+	-	-	
15	9075 DKB		*40:01			-	-	-	-	+	+	-	-	-	-	-	-	-	+	-	
16	9037 SWEIG007		*40:02			-	-	-	-	+	+	-	-	-	-	-	-	-	-	+	
17	9282 CTM3953540		*08:01	*55:01		-	-	+	-	-	-	-	+	-	-	-	-	-	-	+	
18	9257 32367		*14:01	*56:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	+	
19	9038 BM16		*18:01			-	-	-	-	-	-	-	-	-	-	-	+	-	+	-	
20	9059 SLE005		*40:01			-	-	-	-	+	+	-	-	-	-	-	-	-	+	-	
21	9064 AMALA		*15:01			-	-	-	-	-	+	-	-	-	-	-	-	+	-	+	
22	9056 KOSE		*35:03			-	-	-	-	-	-	-	-	-	-	-	+	-	-	+	
23	9124 IHL		*40:02	*56:02		-	-	-	-	+	+	-	-	+	-	-	-	-	-	+	
24	9035 JBUSH		*38:01			-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	
25	9049 IBW9		*14:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	
26	9285 WT49		*58:01			-	-	-	+	-	-	-	-	-	-	+	-	+	-	-	
27	9191 CH1007		*07:05	*51:01		-	-	+	+	-	-	-	-	-	-	-	+	-	+	+	
28	9320 BEL5GB		*44:02	*44:03		-	-	-	-	-	+	+	-	-	-	-	-	-	+	-	
29	9050 MOU		*44:03			-	-	-	-	-	+	-	-	-	-	-	-	-	+	-	
30	9021 RSH		*42:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	
31	9019 DUCAF		*18:01			-	-	-	-	-	-	-	-	-	-	-	+	-	-	+	
32	9297 HAG		*41:02			-	-	-	-	+	+	-	-	-	-	-	-	-	-	+	
33	9098 MT14B		*40:01			-	-	-	-	+	+	-	-	-	-	-	-	-	-	+	
34	9104 DHIF		*38:01			-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	
35	9302 SSTO		*44:02			-	-	-	-	-	+	+	-	-	-	-	-	-	+	-	
36	9024 KT17		*15:01	*35:01		-	-	-	-	-	+	-	-	-	-	-	+	+	-	+	
37	9065 HHKB		*07:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	
38	9099 LZL		*15:01			-	-	-	-	-	+	-	-	-	-	-	-	+	-	+	
39	9315 CML		*08:01	*27:05		-	-	-	-	-	+	-	-	-	-	-	-	-	+	+	
40	9134 WHONP199		*13:02	*46:01		-	-	-	-	-	+	-	-	-	-	-	+	+	+	-	
41	9055 H0301		*14:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	
42	9066 TAB089		*46:01			-	-	-	-	-	-	-	-	-	-	-	-	+	-	+	
43	9076 T7526		*46:01			-	-	-	-	-	-	-	-	-	-	-	-	+	-	+	
44	9057 TEM		*38:01			-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	
45	9239 SHJO		*42:01	*50:01		-	-	+	-	+	+	-	-	+	-	-	-	-	-	+	
46	9013 SCHU		*07:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	
47	9045 TUBO		*51:01			-	-	+	+	-	-	-	-	-	-	-	+	-	+	-	
48	9303 TER-ND		*35:01	*44:03		-	-	-	-	-	+	-	-	-	-	-	+	-	+	+	

April 2014
Rev. No.: 05

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

CELL LINE VALIDATION SHEET													
DR low resolution primer set													
					Well								
						89	90	91	92	93	94	95	
				Prod. No.:		201191617	201193318	201191619	201191620	201191629	201191630	201193331	
	IHCW cell line		DRB1										
1	9001	SA	*01:01		-	-	-	-	-	-	-	-	
2	9280	LK707	*15:02	*04:05	-	-	-	-	-	-	+	+	
3	9011	E4181324	*15:02		-	-	-	-	-	-	-	+	
4	9275	GU373	*03:01		+	-	-	-	+	-	-		
5	9009	KAS011	*16:01		-	-	-	-	-	-	-	+	
6	9353	SM	*04:07	*08:03	-	-	-	-	-	-	+	-	
7	9020	QBL	*03:01		+	-	-	-	+	-	-		
8	9025	DEU	*04:01		-	-	-	-	-	-	+	-	
9	9026	YAR	*04:02		-	-	-	-	-	-	+	-	
10	9107	LKT3	*04:05		-	-	-	-	-	-	+	-	
11	9051	PITOUT	*07:01		-	-	-	-	-	-	+	-	
12	9052	DBB	*07:01		-	-	-	-	-	-	+	-	
13	9004	JESTHOM	*01:01		-	-	-	-	-	-	-	-	
14	9071	OLGA	*08:02		-	-	-	-	-	-	-	-	
15	9075	DKB	*09:01		-	-	+	-	-	-	+	-	
16	9037	SWEIG007	*11:01		-	-	-	-	+	-	-		
17	9282	CTM3953540	*03:01	*13:01	+	-	-	-	+	-	-		
18	9257	32367	*09:01	*11:01	-	-	+	-	+	+			
19	9038	BM16	*12:01		-	-	-	-	+	-	-		
20	9059	SLE005	*13:02		+	-	-	-	+	-	-		
21	9064	AMALA	*14:02		+	-	+	-	+	-	-		
22	9056	KOSE	*13:02	*14:54	+	+	+	+	+	-	-		
23	9124	IHL	*08:03	*14:14	+	-	+	+	+	-	-		
24	9035	JBUSH	*11:01		-	-	-	-	+	-	-		
25	9049	IBW9	*07:01		-	-	-	-	-	+	-		
26	9285	WT49	*03:01		+	-	-	-	+	-	-		
27	9191	CH1007	*04:05	*10:01	-	-	-	-	-	+	-		
28	9320	BEL5GB	*04:16	*07:01	-	-	-	-	-	+	-		
29	9050	MOU	*07:01		-	-	-	-	-	+	-		
30	9021	RSH	*03:02		+	-	-	-	+	-	-		
31	9019	DUCAF	*03:01		+	-	-	-	+	-	-		
32	9297	HAG	*13:03		+	-	-	-	+	-	-		
33	9098	MT14B	*04:04		-	-	-	-	-	+	-		
34	9104	DHIF	*11:01		-	-	-	-	+	-	-		
35	9302	SSTO	*04:03		-	-	-	-	-	+	-		
36	9024	KT17	*04:03	*04:06	-	-	-	-	-	+	-		
37	9065	HHKB	*13:01		+	-	-	-	+	-	-		
38	9099	LZL	*14:02		+	-	+	-	+	-	-		
39	9315	CML	*03:01	*04:01	+	-	-	-	+	+	-		
40	9134	WHONP199	*07:01	*09:01	-	-	+	-	-	+	-		
41	9055	H0301	*13:02		+	-	-	-	+	-	-		
42	9066	TAB089	*08:03		-	-	-	-	-	-	-		
43	9076	T7526	*09:01		-	-	+	-	-	+	-		
44	9057	TEM	*14:01		-	+	+	+	+	-	-		
45	9239	SHJO	*07:01		-	-	-	-	-	+	-		
46	9013	SCHU	*15:01		-	-	-	-	-	-	-	+	
47	9045	TUBO	*11:04	*12:01	-	-	-	-	+	-	-		
48	9303	TER-ND	*01:03		-	-	-	-	-	-	-		

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

CERTIFICATE OF ANALYSIS

Olerup SSP® HLA-A-B-DR SSP Combi Tray

Product number: 101.701-24/06 – including *Taq* pol.

Lot number: 91M

Expiry date: 2014-May-01

Number of tests: 24 tests – Product No. 101.701-24

6 tests – Product No. 101.701-06

Number of wells per test: 95 + 1

Well specifications:

Well No.	Production No.	Well No.	Production No.	Well No.	Production No.
1	2011-931-01	9	2011-918-09	17	2011-918-17
2	2011-918-02	10	2011-918-10	18	2011-918-18
3	2011-931-03	11	2011-918-11	19	2011-918-19
4	2011-918-04	12	2011-918-12	20	2011-918-20
5	2011-918-05	13	2011-918-13	21	2011-918-21
6	2011-918-06	14	2011-918-14	22	2011-918-22
7	2011-918-07	15	2011-931-15	23	2011-918-23
8	2011-918-08	16	2011-918-16	24	2011-931-24

The specificity of each primer solution of the kit has been tested against 48 well characterized IHWC cell line DNAs.

Additional 5'- and 3'-primers in primer solutions 4, 5, 7, 8, 12, 14 to 17 and 20 to 23 were tested by separately adding one 3'-primer, respectively one 5'-primer. Additional 5'-primers in primer solutions 1 and 10 were tested by separately adding one 3'-primer. Additional 3'-primers in primer solutions 3, 6, 18 and 19 were tested by separately adding one 5'-primer.

In primer solutions 2, 9, 10, 11 and 15 one or two 5'-primers were not possible to test, and in primer solutions 3, 8, 18 and 19 one 3'-primer was not possible to test.

Well No.	Production No.	Well No.	Production No.	Well No.	Production No.
25	2011-900-01	41	2011-900-17	57	2011-900-33
26	2011-900-02	42	2011-900-18	58	2011-900-34
27	2011-900-03	43	2011-900-19	59	2011-900-35
28	2011-900-04	44	2011-900-20	60	2011-900-36
29	2011-900-05	45	2011-900-21	61	2011-900-37
30	2011-900-06	46	2011-900-22	62	2011-900-38
31	2011-900-07	47	2011-900-23	63	2011-900-39
32	2011-900-08	48	2011-900-24	64	2011-900-40
33	2011-900-09	49	2011-900-25	65	2011-900-41
34	2011-900-10	50	2011-900-26	66	2011-900-42
35	2011-900-11	51	2011-900-27	67	2011-900-43
36	2011-900-12	52	2011-900-28	68	2011-900-44
37	2011-900-13	53	2011-900-29	69	2011-900-45
38	2011-900-14	54	2011-900-30	70	2011-900-46
39	2011-900-15	55	2011-900-31	71	2011-900-47
40	2011-900-16	56	2011-900-32	72	2011-886-48

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

The specificity of each primer solution of the kit has been tested against 48 well characterized IHWC cell line DNAs.

Additional 5'-primers and 3'-primers in primer solutions 27, 30, 38, 43, 53, 55 and 64 were tested by separately adding one additional 3'-primer, respectively one additional 5'-primer. Additional 3'-primers in primer solutions 26, 37, 39 and 59 were tested by separately adding one additional 5'-primer. Additional 5'-primers in primer solutions 25, 45, 49 and 72 were tested by separately adding one additional 3'-primer.

In primer mixes 55 and 66 one 5'-primer was not possible to test, and in primer mixes 62 and 66 one 3'-primer was not possible to test.

Well No.	Production No.	Well No.	Production No.	Well No.	Production No.
73	2011-916-01	81	2011-851-09	89	2011-916-17
74	2011-916-02	82	2011-916-10	90	2011-933-18
75	2011-916-03	83	2011-916-11	91	2011-916-19
76	2011-916-04	84	2011-916-12	92	2011-916-20
77	2011-916-05	85	2011-916-13	93	2011-916-29
78	2011-916-06	86	2011-916-14	94	2011-916-30
79	2011-916-07	87	2011-933-15	95	2011-933-31
80	2011-916-08	88	2011-916-16		

The specificity of each primer solution of the kit has been tested against 48 well characterized IHWC cell line DNAs.

Additional 5'- and 3'-primers in primer solutions 81, 83 and 90 were tested by separately adding one 3'-primer, respectively one 5'-primer.

Additional 5'-primers in primer solutions 78, 87 and 88 were tested by separately adding one 3'-primer. Additional 3'-primers in primer solutions 73, 75, 76, 82, 84 and 92 were tested by separately adding one 5'-primer.

One, two or three of the 5'-primers in primer solution 73, 75, 76, 80 to 82, 85, 87 and 88 were not possible to test. One or two of the 3'-primers in primer solution 73, 75, 76, 85 and 94 were not possible to test.

The negative control primer pairs, **Production No. 2011-917-01**, can detect contamination with PCR products diluted 10^{-7} .

Results: No false positive or false negative amplifications were obtained.

Date of approval: 2011-November-25

Approved by:

Production Quality Control

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Declaration of Conformity

Product name: *Olerup* SSP® HLA-A-B-DR SSP Combi Tray
Product number: 101.701-24/06
Lot number: 91M

Intended use: HLA-A, HLA-B and HLA-DR low resolution histo-compatibility testing

Manufacturer: *Olerup* SSP AB
Franzengatan 5
SE-112 51 Stockholm, Sweden
Phone: +46-8-717 88 27
Fax: +46-8-717 88 18

We, *Olerup* SSP AB, hereby declare that this product, to which this Declaration of Conformity relates is in conformity with the following Standard(s) and other normative document(s) ISO 9001:2008 and ISO 13485:2003, following the provisions of the 98/79/EC Directive on *in vitro* diagnostic medical devices, Annex II List B, conformity assessed using Annex IV, as transposed into the national laws of the Member States of the European Union.

The Technical Documentation File is maintained at *Olerup* SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Notified Body: Lloyd's Register Quality Assurance Limited, Hiramford, Middlemarch Office Village, Siskin Drive, Coventry CV3 4FJ, United Kingdom. (Notified Body number: 0088.)

Stockholm, Sweden
2011-November-25

Ann-Cathrin Jareman
Head of QA and Regulatory Affairs

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

Lot No.: **91M**

Lot-specific information

www.olerup-ssp.com

ADDRESSES:

Manufacturer:

Olerup SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-717 88 27

Fax: +46-8-717 88 18

E-mail: info-ssp@olerup.com

Web page: <http://www.olerup-ssp.com>

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00

Fax: +43-1-710 15 00 10

E-mail: support-at@olerup.com

Web page: <http://www.olerup.com>

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-OLERUP1

Fax: 610-344-7989

E-mail: info.us@olerup.com

Web page: <http://www.olerup.com>

For information on *Olerup* SSP distributors worldwide, contact **Olerup GmbH**.