

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: 7F6

Lot-specific information

Olerup SSP® DRB3

Product number:	101.121-24/04 – including <i>Taq</i> pol. 101.121-24u/04u – without <i>Taq</i> pol.
Lot number:	7F6
Expiry date:	2020-06-01
Number of tests:	24 tests – Product No. 101.121-24/24u 4 tests – Product No. 101.121-04/04u
Number of wells per test:	45+1
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 7F6.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

CHANGES COMPARED TO THE PREVIOUS OLERUP SSP® DRB3 LOT (2E8)

The DRB3 kit is updated to enable separation of:

- Confirmed DRB3 alleles as listed in the IMGT/HLA database¹
- Polymorphisms in exons outside of the region encoding the peptide binding domain
- Null and Alternatively expressed alleles

The format of the Worksheet has been changed.

Seven wells have been added to DRB3, wells **40 to 46**.

¹As described in section Uniquely Identified Alleles.

The DRB3 primer set as well as the specificity and interpretation tables have been updated for the DRB alleles described since the previous Olerup SSP® DRB3 lot (Lot No. 2E8) was made. The kit design is based on IMGT/HLA database 3.29.0.

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: 7F6

Lot-specific information

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
2	Added	-	5'-primer added for the DRB3*03:01:04 allele.
20	-	Added	3'-primer added for the DRB3*01:01:08 allele.
21	-	Added	3'-primer added for the DRB3*02:43 allele.
25	-	Added	3'-primer added for the DRB3*02:60 allele.
28	-	Added	3'-primer added for the DRB3*02:55N allele.
29	-	Modified	3'-primer modified for increased yield.
33	-	-	Primers have been optimized for increased yield.
34	Added	Added	Primer pair added for the DRB3*01:43 allele.
35	-	Added	3'-primer added for the DRB3*02:51 allele.
36	-	Added	3'-primers added for the DRB3*01:35 and DRB3*02:43 alleles.
37	-	Added	3'-primers added for the DRB3*01:31, DRB3*01:45 and DRB3*02:47 alleles.
39	Added	Added	Negative control moved to well 46, primer pairs added for the DRB3*01:40N and DRB3*02:39 alleles.
40	New	New	New primer mix added for the DRB3*01:30 and DRB3*03:13 alleles.
41	New	New	New primer mix added for the DRB3*02:57 and DRB3*02:60 alleles.
42	New	New	New primer mix added for the DRB3*01:37, DRB3*02:61Q and DRB3*03:08 alleles.
43	New	New	New primer mix added for the DRB3*02:47 allele.
44	New	New	New primer mix added for the DRB3*01:26N and DRB3*02:55N alleles.
45	New	New	New primer mix added for the DRB3*02:31:02 allele.
46	-	-	Negative Control added from well 39.

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **7F6**

Lot-specific information

Well **46** contains Negative Control primer pairs, that will amplify more than 95% of the Olerup SSP[®] HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs.
The PCR product generated by the positive control primer pair is 430 base pairs.

Length of PCR product	105	200	105	80	75	80	85
5'-primer¹	164	340	440	45	45	43	36
	5'-CAC ^{3'}	5'-Agg ^{3'}	5'-TTA ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-TAC ^{3'}
							36
							5'-TAT ^{3'}
3'-primer²	231	2nd I	507	59	58	57	47
	5'-TgC ^{3'}	5'-AAA ^{3'}	5'-TTg ^{3'}	5'-CTC ^{3'}	5'-ggC ^{3'}	5'-CTC ^{3'}	5'-ACA ^{3'}
							48
							5'-gCA ^{3'}
							48
							5'-gCC ^{3'}
							52
							5'-TgT ^{3'}
A*	+	+	+				
B*	+	+	+				
C*	+	+	+				
DRB1				+	+		
DRB3				+	+		
DRB5				+			
DQB1					+		
DPB1						+	
DQA1							+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **7F6**

Lot-specific information

PRODUCT DESCRIPTION

DRB3 SSP subtyping

CONTENT

The primer set contains 5'- and 3'-primers for identifying the DRB3*01:01 to DRB3*03:13 alleles.

PLATE LAYOUT

Each test consists of 46 PCR reactions in a 48 well cut PCR plate. Wells 47 and 48 are empty.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32
33	34	35	36	37	38	39	40
41	42	43	44	45	NC	empty	empty

The 48 well cut PCR plate is marked with 'DRB3' in silver/gray ink.

Well No. 1 is marked with the Lot No. '7F6'.

Wells 1 to 45 – DRB3 high resolution primers.

Well 46 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded. The PCR plates are covered with a PCR-compatible foil.

Please note: When removing each 48 well PCR plate, make sure that the remaining plates stay covered. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

Due to the sharing of sequence motifs between DRB3 and DRB1 alleles some primer will amplify DRB1 alleles. For further details see Specificity Table.

UNIQUELY IDENTIFIED ALLELES

All the DRB3 alleles, i.e. **DRB3*01:01 to DRB3*01:45, DRB3*02:01 to DRB3*02:65 and DRB3*03:01 to DRB3*03:13**, recognized by the HLA Nomenclature Committee in August 2017^{1,2} will be amplified by the primers in the DRB3 subtyping kit.

The DRB3 kit enables separation of the confirmed DRB3 alleles as listed in the IMGT/HLA database. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for DRB3 alleles is listed below.

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **7F6**

Lot-specific information

The DRB3 kit also enables identification of polymorphisms in exons outside of the region encoding the peptide binding domain and of null and alternatively expressed alleles.

The following DRB3 alleles can be distinguished by the different sizes of the HLA-specific PCR product:

Alleles	Primer mix
DRB3*02:32, 02:34	38

¹DRB alleles listed on the IMGT/HLA web page 2017-August-10, release 3.29.0, www.ebi.ac.uk/imgt/hla.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in DRB3 homo- and heterozygotes is available upon request.

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **7F6**

Lot-specific information

ALLELE CONFIRMATION STATUS

Allele	Status ¹	Allele	Status ¹	Allele	Status ¹	Allele	Status ¹
DRB3*01:01:02:01	Confirmed	DRB3*01:34	Confirmed	DRB3*02:20	Confirmed	DRB3*02:58	Unconfirmed
DRB3*01:01:02:02	Confirmed	DRB3*01:35	Confirmed	DRB3*02:21	Unconfirmed	DRB3*02:59	Unconfirmed
DRB3*01:01:03	Confirmed	DRB3*01:36	Unconfirmed	DRB3*02:22:01	Unconfirmed	DRB3*02:60	Confirmed
DRB3*01:01:04	Unconfirmed	DRB3*01:37	Confirmed	DRB3*02:22:02	Confirmed	DRB3*02:61Q	Unconfirmed
DRB3*01:01:05	Confirmed	DRB3*01:38	Unconfirmed	DRB3*02:23	Unconfirmed	DRB3*02:62	Unconfirmed
DRB3*01:01:06	Unconfirmed	DRB3*01:39	Unconfirmed	DRB3*02:24	Confirmed	DRB3*02:63	Unconfirmed
DRB3*01:01:07	Unconfirmed	DRB3*01:40N	Unconfirmed	DRB3*02:25	Unconfirmed	DRB3*02:64	Unconfirmed
DRB3*01:01:08	Unconfirmed	DRB3*01:41	Unconfirmed	DRB3*02:26	Unconfirmed	DRB3*02:65	Unconfirmed
DRB3*01:02	Unconfirmed	DRB3*01:42	Unconfirmed	DRB3*02:27	Unconfirmed	DRB3*03:01:01	Confirmed
DRB3*01:03	Unconfirmed	DRB3*01:43	Unconfirmed	DRB3*02:28	Unconfirmed	DRB3*03:01:02	Unconfirmed
DRB3*01:04	Unconfirmed	DRB3*01:44	Unconfirmed	DRB3*02:29N	Confirmed	DRB3*03:01:03	Confirmed
DRB3*01:05	Unconfirmed	DRB3*01:45	Confirmed	DRB3*02:30	Confirmed	DRB3*03:01:04	Unconfirmed
DRB3*01:06	Unconfirmed	DRB3*02:01	Confirmed	DRB3*02:31:01	Unconfirmed	DRB3*03:01:05	Confirmed
DRB3*01:07	Unconfirmed	DRB3*02:02:01:01	Confirmed	DRB3*02:31:02	Confirmed	DRB3*03:02	Unconfirmed
DRB3*01:08	Unconfirmed	DRB3*02:02:01:02	Unconfirmed	DRB3*02:32	Confirmed	DRB3*03:03	Confirmed
DRB3*01:09	Unconfirmed	DRB3*02:02:02	Unconfirmed	DRB3*02:33	Confirmed	DRB3*03:04	Confirmed
DRB3*01:10	Unconfirmed	DRB3*02:02:03	Unconfirmed	DRB3*02:34	Confirmed	DRB3*03:05	Confirmed
DRB3*01:11	Unconfirmed	DRB3*02:02:04	Unconfirmed	DRB3*02:35	Confirmed	DRB3*03:06	Confirmed
DRB3*01:12	Unconfirmed	DRB3*02:02:05	Unconfirmed	DRB3*02:36	Confirmed	DRB3*03:07	Unconfirmed
DRB3*01:13	Unconfirmed	DRB3*02:02:06	Confirmed	DRB3*02:37	Confirmed	DRB3*03:08	Confirmed
DRB3*01:14	Unconfirmed	DRB3*02:02:07	Unconfirmed	DRB3*02:38	Unconfirmed	DRB3*03:09	Unconfirmed
DRB3*01:15	Unconfirmed	DRB3*02:02:08	Unconfirmed	DRB3*02:39	Confirmed	DRB3*03:10	Unconfirmed
DRB3*01:16	Confirmed	DRB3*02:02:09	Unconfirmed	DRB3*02:40	Unconfirmed	DRB3*03:11	Unconfirmed
DRB3*01:17	Unconfirmed	DRB3*02:03	Unconfirmed	DRB3*02:41	Unconfirmed	DRB3*03:12	Unconfirmed
DRB3*01:18	Confirmed	DRB3*02:04	Unconfirmed	DRB3*02:42	Unconfirmed	DRB3*03:13	Unconfirmed
DRB3*01:19	Unconfirmed	DRB3*02:05	Unconfirmed	DRB3*02:43	Confirmed		
DRB3*01:20	Unconfirmed	DRB3*02:06	Unconfirmed	DRB3*02:44	Unconfirmed		
DRB3*01:21	Unconfirmed	DRB3*02:07	Unconfirmed	DRB3*02:45	Unconfirmed		
DRB3*01:22	Unconfirmed	DRB3*02:08	Unconfirmed	DRB3*02:46	Unconfirmed		
DRB3*01:23	Unconfirmed	DRB3*02:09	Confirmed	DRB3*02:47	Confirmed		
DRB3*01:24	Unconfirmed	DRB3*02:10	Confirmed	DRB3*02:48	Confirmed		
DRB3*01:25	Unconfirmed	DRB3*02:11	Unconfirmed	DRB3*02:49	Unconfirmed		
DRB3*01:26N	Unconfirmed	DRB3*02:12	Unconfirmed	DRB3*02:50	Confirmed		
DRB3*01:27	Unconfirmed	DRB3*02:13	Unconfirmed	DRB3*02:51	Confirmed		
DRB3*01:28	Unconfirmed	DRB3*02:14	Confirmed	DRB3*02:52	Unconfirmed		
DRB3*01:29	Unconfirmed	DRB3*02:15	Confirmed	DRB3*02:53	Unconfirmed		
DRB3*01:30	Confirmed	DRB3*02:16	Unconfirmed	DRB3*02:54	Unconfirmed		
DRB3*01:31	Confirmed	DRB3*02:17	Confirmed	DRB3*02:55N	Confirmed		
DRB3*01:32	Unconfirmed	DRB3*02:18	Unconfirmed	DRB3*02:56	Confirmed		
DRB3*01:33	Unconfirmed	DRB3*02:19	Unconfirmed	DRB3*02:57	Confirmed		

¹Allele status “confirmed” or “unconfirmed” as listed on the IMGT/HLA web page 2017-August-10, release 3.29.0, www.ebi.ac.uk/imgt/hla.

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **7F6**

Lot-specific information

SPECIFICITY TABLE

DRB3 SSP subtyping

Specificities and sizes of the PCR products of the 45+1 primer mixes used for DRB3 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified DRB3 alleles ³	Other amplified DRB alleles
1⁴	100 bp	515 bp	*01:01:02:01-01:08, 01:10-01:13, 01:15-01:21, 01:23, 01:25, 01:27-01:45, 02:05, 02:38, 03:01:01-03:01:05, 03:03-03:13	DRB1*03:42, DRB1*03:87, DRB1*11:30 ^w , DRB1*12:57, DRB1*13:67, DRB1*13:195, DRB1*14:46
2⁴	125 bp	430 bp	*01:01:02:01-01:01:07, 01:02-01:06, 01:08, 01:10-01:14, 01:16-01:36, 01:38-01:40N, 01:43-01:45, 03:01:01-03:01:05, 03:03-03:08, 03:10-03:13	DRB1*03:38, DRB1*03:79, DRB1*03:85, DRB1*03:96, DRB1*04:82 ^w , DRB1*04:99 ^w , DRB1*07:09 ^w , DRB1*08:07 ^w , DRB1*08:19 ^w , DRB1*08:25 ^w , DRB1*08:34 ^w , DRB1*08:52 ^w , DRB1*12:27 ^w , DRB1*12:57, DRB1*13:31 ^w , DRB1*13:46 ^w , DRB1*13:54 ^w , DRB1*13:77 ^w , DRB1*13:100 ^w , DRB1*13:162 ^w , DRB1*13:180 ^w , DRB1*14:48 ^w , DRB1*14:174, DRB1*14:177, DRB1*15:135
3⁴	95 bp	430 bp	*01:01:02:01-01:02, 01:04-01:08, 01:10-01:13, 01:15-01:21, 01:23, 01:27 ^w , 01:28-01:38, 01:40N, 01:42-01:45	DRB1*03:42
4⁷	240 bp	430 bp		DRB1*11:13:01-11:13:02, DRB1*11:149, DRB1*11:202, DRB1*13:08, DRB1*14:01:01, DRB1*14:01:02 [?] -14:01:04 [?] , DRB1*14:02:02 [?] -14:02:03 [?] , DRB1*14:04:01, DRB1*14:04:02 [?] -14:04:03 [?] , DRB1*14:05:01:01-14:05:01:02, DRB1*14:05:02 [?] -14:05:04 [?] , DRB1*14:06:02 [?] -14:06:03 [?] , DRB1*14:07:01, DRB1*14:07:02 [?] , DRB1*14:08, DRB1*14:10-14:11, DRB1*14:12:02 [?] , DRB1*14:14, DRB1*14:15 [?] -14:16 [?] , DRB1*14:18 [?] -14:20 [?] , DRB1*14:22 [?] -14:23:04 [?] , DRB1*14:25 [?] -14:41 [?] , DRB1*14:43 [?] -14:45 [?] , DRB1*14:48 [?] -14:52 [?] , DRB1*14:54:01:01-14:54:06, DRB1*14:55 [?] -DRB1*14:56 [?] , DRB1*14:57, DRB1*14:58 [?] -14:65 [?] , DRB1*14:67 [?] -DRB1*14:81 [?] , DRB1*14:82, DRB1*14:83 [?] -14:136 [?] , DRB1*14:137N, DRB1*14:138 [?] -14:140 [?] , DRB1*14:141, DRB1*14:142 [?] -14:143 [?] , DRB1*14:145 [?] -14:151 [?] ,

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **7F6**

Lot-specific information

				DRB1*14:152N, DRB1*14:153 [?] -14:170 [?] , DRB1*14:171, DRB1*14:172 [?] -14:176 [?] , DRB1*14:178 [?] -14:181 [?] , DRB1*14:182- 14:186
5 ⁴	95 bp 125 bp	430 bp	*01:03 *01:10	DRB1*14:46
6	190 bp	430 bp	*01:04	
7 ^{4,6}	90 bp 180 bp	515 bp	*01:05 *01:07, 01:15, 02:42	DRB1*03:42, DRB1*14:46
8 ⁴	120 bp	430 bp	*01:06, 01:08	DRB1*03:42, DRB1*14:46
9 ⁵	165 bp	515 bp	*01:07, 01:21, 01:41, 02:01-02:08, 02:11-02:37, 02:39- 02:43, 02:45-02:65	DRB1*14:141
10 ^{5,7}	185 bp	515 bp	*01:09, 02:01- 02:04, 02:06-02:14, 02:16-02:26, 02:28- 02:37, 02:39-02:57, 02:59-02:65, 03:02	DRB1*03:101, DRB1*03:120, DRB1*12:22, DRB1*14:141
11 ⁶	270 bp	515 bp	*01:34, 02:01, 02:04, 02:24, 02:48, 02:58, 03:01:01-03:02, 03:04-03:05, 03:07- 03:13	DRB1*03:42, DRB1*03:87, DRB1*12:57
12 ⁴	90 bp 145 bp	515 bp	*02:17 *02:01, 02:04, 02:24, 02:48, 02:58	DRB1*03:37, DRB1*03:80, DRB1*03:140, DRB1*04:183, DRB1*11:43, DRB1*11:50, DRB1*11:115, DRB1*11:151, DRB1*11:171, DRB1*11:174, DRB1*12:34, DRB1*13:131, DRB1*13:150, DRB1*14:59, DRB1*14:86, DRB1*14:96, DRB1*14:145, DRB1*14:153- 14:154, DRB1*15:65
13 ⁵	270 bp	515 bp	*01:01:02:01-01:13, 01:15-01:33, 01:35- 01:45, 02:02:01:01- 02:03, 02:05-02:13, 02:15-02:23, 02:25- 02:47, 02:49-02:57, 02:59-02:65, 03:03, 03:06	DRB1*11:30, DRB1*13:67, DRB1*13:195, DRB1*14:46, DRB1*14:141
14	185 bp 265 bp	515 bp	*01:07, 01:09, 02:02:01:01- 02:02:09, 02:05, 02:07-02:13, 02:15- 02:19, 02:21-02:23, 02:25-02:36, 02:39- 02:47, 02:49, 02:53-02:57, 02:60, 02:62-02:65 *01:02	DRB1*10:01:01:01 ^w -10:01:09 ^w , DRB1*10:03 ^w -10:11 ^w , DRB1*10:13 ^w , DRB1*10:15 ^w -10:16 ^w , DRB1*10:18 ^w -10:22 ^w , DRB1*13:216, DRB1*14:141, DRB1*16:30

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **7F6**

Lot-specific information

15 ⁴	120 bp 180 bp 210 bp	430 bp	*02:03, 2:38, 02:50, 03:01:01-03:09, 03:11, 03:13 *02:16 *02:17	DRB1*12:57, DRB1*13:195
16	150 bp	430 bp	*01:09, 02:04, 02:19, 02:22:01- 02:22:02, 02:56	DRB1*03:44
17 ⁴	120 bp 180 bp	430 bp	*01:08, 02:06, 02:20, 03:10 *02:16, 02:23	DRB1*03:42, DRB1*03:87, DRB1*13:67, DRB1*14:46
18 ⁴	100 bp 170 bp	430 bp	*01:09, 02:07, 02:09, 02:21, 02:44, 02:56 *01:18	
19 ⁶	180 bp 270 bp	515 bp	*01:42, 02:08, 02:18, 02:23 *02:14	DRB1*11:30
20	175 bp	430 bp	*01:01:02:01-01:06, 01:08-01:13, 01:15- 01:20, 01:22-01:28, 01:30-01:34, 01:36- 01:40N, 01:42- 01:45, 02:09-02:10, 02:16, 02:38, 02:44, 03:01:01- 03:06, 03:08-03:13	DRB1*03:42, DRB1*03:87, DRB1*11:30, DRB1*12:57, DRB1*13:67, DRB1*13:195, DRB1*14:46
21 ⁴	120 bp 155 bp 210 bp	430 bp	*01:13 *02:43 *01:19, 01:31, 02:11	
22 ⁶	185 bp 245 bp	430 bp	*01:11 *01:02, 02:12	
23	195 bp 240 bp	430 bp	*02:13 *01:02	
24	185 bp	430 bp	*02:09, 02:18- 02:19, 02:21, 02:25, 02:48, 02:56, 03:01:01- 03:13	DRB1*11:30, DRB1*12:57
25	150 bp 220 bp 260 bp	430 bp	*02:60 *01:19, 02:26 *01:12, 02:31:01	
26	235 bp	430 bp	*01:14	DRB1*03:01:02, DRB1*03:02:02, DRB1*03:05:03, DRB1*03:13:02, DRB1*03:17, DRB1*03:24, DRB1*03:27, DRB1*03:35, DRB1*03:81, DRB1*03:130, DRB1*08:67, DRB1*11:07:02, DRB1*11:27:01, DRB1*11:84:01, DRB1*11:124, DRB1*11:136, DRB1*11:138, DRB1*12:22, DRB1*13:33:02-13:33:03, DRB1*13:61:01, DRB1*13:94:02,

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **7F6**

Lot-specific information

				DRB1*13:96:02, DRB1*14:38:01, DRB1*14:47, DRB1*14:50, DRB1*14:98, DRB1*14:127:01, DRB1*14:165
27 ⁴	90 bp	430 bp	*02:01	
28	235 bp	430 bp	*02:27	DRB1*11:30, DRB1*12:57, DRB1*13:67, DRB1*13:195, DRB1*14:46
	260 bp		*01:12, 02:31:01, 02:55N	
29 ⁷	160 bp	430 bp	*02:15, 02:27, 02:58	DRB1*10:01:01:01 ^w -10:01:04 ^w , DRB1*10:01:05, DRB1*10:01:06 ^w -10:06 ^w , DRB1*10:08 ^w -10:10 ^w , DRB1*10:12 ^w -10:13 ^w , DRB1*10:15 ^w -10:16 ^w , DRB1*10:18 ^w -10:22 ^w , DRB1*13:106, DRB1*13:216, DRB1*16:30
30	210 bp	430 bp	*02:28	
31 ⁴	70 bp	430 bp	*01:21, 02:19, 02:21, 02:25, 02:48, 02:56	DRB1*12:34
	95 bp		*01:16, 02:29N	DRB1*01:77 ^w
32	230 bp	430 bp	*02:04, 02:19, 02:22:01-02:22:02, 02:56, 03:03-03:04	DRB1*03:87
33	150 bp	430 bp	*01:32, 01:39, 01:41, 02:37-02:38, 02:50, 03:01:01- 03:02, 03:05-03:09, 03:11-03:13	DRB1*03:35, DRB1*07:04, DRB1*14:38:01- 14:38:02, DRB1*14:50, DRB1*14:93, DRB1*14:127:01-14:127:02
	180 bp		*01:20	
34	135 bp	430 bp	*01:43, 03:05	
	175 bp		*01:24, 02:36	
35 ⁴	115 bp	430 bp	*02:51	
	250 bp		*01:17, 02:33	
36 ⁴	105 bp	430 bp	*01:22	
	155 bp		*02:43	
	185 bp		*01:35, 02:35	
37	155 bp	430 bp	*02:30	
	215 bp		*01:31, 01:45, 02:11, 02:47	
38 ⁴	70 bp	430 bp	*02:32	DRB1*03:44, DRB1*10:13, DRB1*13:106
	205 bp		*01:07 [?] , 02:05 [?] , 02:07 [?] -02:08 [?] , 02:34	
39	190 bp	430 bp	*02:39	
	260 bp		*01:40N	
40	130 bp	430 bp	*03:13	
	190 bp		*01:07, 01:15, 01:30, 01:42, 02:42	DRB1*03:42, DRB1*14:46
41	140 bp	430 bp	*02:57, 02:60	
42	165 bp	430 bp	*02:61Q	
	205 bp		*01:37, 03:08	
43	140 bp	430 bp	*02:47	

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **7F6**

Lot-specific information

44⁴	100 bp	430 bp	*01:26N
	260 bp		*02:55N
45⁴	70 bp	430 bp	*02:31:02
46⁸	-	-	Negative Control

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of DRB3 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the longer, 515 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases. In the presence of a specific amplification the intensity of the control band often decreases.

³For several DRB1 alleles 1st and/or 3rd exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

⁴HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

⁵Primer mixes 9, 10 and 13 may have tendencies of unspecific amplifications.

⁶Primer mix 7, 11, 19, 22 and 46 have a tendency giving rise to primer oligomer formation.

⁷Primer mixes 4, 10 and 29 may give rise to a lower yield of HLA-specific PCR product than the other DRB3 primer mixes.

⁸Primer mix 46 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 430 base pairs.

‘w’, might be weakly amplified.

‘?’, nucleotide sequence information not available for the primer matching sequence.

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **7F6**

Lot-specific information

PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec. PCR product	100	125	95	240	95	190	90	120	165	185	270	90
					125		180					145
Length of int. pos. control ¹	515	430	430	430	430	430	515	430	515	515	515	515
5'-primer(s) ²	10(116) 5'-gCT 3'	30(175) 5'-gAT 3'	11(119) 5'-gCg 3'	114(429) 5'-CTg 3'	11(119) 5'-gCg 3'	8(110) 5'-CTC 3'	11(119) 5'-gCg 3'	11(119) 5'-gCg 3'	10(116) 5'-gCT 3'	30(175) 5'-gAC 3'	10(116) 5'-gCT 3'	51(239) 5'-gAg 3'
		30(175) 5'-gAT 3'	11(119) 5'-gTg 3'						10(116) 5'-gCT 3'			
3'-primer(s) ³	30(175) 5'-gTA 3'	57(257) 5'-CgA 3'	28(171) 5'-CTg 3'	181(630) 5'-CTT 3'	28(171) 5'-CTC 3'	57(257) 5'-CgA 3'	28(169) 5'-gTT 3'	38(199) 5'-CAC 3'	51(239) 5'-CCC 3'	77(317) 5'-AgT 3'	86(344) 5'-CCA 3'	67(286) 5'-gAA 3'
	30(175) 5'-gTA 3'	57(257) 5'-CAA 3'	28(171) 5'-ATg 3'		39(202) 5'-gCT 3'		57(257) 5'-CAT 3'			77(318) 5'-TAA 3'		86(344) 5'-CCA 3'
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15	16	17	18	19	20	21	22	23	24
Length of spec. PCR product	270	185	120	150	120	100	180	175	120	185	195	185
		265	180		180	170	270		155	245	240	
			210						210			
Length of int. pos. control ¹	515	515	430	430	430	430	515	430	430	430	430	430
5'-primer(s) ²	10(116) 5'-gCT 3'	11(118) 5'-TgT 3'	11(119) 5'-gCT 3'	38(200) 5'-CgC 3'	10(116) 5'-gCT 3'	15(130) 5'-Agg 3'	10(116) 5'-gCT 3'	10(116) 5'-gCT 3'	10(116) 5'-gCT 3'	9(112) 5'-TgC 3'	11(118) 5'-TgT 3'	11(119) 5'-gCT 3'
	10(116) 5'-gCT 3'	38(200) 5'-CgC 3'				38(200) 5'-CgC 3'				11(118) 5'-TgT 3'	26(163) 5'-ggC 3'	
		38(200) 5'-CgC 3'								29(173) 5'-CAT 3'		
3'-primer(s) ³	86(344) 5'-CAC 3'	86(344) 5'-CAC 3'	37(197) 5'-Cgg 3'	74(308) 5'-CCC 3'	37(196) 5'-gTT 3'	57(257) 5'-CgA 3'	55(251) 5'-gCA 3'	51(239) 5'-CCg 3'	37(196) 5'-gAg 3'	77(318) 5'-TAA 3'	77(318) 5'-TAA 3'	58(260) 5'-CCT 3'
			37(197) 5'-CgA 3'		37(196) 5'-gTT 3'		57(256) 5'-gCT 3'	57(257) 5'-CAG 3'	48(230) 5'-CCT 3'			60(266) 5'-Agg 3'
			57(257) 5'-CAG 3'		55(251) 5'-gCA 3'		58(260) 5'-CCT 3'	58(261) 5'-TCC 3'	67(286) 5'-gAT 3'			
			67(286) 5'-gAA 3'		57(257) 5'-CAG 3'		86(344) 5'-CAG 3'		69(294) 5'-TgA 3'			
Well No.	13	14	15	16	17	18	19	20	21	22	23	24

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **7F6**

Lot-specific information

Well No.	25	26	27	28	29	30	31	32	33	34	35	36
Length of spec.	150	235	90	235	160	210	70	230	150	135	115	105
PCR product	220			260			95		180	175	250	155
	260											185
Length of int.	430	430	430	430	430	430	430	430	430	430	430	430
pos. control ¹												
5'-primer(s) ²	10(116) 5'-gCT 3'	12(122) 5'-TAC 3'	164(577) 5'-CAT 3'	10(116) 5'-gCT 3'	38(200) 5'-CgC 3'	123(455) 5'-CTg 3'	51(239) 5'-gAg 3'	11(119) 5'-gCT 3'	37(197) 5'-gTT 3'	33(186) 5'-AAg 3'	10(116) 5'-gCT 3'	10(116) 5'-gCT 3'
							149(534) 5'-CAg 3'			44(217) 5'-ACA 3'		
										149(534) 5'-CAg 3'		
3'-primer(s) ³	46(224) 5'-ACA 3'	77(317) 5'-AAT 3'	179(624) 5'-ACg 3'	74(308) 5'-CCg 3'	77(317) 5'-Agg 3'	179(624) 5'-ACg 3'	60(266) 5'-Agg 3'	74(308) 5'-CCC 3'	74(308) 5'-CCT 3'	77(318) 5'-TAA 3'	34(188) 5'-CCC 3'	31(180) 5'-TgC 3'
	69(294) 5'-TgA 3'			83(336) 5'-CCC 3'			166(583) 5'-CCg 3'		84(338) 5'-CCA 3'	180(625) 5'-TAT 3'	77(316) 5'-ATC 3'	48(230) 5'-CCT 3'
	71(299) 5'-gCC 3'			84(337) 5'-CCg 3'			170(595) 5'-AAA 3'				81(329) 5'-Tgg 3'	55(251) 5'-gCA 3'
	84(337) 5'-CCg 3'											61(270) 5'-TTA 3'
Well No.	25	26	27	28	29	30	31	32	33	34	35	36
Well No.	37	38	39	40	41	42	43	44	45			
Length of spec.	155	70	190	130	140	165	140	100	70			
PCR product	215	205	260	190		205		260				
Length of int.	430	430	430	430	430	430	430	430	430			
pos. control ¹												
5'-primer(s) ²	10(116) 5'-gCT 3'	38(200) 5'-CgC 3'	10(116) 5'-gCT 3'	11(119) 5'-gCg 3'	10(116) 5'-gCT 3'	20(146) 5'-TgA 3'	38(200) 5'-CgC 3'	10(116) 5'-gCT 3'	84(337) 5'-ACA 3'			
				152(542) 5'-AgT 3'		24(157) 5'-ggT 3'						
						37(196) 5'-..T 3'						
3'-primer(s) ³	48(230) 5'-CCg 3'	47(227) 5'-ggA 3'	60(265) 5'-gTC 3'	60(266) 5'-AgT 3'	40(207) 5'-TCC 3'	77(318) 5'-TAA 3'	72(301) 5'-CCA 3'	30(177) 5'-AAT 3'	93(364) 5'-CCg 3'			
	64(278) 5'-TCC 3'	93(365) 5'-gCg 3'	83(336) 5'-CCT 3'	181(630) 5'-CTT 3'	46(224) 5'-ACA 3'			83(336) 5'-CCC 3'				
	67(286) 5'-gAT 3'											
	72(301) 5'-CCA 3'											
Well No.	37	38	39	40	41	42	43	44	45			

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the longer, 515 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

²The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **7F6**

Lot-specific information

CELL LINE VALIDATION SHEET																					
DRB3 SSP subtyping kit ²																					
					Prod. No.	Well ³															
						1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
						201555801	201786202	201555803	201555804	201555805	201555806	201555807	201555808	201786209	201671210	201555811	201555812	201555813	201555814	201555815	201555816
	IHWC cell line ¹		DRB3																		
1	9001	SA				-	-	-	-	-	-	-	-	-	-	-	-				
2	9280	LK707				-	-	-	-	-	-	-	-	-	-	-	-				
3	9011	E4181324				-	-	-	-	-	-	-	-	-	-	-	-				
4	9275	GU373	*02:02			-	-	-	-	-	-	-	+	+	-	+	-				
5	9009	KAS011				-	-	-	-	-	-	-	-	-	-	-	-				
6	9353	SM				-	-	-	-	-	-	-	-	-	-	-	-				
7	9020	QBL	*02:02			-	-	-	-	-	-	-	+	+	-	+	-				
8	9025	DEU				-	-	-	-	-	-	-	-	-	-	-	-				
9	9026	YAR				-	-	-	-	-	-	-	-	-	-	-	-				
10	9107	LKT3				-	-	-	-	-	-	-	-	-	-	-	-				
11	9051	PITOUT				-	-	-	-	-	-	-	-	-	-	-	-				
12	9052	DBB				-	-	-	-	-	-	-	-	-	-	-	-				
13	9004	JESTHOM				-	-	-	-	-	-	-	-	-	-	-	-				
14	9071	OLGA				-	-	-	-	-	-	-	-	-	-	-	-				
15	9075	DKB				-	-	-	-	-	-	-	-	-	-	-	-				
16	9037	SWEIG007	*02:02			-	-	-	-	-	-	-	+	+	-	+	-				
17	9282	CTM3953540	*01:01			+	+	+	-	-	-	-	-	-	+	+	-				
18	9257	32367	*02:02			-	-	-	-	-	-	-	+	+	-	+	-				
19	9038	BM16	*02:02			-	-	-	-	-	-	-	+	+	-	+	-				
20	9059	SLE005	*03:01			+	+	-	-	-	-	-	-	-	+	-	-				
21	9064	AMALA	*01:01			+	+	+	-	-	-	-	-	-	+	-	-				
22	9056	KOSE	*02:02	*03:01		+	+	-	+	-	-	-	+	+	+	+	+				
23	9124	IHL	*02:02			-	-	-	+	-	-	-	+	+	-	+	-				
24	9035	JBUSH	*02:02			-	-	-	-	-	-	-	+	+	-	+	-				
25	9049	IBW9				-	-	-	-	-	-	-	-	-	-	-	-				
26	9285	WT49	*02:02			-	-	-	-	-	-	-	+	+	-	+	-				
27	9191	CH1007				-	-	-	-	-	-	-	-	-	-	w	-				
28	9320	BEL5GB				-	-	-	-	-	-	-	-	-	-	-	-				
29	9050	MOU				-	-	-	-	-	-	-	-	-	-	-	-				
30	9021	RSH	*01:01			+	+	+	-	-	-	-	-	-	+	-	-				
31	9019	DUCAF	*02:02			-	-	-	-	-	-	-	+	+	-	+	-				
32	9297	HAG	*01:01			+	+	+	-	-	-	-	-	-	-	+	-				
33	9098	MT14B				-	-	-	-	-	-	-	-	-	-	-	-				
34	9104	DHIF	*02:02			-	-	-	-	-	-	-	+	+	-	+	-				
35	9302	SSTO				-	-	-	-	-	-	-	-	-	-	-	-				
36	9024	KT17				-	-	-	-	-	-	-	-	-	-	-	-				
37	9065	HHKB	*01:01			+	+	+	-	-	-	-	-	-	+	-	-				
38	9099	LZL	*01:01			+	+	+	-	-	-	-	-	-	+	-	-				
39	9315	CML	*01:01			+	+	+	-	-	-	-	-	-	+	-	-				
40	9134	WHONP199				-	-	-	-	-	-	-	-	-	-	-	-				
41	9055	H0301	*03:01			+	+	-	-	-	-	-	-	-	+	-	-				
42	9066	TAB089				-	-	-	-	-	-	-	-	-	-	-	-				
43	9076	T7526				-	-	-	-	-	-	-	-	-	-	-	-				
44	9057	TEM	*02:24			-	-	-	+	-	-	-	+	+	+	+	-				
45	9239	SHJO				-	-	-	-	-	-	-	-	-	-	-	-				
46	9013	SCHU				-	-	-	-	-	-	-	-	-	-	-	-				
47	9045	TUBO	*02:02			-	-	-	-	-	-	-	+	+	-	+	-				
48	9303	TER-ND				-	-	-	-	-	-	-	-	-	-	-	-				

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **7F6**

Lot-specific information

CELL LINE VALIDATION SHEET																																	
DRB3 SSP subtyping kit ²																																	
					Well ³																												
					Prod. No.	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32												
						201555817	201671218	201555819	201786220	201786221	201555822	201555823	201555824	201786225	201555826	201555827	201786228	201786229	201555830	201555831	201671232												
	IHWC cell line ¹		DRB3																														
1	9001	SA				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	9280	LK707				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	9011	E4181324				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	9275	GU373	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	9009	KAS011				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	9353	SM				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	9020	QBL	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	9025	DEU				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	9026	YAR				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	9107	LKT3				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11	9051	PITOUT				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	9052	DBB				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	9004	JESTHOM				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14	9071	OLGA				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15	9075	DKB				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16	9037	SWEIG007	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17	9282	CTM3953540	*01:01			-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18	9257	32367	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19	9038	BM16	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20	9059	SLE005	*03:01			-	-	-	+	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21	9064	AMALA	*01:01			-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	9056	KOSE	*02:02	*03:01		-	-	-	+	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23	9124	IHL	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24	9035	JBUSH	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25	9049	IBW9				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
26	9285	WT49	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27	9191	CH1007				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28	9320	BEL5GB				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
29	9050	MOU				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30	9021	RSH	*01:01			-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31	9019	DUCAF	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
32	9297	HAG	*01:01			-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	9098	MT14B				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
34	9104	DHIF	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
35	9302	SSTO				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
36	9024	KT17				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37	9065	HHKB	*01:01			-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38	9099	LZL	*01:01			-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
39	9315	CML	*01:01			-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
40	9134	WHONP199				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
41	9055	H0301	*03:01			-	-	-	+	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
42	9066	TAB089				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43	9076	T7526				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
44	9057	TEM	*02:24			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
45	9239	SHJO				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
46	9013	SCHU				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
47	9045	TUBO	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
48	9303	TER-ND				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: 7F6

Lot-specific information

CELL LINE VALIDATION SHEET																		
DRB3 SSP subtyping kit ²																		
					Prod. No.	Well ³												
						33	34	35	36	37	38	39	40	41	42	43	44	45
						201786233	201786234	201786235	201786236	201786237	201671238	201786239	201786240	201786241	201786242	201786243	201786244	201786245
	IHCW cell line ¹		DRB3															
1	9001	SA				-	-	-	-	-	-	-	-	-	-	-	-	
2	9280	LK707				-	-	-	-	-	-	-	-	-	-	-	-	
3	9011	E4181324				-	-	-	-	-	-	-	-	-	-	-	-	
4	9275	GU373	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	
5	9009	KAS011				-	-	-	-	-	-	-	-	-	-	-	-	
6	9353	SM				-	-	-	-	-	-	-	-	-	-	-	-	
7	9020	QBL	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	
8	9025	DEU				-	-	-	-	-	-	-	-	-	-	-	-	
9	9026	YAR				-	-	-	-	-	-	-	-	-	-	-	-	
10	9107	LKT3				-	-	-	-	-	-	-	-	-	-	-	-	
11	9051	PITOUT				-	-	-	-	-	-	-	-	-	-	-	-	
12	9052	DBB				-	-	-	-	-	-	-	-	-	-	-	-	
13	9004	JESTHOM				-	-	-	-	-	-	-	-	-	-	-	-	
14	9071	OLGA				-	-	-	-	-	-	-	-	-	-	-	-	
15	9075	DKB				-	-	-	-	-	-	-	-	-	-	-	-	
16	9037	SWEIG007	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	
17	9282	CTM3953540	*01:01			-	-	-	-	-	-	-	-	-	-	-	-	
18	9257	32367	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	
19	9038	BM16	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	
20	9059	SLE005	*03:01			+	-	-	-	-	-	-	-	-	-	-	-	
21	9064	AMALA	*01:01			-	-	-	-	-	-	-	-	-	-	-	-	
22	9056	KOSE	*02:02	*03:01		+	-	-	-	-	-	-	-	-	-	-	-	
23	9124	IHL	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	
24	9035	JBUSH	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	
25	9049	IBW9				-	-	-	-	-	-	-	-	-	-	-	-	
26	9285	WT49	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	
27	9191	CH1007				-	-	-	-	-	-	-	-	-	-	-	-	
28	9320	BEL5GB				-	-	-	-	-	-	-	-	-	-	-	-	
29	9050	MOU				-	-	-	-	-	-	-	-	-	-	-	-	
30	9021	RSH	*01:01			-	-	-	-	-	-	-	-	-	-	-	-	
31	9019	DUCAF	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	
32	9297	HAG	*01:01			-	-	-	-	-	-	-	-	-	-	-	-	
33	9098	MT14B				-	-	-	-	-	-	-	-	-	-	-	-	
34	9104	DHIF	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	
35	9302	SSTO				-	-	-	-	-	-	-	-	-	-	-	-	
36	9024	KT17				-	-	-	-	-	-	-	-	-	-	-	-	
37	9065	HHKB	*01:01			-	-	-	-	-	-	-	-	-	-	-	-	
38	9099	LZL	*01:01			-	-	-	-	-	-	-	-	-	-	-	-	
39	9315	CML	*01:01			-	-	-	-	-	-	-	-	-	-	-	-	
40	9134	WHONP199				-	-	-	-	-	-	-	-	-	-	-	-	
41	9055	H0301	*03:01			+	-	-	-	-	-	-	-	-	-	-	-	
42	9066	TAB089				-	-	-	-	-	-	-	-	-	-	-	-	
43	9076	T7526				-	-	-	-	-	-	-	-	-	-	-	-	
44	9057	TEM	*02:24			-	-	-	-	-	-	-	-	-	-	-	-	
45	9239	SHJO				-	-	-	-	-	-	-	-	-	-	-	-	
46	9013	SCHU				-	-	-	-	-	-	-	-	-	-	-	-	
47	9045	TUBO	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	
48	9303	TER-ND				-	-	-	-	-	-	-	-	-	-	-	-	

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: 7F6

Lot-specific information

¹The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

²The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

³Cell line TEM, IHW 9057, is profiled as DRB3*02:01 by ECACC ((European Collection of Cell Cultures)). However, Olerup SSP AB has shown that this cell line includes the exon 3 polymorphism corresponding to DRB3*02:24. Primer mix 4 amplifies DRB1*14 alleles in the KOSE, IHL and TEM cell lines. The DRB1*10:01 allele is weakly amplified by primer mix 14 in the CH1007 cell line.

No DNAs carrying the alleles to be amplified by primer solutions 5 to 8, 16 to 19, 21 to 23, 25 to 28, 30 to 32 and 34 to 45 were available. The specificities of the primers in primer solutions 5, 7, 8, 16 to 19, 21, 22, 25, 26, 28, 31, 32, 34, 36, 38 and 40 were tested by separately adding additional 5'-primers, respectively additional 3'-primers.

In primer solutions 6, 23, 27, 30, 42 and 45 it was only possible to test the 3'-primer, the 5'-primers were not possible to test. In primer solutions 35, 37, 39, 41, 43 and 44 it was only possible to test the 5'-primer, the 3'-primers were not possible to test.

One, two or three of the 3'-primers in primer solutions 1 to 3, 5, 7, 12, 15, 17, 19, 21, 25, 28, 31, 33, 34, 36 and 38 were not possible to test. In primer solutions 2, 3, 14, 18, 22, 34 and 40 one or two of the 5'-primers were not possible to test. Additional 3'-primers in primer solutions 15, 20 and 24 were tested by separately adding one or two 5'-primers.

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: 7F6

Lot-specific information

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: 7F6

Lot-specific information

101.121-24/04 – including *Taq* pol., IFU-01
101.121-24u/04u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: 7F6

Lot-specific information

ADDRESSES:

Manufacturer:

Olerup SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-717 88 27

Fax: +46-8-717 88 18

E-mail: olerup-se@caredx.com

Web page: <http://www.olerup.com>

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00

Fax: +43-1-710 15 00 10

E-mail: olerup-at@caredx.com

Web page: <http://www.olerup.com>

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-OLERUP1

Fax: 610-344-7989

E-mail: olerup-us@caredx.com

Web page: <http://www.olerup.com>

For information on *Olerup* distributors worldwide, contact **Olerup GmbH**.