

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: **9K0**

Lot-specific information
Olerup SSP® HLA-B*41

Product number:	101.542-06 – including <i>Taq</i> polymerase 101.542-06u – without <i>Taq</i> polymerase
Lot number:	9K0
Expiry date:	2024-03-01
Number of tests:	6
Number of wells per test:	23+1
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 9K0.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

**CHANGES COMPARED TO THE PREVIOUS OLERUP SSP®
HLA-B*41 LOT (2K8).**

- The product documentation has been updated for new alleles of IMGT 3.38.0.
- The kit resolution focuses on common and well documented (CWD) alleles¹.

¹As described in section Uniquely Identified Alleles.

The HLA-B*41 primer set, specificity and interpretation tables have been updated for the HLA-B alleles described since the previous *Olerup SSP®* HLA-B*41 lot was made (**Lot No. 2K8**).

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot (**Lot No. 2K8**).

Well	5'-primer	3'-primer	rationale
2	-	Added	3'-primer added for the B*41:62 allele.

¹S. J. Mack, P. Cano, J. A. Hollenbach et al.
Common and well-documented HLA alleles: 2012 update to
the CWD catalogue. Tissue Antigens, 2013, 81, 194–203

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: **9K0**

Lot-specific information

Well **24** contains Negative Control primer pairs, that will amplify the majority of the Olerup SSP[®] HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs.
The PCR product generated by the positive control primer pair is 200 base pairs.

Length of PCR product	105	200	105	80	75	80	85
5'-primer¹	164	340	440	45	45	43	36
	5'-CAC ^{3'}	5'-Agg ^{3'}	5'-TTA ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-TAC ^{3'}
							36
							5'-TAT ^{3'}
3'-primer²	231	2nd I	507	59	58	57	47
	5'-TgC ^{3'}	5'-AAA ^{3'}	5'-TTg ^{3'}	5'-CTC ^{3'}	5'-ggC ^{3'}	5'-CTC ^{3'}	5'-ACA ^{3'}
							48
							5'-gCA ^{3'}
							48
							5'-gCC ^{3'}
							52
							5'-TgT ^{3'}
A*	+	+	+				
B*	+	+	+				
C*	+	+	+				
DRB1				+	+		
DRB3				+	+		
DRB5				+			
DQB1					+		
DPB1						+	
DQA1							+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: **9K0**

Lot-specific information

PRODUCT DESCRIPTION

HLA-B*41 SSP typing

CONTENT

The primer set contains 5'- and 3'-primers for identifying the B*41:01 to B*41:63 alleles.

PLATE LAYOUT

Each HLA-B*41 test consists of 24 PCR reactions in a 24 well cut PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	NC

The 24 well PCR plate is marked with 'HLA-B*41' in silver/gray ink.

Well No. 1 with the Lot No. '9K0'.

Wells 1 to 23 – HLA-B*41 high resolution primers.

Well 24 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays and should be disregarded. The PCR plates are heat-sealed with a PCR-compatible foil.

Please note: When removing each 24 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

Due to the sharing of sequence motifs between HLA-B alleles, non-HLA-B*41 alleles will be amplified by some primer mixes. For further details see Specificity Table.

UNIQUELY IDENTIFIED ALLELES

All the HLA-B*41, i.e. **B*41:01 to B*41:63** recognized by the HLA Nomenclature Committee in October 2019^{1,2} will be amplified by the primers in the HLA-B*41 SSP kit³.

The HLA-B*41 kit enables separation of the confirmed HLA-B*41 alleles as listed in the IMGT/HLA database 3.27.0. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for HLA-B*41 alleles is listed below.

The HLA-B*41 kit also enables identification of many null and alternatively expressed alleles.

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: **9K0**

Lot-specific information

The following HLA-B*41 alleles can be distinguished by the different sizes of the HLA-specific PCR product:

Alleles	Primer mix
B*41:04, 41:36	4
B*41:10, 41:45N	3

¹HLA-B alleles listed on the IMGT/HLA web page 2019-October-17, release 3.36.0, www.ebi.ac.uk/imgt/hla.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

³The following alleles give rise to identical amplification patterns with the HLA-B*41 high resolution kit. These alleles can be distinguished by the HLA-B low resolution and/or the respective kits.

Alleles

B*41:08, B*40:136, 40:231, 40:279

B*41:23, B*42:27

B*41:46-41:47, B*44:166

B*41:62, B*40:02:20

ALLELE CONFIRMATION STATUS

Allele	Status ¹	Allele	Status ¹	Allele	Status ¹
B*41:01:01	Confirmed	B*41:11	Confirmed	B*41:31	Unconfirmed
B*41:01:02	Unconfirmed	B*41:12	Unconfirmed	B*41:32	Unconfirmed
B*41:01:03	Confirmed	B*41:13	Unconfirmed	B*41:33	Unconfirmed
B*41:01:04	Confirmed	B*41:14	Confirmed	B*41:34	Unconfirmed
B*41:02:01	Confirmed	B*41:15	Unconfirmed	B*41:35	Unconfirmed
B*41:02:02	Confirmed	B*41:16	Confirmed	B*41:36	Unconfirmed
B*41:02:03	Unconfirmed	B*41:17	Unconfirmed	B*41:37	Unconfirmed
B*41:02:04	Unconfirmed	B*41:18	Unconfirmed	B*41:38	Unconfirmed
B*41:02:05	Confirmed	B*41:19	Confirmed	B*41:39	Unconfirmed
B*41:02:06	Confirmed	B*41:20	Unconfirmed	B*41:40	Unconfirmed
B*41:02:07	Unconfirmed	B*41:21	Unconfirmed	B*41:41	Unconfirmed
B*41:03:01	Confirmed	B*41:22	Confirmed	B*41:42	Unconfirmed
B*41:03:02	Unconfirmed	B*41:23	Unconfirmed	B*41:43	Unconfirmed
B*41:04	Unconfirmed	B*41:24	Confirmed	B*41:44	Unconfirmed
B*41:05	Unconfirmed	B*41:25	Unconfirmed	B*41:45N	Confirmed
B*41:06	Confirmed	B*41:26	Unconfirmed	B*41:46	Unconfirmed
B*41:07	Unconfirmed	B*41:27	Confirmed	B*41:47	Unconfirmed
B*41:08	Unconfirmed	B*41:28	Confirmed	B*41:48	Unconfirmed
B*41:09	Confirmed	B*41:29	Confirmed	B*41:49	Confirmed
B*41:10	Confirmed	B*41:30	Unconfirmed	B*41:50	Unconfirmed

¹Allele status “confirmed” or “unconfirmed” as listed on the IMGT/HLA web page 2017-January-20, release 3.27.0, www.ebi.ac.uk/imgt/hla.

RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in HLA-B*41 homo- and heterozygotes is available upon request.

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: **9K0**

Lot-specific information
SPECIFICITY TABLE

HLA-B*41 SSP subtyping

Specificities and sizes of the PCR products of the 23+1 primer mixes used for
HLA-B*41 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified HLA-B*41 alleles ³	Other amplified HLA Class I alleles
1	285 bp	800 bp	*41:01:01:01-41:01:07, 41:05, 41:07, 41:12, 41:14, 41:16-41:17, 41:20-41:22, 41:25- 41:26, 41:28, 41:30, 41:33-41:35, 41:37, 41:44, 41:50, 41:53- 41:54, 41:56-41:57, 41:59-41:61	*08:09, 08:84, 42:04, 55:20
2	165 bp	1070 bp	*41:02:01:01-41:02:09, 41:04, 41:10-41:11, 41:13, 41:15, 41:18- 41:19, 41:23, 41:27, 41:31, 41:36, 41:38- 41:43, 41:45N-41:47, 41:49, 41:51-41:52, 41:55, 41:58, 41:62	*07:02:13, 07:02:35, 07:04:02, 07:05:10, 07:22:02, 07:68:02, 07:151:02, 07:209, 07:262, 08:01:01:01-08:01:01:35, 08:01:03-08:01:27, 08:01:29-08:01:32, 08:01:34-08:05, 08:07- 08:08N, 08:10-08:11, 08:13-08:15, 08:17-08:48, 08:50-08:53:01, 08:54:01-08:59:02, 08:61-08:78, 08:80-08:83, 08:85-08:88, 08:90-08:106, 08:108-08:128, 08:130-08:155, 08:157-08:180, 08:182-08:183, 08:185-08:212, 08:214N-08:223, 08:225-08:231, 08:233-08:249, 13:108, 14:05, 14:13, 14:53, 15:07:03, 15:383, 18:14, 35:05:01:01-35:05:03, 35:22:01:01-35:22:01:02, 35:51, 35:58, 35:66, 35:72, 35:87, 35:89, 35:97, 35:199, 35:232, 35:368, 35:389, 35:416, 35:427N, 35:440, 35:459N, 37:09, 38:19, 39:03:01:01-39:03:01:03, 39:14:01:01- 39:14:01:03, 39:24:01-39:24:02, 39:29, 39:37, 39:76, 39:120, 39:144, 39:152, 40:02:20, 40:71, 42:01:01:01-42:01:01:02, 42:01:03-42:02:02, 42:05:01-42:12, 42:14-42:27, 44:54, 44:106, 44:135, 44:158, 44:166, 44:184, 44:213, 48:12, 51:64, 51:148, 53:14, 55:04, 55:49, 55:51, 55:86, 58:18, C*03:296:01, C*07:294, C*07:526:01, C*07:530, C*07:681
	215 bp		*41:02:01:01-41:02:09, 41:04, 41:10-41:11, 41:13, 41:15, 41:18- 41:19, 41:23-41:24, 41:27, 41:31, 41:36, 41:38-41:43, 41:45N- 41:47, 41:49, 41:51- 41:52, 41:55, 41:58	*07:04:01-07:04:02, 07:19, 07:25, 07:146, 07:349, 08:01:01:01-08:05, 08:07-08:08N, 08:10-08:11, 08:14-08:15, 08:17-08:19N, 08:21- 08:24, 08:26:01-08:39, 08:41-08:48, 08:50- 08:54:02, 08:56:01-08:59:02, 08:61-08:69, 08:71-08:78, 08:80-08:83, 08:85-08:88, 08:90- 08:106, 08:108-08:128, 08:130-08:142, 08:144- 08:155, 08:157-08:170, 08:172-08:180, 08:182- 08:183, 08:185-08:204, 08:206-08:231, 08:233- 08:249, 35:87, 37:09, 42:01:01:01-42:02:02,

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: **9K0**

Lot-specific information

3⁴	75 bp	1070 bp	*41:03:01, 41:10, 41:22	42:05:01-42:12, 42:14-42:18, 42:20-42:27, 44:106, 44:158, 44:166, 44:213
				*07:143, 07:335, 08:62, 08:226, 08:242, 15:210, 15:426, 18:01:01:01-18:01:12, 18:01:14-18:03:02, 18:05:01:01-18:15, 18:17N-18:24, 18:26-18:28, 18:30-18:42, 18:44:01-18:79, 18:81-18:97, 18:99-18:101, 18:103-18:106, 18:108-18:111, 18:113-18:119, 18:121-18:124, 18:126-18:189, 27:75, 35:162, 37:01:01:01-37:21, 37:23-37:40, 37:42N-37:54, 37:56-37:61, 37:63-37:84, 37:86N-37:91, 39:31:01:01-39:31:01:02, 39:101, 39:128, 40:01:51, 40:149, 42:02:01:01-42:02:02, 42:09, 42:17-42:18, 42:26, 48:22, 48:30, 51:116, C*06:77, C*07:714, C*07:724
4⁴	225 bp		*41:45N	
	90 bp	800 bp	*41:12, 41:36	*15:46, 15:106, 35:47, 35:154, 35:450, 40:10:01:01-40:10:02, 40:248, 40:282, 40:325, 40:351, 40:364, 44:34:02, 44:245, 44:269, 49:48, 53:30, 56:67, 57:45, 58:111
5	265 bp		*41:04, 41:07	*08:96:01, 08:107, 53:15, 55:20
	230 bp	1070 bp	*41:23, 41:27	*07:143, 08:62, 08:226, 08:242, 18:03:01:01-18:03:02, 18:152, 18:171, 27:04:01-27:04:06, 27:06:01:01-27:06:01:02, 27:08, 27:11-27:12:01:03, 27:15, 27:20-27:21, 27:24-27:26, 27:31, 27:33, 27:36, 27:40, 27:61, 27:63, 27:66N, 27:68-27:69, 27:79, 27:86, 27:89 ^w , 27:91, 27:100, 27:103, 27:105-27:109, 27:112-27:115, 27:120, 27:125, 27:138, 27:147, 27:149, 27:153-27:154, 27:165, 27:168, 27:173, 27:183, 27:192, 27:202, 27:204, 27:208, 27:210-27:211, 27:214, 37:37, 39:31:01:01-39:31:01:02, 39:101, 39:128, 40:43, 40:50:01:01-40:50:01:02, 40:166, 42:02:01:01-42:02:02, 42:09, 42:17-42:18, 42:26-42:27, 45:06, 46:14 ^w , 50:52, 54:02, 55:16, 56:35, C*03:278^w, C*03:504^w, C*07:714^w, C*07:724^w, C*16:86^w
6	255 bp		*41:05	
	220 bp	1070 bp	*41:01:01:01-41:01:07, 41:05-41:07, 41:09, 41:12, 41:14, 41:16-41:17, 41:20-41:22, 41:25-41:26, 41:28-41:30, 41:32-41:35, 41:37, 41:44, 41:50, 41:53-41:54, 41:56-41:57, 41:59-41:61	*08:09, 08:84, 13:46, 15:83:01:01-15:83:01:02, 42:04, 44:15:01:01-44:15:01:02, 44:18, 44:20, 44:100, 45:01:01:01-45:25, 51:08:01:01-51:08:04, 51:20, 51:36, 51:44N, 51:97, 51:141, 51:153, 51:263, 51:274-51:275, 52:19, 55:20, 55:56, 56:13
7	295 bp	1070 bp	*41:06, 41:09	*13:02:01:01-13:02:23, 13:02:25-13:04, 13:08-13:09, 13:14-13:16, 13:18-13:19, 13:27, 13:30-13:35, 13:37-13:38, 13:40-13:42, 13:44-13:49N, 13:53-13:56:02N, 13:58-13:59, 13:62, 13:65-13:70, 13:72, 13:74-13:75, 13:81, 13:84-13:85, 13:88-13:89, 13:91, 13:93-13:94, 13:96-13:105, 13:111-13:121, 13:123Q-13:128, 13:130-13:134, 13:136-13:137N, 13:139N, 14:37, 15:04:01:01-15:04:04, 15:16:01:01-15:16:04, 15:42, 15:67,

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: **9K0**

Lot-specific information

				15:83:01:01-15:83:01:02, 15:95, 15:137, 15:155, 15:222, 15:254, 15:293, 15:303, 15:310, 15:362, 15:408, 15:485, 15:499, 15:517, 15:531, 15:550, 15:552, 27:14, 27:81, 27:130, 27:153, 35:37, 35:60, 35:235, 35:265, 35:273, 35:276, 39:06:01-39:06:06, 39:33-39:34, 39:50, 39:57, 39:62, 39:64, 39:83, 39:102, 39:109, 39:127, 39:129, 39:132, 39:140-39:141, 39:154, 40:06:01:01-40:06:22, 40:44, 40:53, 40:70:01-40:70:02, 40:75, 40:83, 40:86, 40:93, 40:95-40:96, 40:103, 40:109-40:110, 40:127, 40:131, 40:148, 40:159, 40:161-40:162, 40:165, 40:167, 40:177, 40:190, 40:230, 40:244, 40:256N, 40:268-40:270, 40:275, 40:294-40:295, 40:306-40:307, 40:311, 40:313, 40:317-40:318, 40:330, 40:340-40:342, 40:348-40:350, 40:354, 40:361N-40:364, 40:366, 40:373-40:374, 40:376, 40:387-40:389, 40:408, 40:411, 40:423, 40:425, 40:427, 40:434, 40:445, 40:449, 44:15:01:01-44:15:01:02, 44:18, 44:20, 44:47, 44:100, 44:197, 44:339, 44:459, 45:01:01:01-45:04, 45:06-45:25, 46:11, 46:18, 46:32, 49:01:01:01-49:01:11, 49:01:13-49:14, 49:16-49:46, 49:48-49:60N, 49:62-49:65, 50:01:01:01-50:02:01:02, 50:04-50:10, 50:13-50:16, 50:18-50:20, 50:31-50:50, 50:52-50:69, 51:01:01:01-51:01:62, 51:01:64-51:01:69, 51:01:71-51:03, 51:05, 51:07:01-51:24:05, 51:26-51:41N, 51:43-51:44N, 51:48-51:55, 51:57-51:58, 51:60-51:61:02, 51:63:01-51:63:02, 51:65-51:80, 51:82-51:95, 51:97-51:134, 51:136-51:138, 51:140-51:147, 51:150-51:193, 51:195-51:212, 51:214-51:219, 51:221-51:226, 51:228-51:239, 51:241-51:280, 51:282-51:292, 51:294-51:307, 52:01:01:01-52:87, 52:89N-52:94N, 54:01:01:01-54:05N, 54:07-54:08N, 54:10-54:37, 54:39-54:41, 55:01:01:01-55:01:06, 55:01:08-55:03, 55:05, 55:07, 55:09-55:13, 55:15-55:19, 55:21-55:48, 55:50, 55:52-55:66, 55:68-55:85, 55:87-55:106, 56:01:01:01-56:01:15, 56:05:01-56:08, 56:13-56:17, 56:19N-56:30, 56:33-56:50, 56:52-56:55:01:02, 56:58-56:59, 56:61-56:62, 56:64-56:65, 56:67-56:71, 58:08:01-58:08:02, 59:01:01:01-59:10N, 73:01:01:01-73:02, 78:01:01:01-78:10, C*03:464, C*05:152, C*12:183, C*14:92
8	215 bp	1070 bp	*41:01:01:01-41:22, 41:24-41:32, 41:34-41:45N, 41:48-41:63	*13:23, 13:55, 15:71, 15:175, 15:204, 15:210, 15:212, 15:225, 15:344, 15:381, 18:01:01:01-18:01:12, 18:01:14-18:03:02, 18:05:01:01-18:06, 18:08-18:15, 18:17N-18:24, 18:26-18:28, 18:30-18:32, 18:34-18:42, 18:44:01-18:78, 18:80-18:106, 18:108-18:124, 18:126-18:135:01:02, 18:137-18:154N, 18:156:01:01-18:181, 18:183-18:189, 27:18, 27:29, 35:63, 35:317, 37:01:01:01-37:20, 37:22-37:25, 37:27-37:54, 37:56, 37:58-37:59, 37:61, 37:63-37:66,

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: **9K0**

Lot-specific information

				37:68-37:78, 37:80-37:84, 37:86N-37:91, 39:101, 40:01:01-40:01:38, 40:01:40-40:02:02, 40:02:04-40:06:14, 40:06:16-40:06:22, 40:09, 40:11:01:01-40:11:02, 40:14:01-40:16:01:02, 40:18-40:20:01:02, 40:22N-40:27:01, 40:28-40:39, 40:42-40:48, 40:50:01:01-40:57, 40:59-40:60, 40:62-40:67, 40:69-40:74, 40:76-40:102, 40:104-40:105, 40:107-40:109, 40:111-40:128, 40:130:01-40:136, 40:138-40:161, 40:163, 40:165, 40:167-40:190, 40:192-40:199, 40:201-40:209, 40:211-40:218, 40:221-40:225:02, 40:227-40:228, 40:230-40:231, 40:233-40:251, 40:253-40:317, 40:319-40:321, 40:323:01-40:324, 40:326-40:327, 40:329-40:341, 40:343-40:364, 40:366-40:387, 40:389-40:398, 40:400-40:427, 40:429-40:448, 44:15:01:01-44:15:01:02, 44:18, 44:55, 44:103, 44:131, 44:188, 44:212, 45:01:01:01-45:05, 45:07-45:25, 48:22, 48:30, 49:01:01:01-49:09, 49:11-49:14, 49:16-49:23, 49:27-49:30, 49:32-49:65, 50:01:01:01-50:02:01:02, 50:04-50:12, 50:14-50:20, 50:31-50:42, 50:44-50:69, 52:51
9^{4,5}	105 bp	1070 bp	*41:08	*07:04:01-07:04:02, 07:25, 07:146, 07:349, 08:187, 40:136, 40:231, 40:279, 42:05:01-42:05:02
10⁴	105 bp	800 bp	*41:01:01:01-41:05, 41:07, 41:10-41:14, 41:16-41:28, 41:30-41:31, 41:33-41:61, 41:63	*08:01:01:01-08:01:20, 08:01:22-08:01:24, 08:01:26-08:05, 08:07-08:12:03, 08:14-08:19N, 08:21-08:24, 08:26:01-08:30N, 08:32-08:39, 08:41-08:42, 08:44-08:54:02, 08:56:01-08:69, 08:71-08:78, 08:80-08:102, 08:104-08:112, 08:114-08:115, 08:117-08:133, 08:135-08:142, 08:144-08:155, 08:157-08:168, 08:170, 08:172-08:174, 08:176-08:186, 08:188-08:204, 08:206-08:249, 35:87, 42:01:01:01-42:02:02, 42:04, 42:06-42:07, 42:09-42:13, 42:15-42:18, 42:20-42:27, 44:166, 44:342, 55:20
11	245 bp	800 bp	*41:01:01:01-41:01:07, 41:05-41:07, 41:09, 41:12, 41:14, 41:16, 41:20-41:22, 41:25-41:26, 41:28-41:30, 41:32-41:35, 41:37, 41:44, 41:50, 41:53-41:54, 41:57, 41:59-41:61	*08:09, 08:84, 13:46, 13:53, 13:131, 14:37, 15:42, 15:83:01:01-15:83:01:02, 15:485, 35:60, 35:276, 39:06:01-39:06:06, 39:34, 39:57, 39:62, 39:64, 39:83, 39:90, 39:109, 39:127, 39:129, 39:132, 39:140-39:141, 39:154, 42:04, 45:08, 46:18, 50:45, 50:49, 51:21, 51:36, 51:101, 51:143, 51:153, 51:157, 51:197, 51:280, 51:295, 51:300, 52:37, 52:71, 52:84, 54:01:01:01-54:02, 54:04-54:05N, 54:07-54:08N, 54:10-54:25, 54:27-54:32, 54:34-54:37, 54:39, 54:41, 55:01:01:01-55:01:06, 55:01:08-55:03, 55:05, 55:07, 55:10-55:13, 55:15-55:21, 55:23, 55:25-55:48, 55:50, 55:52-55:85, 55:87-55:106, 56:23, 56:54, 59:01:01:01-59:03, 59:05-59:08, 59:10N, 78:07, C*05:152, C*07:463, C*07:758, C*12:183, C*14:92
12	210 bp	1070 bp	*41:02:01:01-41:04, 41:08, 41:10-41:11, 41:13, 41:15, 41:18-	*07:04:01-07:04:02, 07:19, 07:25, 07:146, 07:349, 08:01:01:01-08:01:31, 08:01:33-08:05, 08:07-08:08N, 08:10-08:12:02, 08:14-08:19N,

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: **9K0**

Lot-specific information

			41:19, 41:23-41:24, 41:27, 41:31, 41:36, 41:38-41:43, 41:45N- 41:47, 41:49, 41:51- 41:52, 41:55, 41:58, 41:63	08:21-08:24, 08:26:01-08:26:03, 08:28-08:32, 08:34-08:39, 08:41-08:48, 08:50-08:54:02, 08:56:01-08:59:02, 08:61-08:69, 08:71-08:75, 08:77-08:78, 08:80-08:83, 08:85-08:103, 08:105-08:106, 08:108-08:128, 08:130-08:142, 08:144-08:153, 08:155, 08:157-08:170, 08:172- 08:176, 08:178-08:180, 08:182-08:183, 08:185- 08:203, 08:207-08:231, 08:233-08:249, 15:51, 15:179:01-15:179:02, 15:199, 15:218Q, 15:518, 18:56, 18:113, 35:87, 37:09, 37:12, 37:44, 37:56, 38:30, 39:156, 40:136, 40:231, 40:279, 42:01:01:01-42:02:02, 42:05:01-42:12, 42:14- 42:18, 42:20-42:27, 44:02:33, 44:41:01, 44:106, 44:158, 44:166, 44:213, 44:230, C*07:04:03, C*07:199:02
13	285 bp	1070 bp	*41:09	*13:02:01:01-13:04, 13:08-13:09, 13:14-13:16, 13:18-13:19, 13:27, 13:30-13:35, 13:37-13:38, 13:40-13:42, 13:44-13:49N, 13:53-13:56:02N, 13:58-13:59, 13:62, 13:65-13:70, 13:72, 13:74- 13:75, 13:81-13:82, 13:84-13:85, 13:88-13:89, 13:91, 13:93-13:94, 13:96-13:105, 13:111- 13:121, 13:123Q-13:128, 13:130-13:134, 13:136-13:137N, 13:139N, 14:37, 15:04:01:01- 15:04:04, 15:16:01:01-15:16:04, 15:42, 15:67, 15:83:01:01-15:83:01:02, 15:95, 15:137, 15:155, 15:222, 15:254, 15:293, 15:303, 15:310, 15:362, 15:485, 15:499, 15:517, 15:531, 15:550, 15:552, 27:14, 27:81, 27:130, 27:153, 35:37, 35:60, 35:235, 35:265, 35:273, 35:276, 39:06:01- 39:06:06, 39:33-39:34, 39:50, 39:57, 39:62, 39:64, 39:83, 39:90, 39:102, 39:109, 39:127, 39:129, 39:132, 39:140-39:141, 39:154, 40:06:01:01-40:06:22, 40:44, 40:53, 40:70:01- 40:70:02, 40:75, 40:83, 40:86, 40:93, 40:95- 40:96, 40:103, 40:109-40:110, 40:127, 40:131, 40:148, 40:159, 40:161-40:162, 40:165, 40:167, 40:177, 40:190, 40:230, 40:244, 40:256N, 40:268-40:270, 40:275, 40:294-40:295, 40:306- 40:307, 40:311, 40:313, 40:317-40:318, 40:330, 40:340-40:342, 40:348-40:350, 40:354, 40:361N-40:364, 40:366, 40:373-40:374, 40:376, 40:387-40:389, 40:408, 40:411, 40:423, 40:425, 40:427, 40:434, 40:445, 40:449, 44:15:01:01-44:15:01:02, 44:18, 44:20, 44:47, 44:100, 44:197, 44:339, 44:459, 45:01:01:01- 45:25, 46:11, 46:18, 46:32, 49:01:01:01-49:13, 49:16-49:46, 49:48-49:51, 49:53-49:60N, 49:62- 49:65, 50:01:01:01-50:02:01:02, 50:04-50:11, 50:13-50:16, 50:18-50:20, 50:31-50:50, 50:52- 50:69, 51:01:01:01-51:01:65, 51:01:67-51:01:74, 51:01:76-51:03, 51:05, 51:07:01-51:24:05, 51:26-51:41N, 51:43-51:44N, 51:48-51:55, 51:57-51:58, 51:60-51:61:02, 51:63:01-51:63:02, 51:65-51:80, 51:82-51:95, 51:97-51:134, 51:136-51:138, 51:140-51:147, 51:150-51:193, 51:195-51:212, 51:214-51:219, 51:221-51:226,

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: **9K0**

Lot-specific information

				51:228-51:280, 51:282-51:292, 51:294-51:298, 51:300-51:307, 52:01:01:01-52:44, 52:46-52:87, 52:89N-52:91, 52:93-52:94N, 54:01:01:01- 54:05N, 54:07-54:08N, 54:10-54:37, 54:39- 54:41, 55:01:01:01-55:01:06, 55:01:08-55:03, 55:05, 55:07, 55:09-55:13, 55:15-55:19, 55:21- 55:48, 55:50, 55:52-55:85, 55:87-55:106, 56:01:01:01-56:01:07, 56:01:09-56:01:15, 56:05:01-56:08, 56:13-56:17, 56:19N-56:30, 56:33-56:50, 56:52-56:55:01:02, 56:58-56:59, 56:61-56:62, 56:64-56:65, 56:67-56:71, 58:08:01-58:08:02, 59:01:01:01-59:10N, 73:01:01:01-73:02, 78:01:01:01-78:10, C*03:464, C*05:152, C*07:463, C*07:758, C*12:183, C*14:92
14⁴	115 bp 180 bp 215 bp	1070 bp	*41:13 *41:49 *41:16	
15⁴	115 bp 255 bp	1070 bp	*41:29 *41:14	*15:159, 15:260, 15:491, 35:302, 35:391, 35:437, 40:79, 46:52
16	290 bp	1070 bp	*41:15, 41:62	*07:33:01, 07:53, 07:60, 07:100, 07:139:01, 08:116, 08:134, 08:175, 13:71, 13:108, 14:05, 14:13, 14:53, 15:07:01:01-15:07:03, 15:45, 15:55, 15:68, 15:126, 15:197:02, 15:207, 15:324, 15:329, 15:331, 15:360, 15:383, 15:405, 15:421, 15:431, 15:450, 15:524, 18:14, 27:07:01-27:07:06, 27:11, 27:24, 27:32-27:34, 27:43, 27:138, 27:180, 27:219, 35:05:01:01- 35:05:03, 35:22:01:01-35:22:01:02, 35:31, 35:51, 35:58, 35:72, 35:89, 35:97, 35:114, 35:199, 35:232, 35:368, 35:389, 35:416, 35:427N, 35:440, 35:459N, 37:09, 38:19, 39:03:01:01-39:03:01:03, 39:14:01:01- 39:14:01:03, 39:24:01-39:24:02, 39:29, 39:37, 39:76, 39:120, 39:144, 39:152, 40:02:01:01- 40:03:01:02, 40:05:01:01-40:05:01:03, 40:08- 40:09, 40:13, 40:18-40:19, 40:24, 40:27:01- 40:27:02, 40:29, 40:35:01-40:35:02, 40:37, 40:39-40:40, 40:50:01:01-40:50:01:02, 40:56- 40:58, 40:71, 40:78, 40:82, 40:85, 40:89-40:91, 40:94, 40:97, 40:104-40:105, 40:107, 40:111, 40:115, 40:119, 40:122, 40:133Q, 40:142N- 40:145, 40:157, 40:164, 40:169, 40:173-40:174, 40:176, 40:180-40:181, 40:189, 40:200-40:203, 40:205-40:206, 40:209, 40:211, 40:214, 40:219- 40:220, 40:224, 40:226, 40:229, 40:232, 40:246, 40:248, 40:254-40:255, 40:266-40:267, 40:271, 40:274, 40:276, 40:283-40:284, 40:287, 40:289- 40:293, 40:296-40:297, 40:302-40:305, 40:309, 40:314, 40:320, 40:322, 40:331, 40:334-40:335, 40:337N, 40:345N, 40:347, 40:356, 40:359, 40:369, 40:371, 40:375, 40:378, 40:384, 40:390, 40:399N, 40:405, 40:409-40:410, 40:412- 40:415, 40:420, 40:432, 40:435, 40:437- 40:438N, 40:440-40:442, 40:444, 42:08, 42:14,

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: **9K0**

Lot-specific information

				44:54, 44:106, 44:135, 44:158, 44:184, 44:213, 46:12, 48:04:01:01-48:04:02, 48:13, 48:24, 51:64, 51:81, 51:148, 53:14, 55:04, 55:49, 55:51, 55:86, 58:18, 58:27, C*02:60, C*03:05, C*03:25, C*03:27, C*03:167, C*03:296:01-03:296:02, C*03:335, C*03:386, C*03:407, C*03:482, C*03:494, C*06:264, C*08:08:01-08:08:02
17⁴	85 bp 245 bp	1070 bp	*41:19 *41:49	*07:388, 08:40, 08:165, 08:171, 08:205, 27:83
18	140 bp	1070 bp	*41:24	*07:68:01-07:68:03, 07:100, 07:237, 07:262, 08:71, 13:108, 14:05, 14:13, 14:53, 15:07:01:01-15:07:03, 15:45, 15:55, 15:68, 15:126, 15:197:02, 15:207, 15:324, 15:329, 15:331, 15:360, 15:383, 15:405, 15:431, 15:450, 18:14, 27:32, 27:138, 27:180, 35:05:01:01-35:05:03, 35:22:01:01-35:22:01:02, 35:51, 35:58, 35:66, 35:72, 35:89, 35:97, 35:199, 35:232, 35:368, 35:389, 35:416, 35:427N, 35:440, 35:459N, 38:19, 39:03:01:01-39:03:01:03, 39:14:01:01-39:14:01:03, 39:24:01-39:24:02, 39:29, 39:37, 39:76, 39:120, 39:144, 39:152, 40:35:01-40:35:02, 40:71, 42:10, 42:17, 44:54, 44:106, 44:135, 44:158, 44:184, 44:213, 46:12, 48:12, 48:14, 48:29, 51:64, 53:14, 58:18
19	130 bp 155 bp	1070 bp	*41:28 *41:11	*44:80 *13:30, 40:293, 44:219
20^{4,5}	90 bp	1070 bp	*41:03:01-41:03:02, 41:08	*08:12:01-08:12:03, 08:16, 15:09:01-15:09:02, 15:30:01:01-15:30:01:03, 15:48, 15:150, 15:188, 15:243, 15:252, 15:361, 15:435, 15:541, 18:26, 18:61, 18:189, 27:125, 35:44, 35:251, 35:292, 35:367, 38:73, 39:70, 39:111, 39:116N, 39:126, 40:01:01-40:01:17, 40:01:19-40:01:37, 40:01:39-40:01:46, 40:01:48-40:01:67, 40:07, 40:10:01:01-40:12:02, 40:14:01-40:14:03, 40:21-40:23, 40:25-40:26, 40:43, 40:46-40:47, 40:49, 40:51, 40:54-40:55, 40:61-40:63, 40:65-40:67, 40:69, 40:72:01-40:74, 40:76, 40:79, 40:81, 40:84, 40:87:01-40:87:02, 40:92, 40:100-40:102, 40:106, 40:108, 40:112-40:114:02, 40:116-40:118N, 40:121, 40:123, 40:125:01-40:125:02, 40:128, 40:130:01-40:130:02, 40:132, 40:134-40:136, 40:138, 40:140-40:141, 40:146-40:147, 40:149-40:156, 40:163, 40:166, 40:168, 40:170-40:172, 40:175, 40:178-40:179, 40:182-40:183, 40:185-40:188, 40:191-40:199, 40:204, 40:207-40:208, 40:210, 40:212-40:213, 40:215-40:218, 40:221, 40:223, 40:227-40:228, 40:231, 40:234-40:239, 40:241-40:242, 40:245, 40:247, 40:249-40:253, 40:257-40:265N, 40:272-40:273, 40:277-40:279, 40:281-40:282, 40:285-40:286N, 40:288, 40:299-40:301, 40:308, 40:310, 40:312, 40:315, 40:319, 40:321, 40:323:01-40:329, 40:332-40:333, 40:336, 40:338N-40:339, 40:344, 40:346, 40:351, 40:353:01-40:353:02,

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
"Instructions for Use" (IFU)

Lot No.: **9K0**

Lot-specific information

				40:355, 40:357-40:358, 40:360, 40:365, 40:367, 40:370, 40:372N, 40:379-40:383, 40:385-40:386, 40:391-40:398, 40:400-40:402, 40:404, 40:406-40:407, 40:416-40:419, 40:421Q, 40:424, 40:426N, 40:428N, 40:430-40:431, 40:433, 40:436, 40:439, 40:443, 40:446-40:448, 44:31, 46:74, 48:03:01:01-48:03:02, 48:40, 51:06:01-51:06:04, 51:59, 51:194, 51:293, 55:08, 57:82, C*04:89, C*04:127, C*04:135, C*04:210, C*04:237, C*04:379, C*05:47, C*05:84, C*05:139, C*05:180N, C*05:182, C*05:193, C*07:775
21⁴	90 bp	1070 bp	*41:01:01:01-41:01:07, 41:05-41:07, 41:09, 41:12, 41:14, 41:16-41:17, 41:20, 41:22, 41:25-41:26, 41:28-41:30, 41:32-41:35, 41:37, 41:44, 41:50, 41:53-41:54, 41:56-41:57, 41:59-41:61	*40:366, 45:14
22	155 bp	1070 bp	*41:01:01:01-41:02:03, 41:02:05-41:11, 41:13-41:22, 41:24-41:63	*15:53, 15:212, 15:336, 15:347, 18:102, 18:107, 27:18, 27:29, 27:119, 35:63, 35:317, 38:22, 40:01:01-40:01:38, 40:01:40-40:02:02, 40:02:05-40:06:22, 40:09, 40:11:01:01-40:11:02, 40:13-40:16:01:02, 40:18-40:20:01:02, 40:22N-40:27:01, 40:28-40:40, 40:42-40:60, 40:62-40:67, 40:69-40:74, 40:76-40:82, 40:84-40:93, 40:95-40:102, 40:104-40:105, 40:107-40:136, 40:138-40:161, 40:163-40:165, 40:167-40:169, 40:171-40:184, 40:186:01-40:199, 40:201-40:208, 40:210-40:214, 40:216N-40:219, 40:221-40:225:02, 40:227-40:231, 40:233-40:247, 40:249-40:251, 40:253-40:309, 40:311-40:321, 40:323:01-40:361N, 40:363, 40:366-40:387, 40:389-40:396, 40:398-40:427, 40:429, 40:431-40:449, 44:02:01:01-44:02:01:39, 44:02:03-44:02:04, 44:02:06-44:02:47, 44:02:49-44:03:37, 44:03:39-44:05:04, 44:07-44:59:02, 44:61N-44:82, 44:85-44:89, 44:91-44:92, 44:94-44:96, 44:98-44:136, 44:138Q, 44:140-44:155, 44:157-44:193, 44:195N-44:204:02, 44:206-44:224, 44:226-44:231, 44:233-44:234, 44:236, 44:238, 44:240-44:241, 44:243-44:245, 44:247-44:262, 44:264-44:268, 44:270:01-44:346, 44:437-44:444, 44:446-44:452, 44:454-44:480Q, 45:01:01:01-45:05, 45:07-45:25, 47:01:01:02-47:10, 49:01:01:01-49:02, 49:04:01-49:14, 49:16-49:65, 50:01:01:01-50:01:09, 50:01:11-50:02:01:02, 50:04-50:20, 50:31-50:69, 51:103, 51:203, 51:276, 53:30, 57:51, 57:69, C*16:85
23	260 bp	800 bp	*41:43	*08:01:44, 14:01:01:01-14:07N, 14:08:01 [?] -14:09 [?] , 14:10, 14:11 [?] , 14:12, 14:13 [?] -14:30 [?] , 14:31, 14:32 [?] , 14:33-14:34, 14:35 [?] -14:40 [?] , 14:41N, 14:42 [?] -14:45 [?] , 14:46, 14:47 [?] -14:48 [?] , 14:49, 14:50 [?] -14:52 [?] , 14:53-14:54, 14:55 [?] ,

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
"Instructions for Use" (IFU)

Lot No.: **9K0**

Lot-specific information

			14:57 ² -14:58 ² , 14:59, 14:60 ² , 14:61-14:86, 15:04:04, 15:09:02, 18:168, 35:01:25, 35:35, 38:01:01:01-38:02:09, 38:03 ² -38:04 ² , 38:05- 38:06, 38:07 ² -38:08 ² , 38:09, 38:10 ² , 38:11- 38:12, 38:13 ² , 38:14, 38:15 ² -38:16 ² , 38:17- 38:18, 38:19 ² -38:20:01 ² , 38:20:02, 38:21 ² - 38:23 ² , 38:24, 38:25 ² -38:27 ² , 38:28, 38:29 ² , 38:30, 38:31 ² -38:34N ² , 38:35, 38:36 ² -38:45 ² , 38:46-38:50, 38:51 ² -38:54 ² , 38:55Q, 38:56 ² - 38:57 ² , 38:58, 38:59 ² , 38:60, 38:61 ² -38:66 ² , 38:67-38:86, 38:156-38:162, 39:01:01:01- 39:01:01:12, 39:01:03:01-39:15, 39:16 ² -39:18 ² , 39:19:01, 39:19:02 ² , 39:20, 39:22-39:26, 39:27 ² , 39:28, 39:29 ² -39:30 ² , 39:31:01:01-39:31:01:02, 39:32 ² , 39:33-39:34, 39:35 ² , 39:36-39:39:01, 39:39:02 ² , 39:40:01N-39:42, 39:44-39:47, 39:48 ² , 39:49-39:50, 39:51 ² -39:57 ² , 39:58-39:60, 39:61 ² , 39:62-39:64, 39:65 ² -39:76 ² , 39:77, 39:78 ² -39:83 ² , 39:84-39:88, 39:89 ² -39:91 ² , 39:92, 39:93 ² -39:96 ² , 39:97N-39:98, 39:99 ² - 39:102 ² , 39:103-39:104, 39:105 ² -39:115 ² , 39:116N, 39:117 ² -39:118 ² , 39:119, 39:120 ² , 39:121-39:123, 39:124 ² -39:128 ² , 39:129-39:132, 39:133N ² , 39:134-39:160, 40:01:42, 40:06:03, 58:20, 67:01:01-67:04, 67:06-67:07
24 ⁶	-	-	Negative Control

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-B*41 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

³For several HLA Class I alleles 1st and/or 4th exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances, it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

⁴HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

⁵Primer mixes 9 and 20 may have tendencies of unspecific amplifications.

⁶Primer mix 24 contains a negative control, which will amplify the majority of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: 9K0

Lot-specific information

range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 200 base pairs.

Abbreviations

w: might be weakly amplified.

?: nucleotide sequence information not available for the primer matching sequence.

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: **9K0**

Lot-specific information

PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec.	285	165	75	90	230	220	295	215	105	105	245	210
PCR product		215	225	265	255							
Length of int.	800	1070	1070	800	1070	1070	1070	1070	1070	800	800	1070
pos. control ¹												
5'-primer(s) ²	357	363	97	144	97	357	357	97	540	540	357	369
	5'-Tgg 3'	5'-AgC 3'	5'-TCC 3'	5'-gCA 3'	5'-TCC 3'	5'-Tgg 3'	5'-Tgg 3'	5'-TCC 3'	5'-gAC 3'	5'-gAC 3'	5'-Tgg 3'	5'-TAC 3'
			363	379								
			5'-AgC 3'	5'-ACC 3'								
3'-primer(s) ³	603	486	126	193	278	538	610	272	605	603	559	538
	5'-gTg 3'	5'-gCg 3'	5'-TCT 3'	5'-CgT 3'	5'-TgT 3'	5'-gTC 3'	5'-CTg 3'	5'-Tgg 3'	5'-gCT 3'	5'-gTg 3'	5'-CgT 3'	5'-gTC 3'
		538	142	603	292							
		5'-gTC 3'	5'-TgA 3'	5'-gTg 3'	5'-gTC 3'							
			279		312							
			5'-TTg 3'		5'-AgC 3'							
			407									
			5'-gCT 3'									
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15	16	17	18	19	20	21	22	23
Length of spec.	285	115	115	290	85	140	130	90	90	155	260
PCR product		180	255		245		155				
		215									
Length of int.	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070	800
pos. control ¹											
5'-primer(s) ²	357	366	106	363	400	363	160	363	362	167	3 rd I
	5'-Tgg 3'	5'-ATT 3'	5'-CCA 3'	5'-AgC 3'	5'-TCT 3'	5'-AgC 3'	5'-ACT 3'	5'-Agg 3'	5'-gAg 3'	5'-gCT 3'	5'-Agg 3'
		400	540		560		185				
		5'-TCT 3'	5'-gAC 3'		5'-CgA 3'		5'-CAA 3'				
		463									
		5'-TgT 3'									
3'-primer(s) ³	603	538	322	610	603	463	272	412	409	272	786
	5'-gTC 3'	5'-gTC 3'	5'-gTg 3'	5'-CTg 3'	5'-gTg 3'	5'-gCT 3'	5'-Tgg 3'	5'-gTT 3'	5'-ATg 3'	5'-Tgg 3'	5'-CTg 3'
			613							292	
			5'-gCC 3'							5'-gTA 3'	
Well No.	13	14	15	16	17	18	19	20	21	22	23

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

²The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.542-06 – including *Taq* polymerase, IFU-01

Visit <https://labproducts.caredx.com> for

101.542-06u – without *Taq* polymerase, IFU-02

“Instructions for Use” (IFU)

Lot No.: 9K0

Lot-specific information

CELL LINE VALIDATION SHEET																					
HLA-B*41 SSP primer set ²																					
					Well																
						1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
				Prod. No.:		201893901	202016702	201780403	201893904	202016705	201893906	201893907	201893908	201893909	201893910	201893911	201893912	201893913	201780414	201910015	201893916
	IHWC cell line ¹	B*																			
1	9001 SA	*07:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*52:01	*73:01		-	-	-	-	-	-	-	+	-	-	-	-	-	+	-	-	-
3	9011 E4181324	*52:01			-	-	-	-	-	-	-	+	-	-	-	-	-	+	-	-	-
4	9275 GU373	*15:10	*53:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011	*37:01			-	-	+	-	-	-	-	-	+	-	-	-	-	-	-	-	-
6	9353 SM	*39:01	*51:01		-	-	-	-	-	-	-	+	-	-	-	-	-	+	-	-	-
7	9020 QBL	*18:01			-	-	+	-	-	-	-	-	+	-	-	-	-	-	-	-	-
8	9025 DEU	*35:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR	*38:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107 LKT3	*54:01			-	-	-	-	-	-	-	+	-	-	-	+	-	+	-	-	-
11	9051 PITOUT	*44:03			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB	*57:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9004 JESTHOM	*27:05			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*15:01	*15:20		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB	*40:01			-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
16	9037 SWEIG007	*40:02			-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	+
17	9282 CTM3953540	*08:01	*55:01		-	+	-	-	-	-	-	+	-	-	+	+	+	+	-	-	-
18	9257 32367	*14:01	*56:01		-	-	-	-	-	-	-	+	-	-	-	-	-	+	-	-	-
19	9038 BM16	*18:01			-	-	+	-	-	-	-	-	+	-	-	-	-	-	-	-	-
20	9059 SLE005	*40:01			-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-
21	9064 AMALA	*15:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*35:03			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*40:02	*56:02		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	+
24	9035 JBUSH	*38:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	9049 IBW9	*14:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49	*58:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*07:05	*51:01		-	-	-	-	-	-	-	+	-	-	-	-	-	+	-	-	-
28	9320 BEL5GB	*44:02	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050 MOU	*44:03			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH	*42:01			-	+	-	-	-	-	-	-	-	-	+	-	+	-	-	-	-
31	9019 DUCAF	*18:01			-	-	+	-	-	-	-	-	+	-	-	-	-	-	-	-	-
32	9297 HAG	*41:02			-	+	-	-	-	-	-	-	+	-	+	-	+	-	-	-	-
33	9098 MT14B	*40:01			-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
34	9104 DHIF	*38:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	9302 SSTO	*44:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024 KT17	*15:01	*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB	*07:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*15:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*08:01	*27:05		-	+	-	-	-	-	-	-	-	-	+	-	+	-	-	-	-
40	9134 WHONP199	*13:02	*46:01		-	-	-	-	-	-	-	+	-	-	-	-	-	+	-	-	-
41	9055 H0301	*14:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066 TAB089	*46:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526	*46:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*38:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239 SHJO	*42:01	*50:01		-	+	-	-	-	-	-	+	+	-	+	-	+	+	-	-	-
46	9013 SCHU	*07:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*51:01			-	-	-	-	-	-	-	+	-	-	-	-	-	+	-	-	-
48	9303 TER-ND	*35:01	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: **9K0**

Lot-specific information

CELL LINE VALIDATION SHEET												
HLA-B*41 SSP primer set ²												
					Well							
					17	18	19	20	21	22	23	
					201780417	201559718	202016719	201910020	201559721	201780422	201893923	
Prod. No.:												
IHCW cell line ¹				B*								
1	9001	SA	*07:02		-	-	-	-	-	-	-	
2	9280	LK707	*52:01 *73:01		-	-	-	-	-	-	-	
3	9011	E4181324	*52:01		-	-	-	-	-	-	-	
4	9275	GU373	*15:10 *53:01		-	-	-	-	-	-	-	
5	9009	KAS011	*37:01		-	-	-	-	-	-	-	
6	9353	SM	*39:01 *51:01		-	-	-	-	-	-	-	
7	9020	QBL	*18:01		-	-	-	-	-	-	-	
8	9025	DEU	*35:01		-	-	-	-	-	-	-	
9	9026	YAR	*38:01		-	-	-	-	-	-	-	
10	9107	LKT3	*54:01		-	-	-	-	-	-	-	
11	9051	PITOUT	*44:03		-	-	-	-	-	+	-	
12	9052	DBB	*57:01		-	-	-	-	-	-	-	
13	9004	JESTHOM	*27:05		-	-	-	-	-	-	-	
14	9071	OLGA	*15:01 *15:20		-	-	-	-	-	-	-	
15	9075	DKB	*40:01		-	-	-	+	-	+	-	
16	9037	SWEIG007	*40:02		-	-	-	-	-	+	-	
17	9282	CTM3953540	*08:01 *55:01		-	-	-	-	-	-	-	
18	9257	32367	*14:01 *56:01		-	-	-	-	-	-	-	
19	9038	BM16	*18:01		-	-	-	-	-	-	-	
20	9059	SLE005	*40:01		-	-	-	+	-	+	-	
21	9064	AMALA	*15:01		-	-	-	-	-	-	-	
22	9056	KOSE	*35:03		-	-	-	-	-	-	-	
23	9124	IHL	*40:02 *56:02		-	-	-	-	-	+	-	
24	9035	JBUSH	*38:01		-	-	-	-	-	-	-	
25	9049	IBW9	*14:02		-	-	-	-	-	-	-	
26	9285	WT49	*58:01		-	-	-	-	-	-	-	
27	9191	CH1007	*07:05 *51:01		-	-	-	-	-	-	-	
28	9320	BEL5GB	*44:02 *44:03		-	-	-	-	-	+	-	
29	9050	MOU	*44:03		-	-	-	-	-	+	-	
30	9021	RSH	*42:01		-	-	-	-	-	-	-	
31	9019	DUCAF	*18:01		-	-	-	-	-	-	-	
32	9297	HAG	*41:02		-	-	-	-	-	+	-	
33	9098	MT14B	*40:01		-	-	-	+	-	+	-	
34	9104	DHIF	*38:01		-	-	-	-	-	-	-	
35	9302	SSTO	*44:02		-	-	-	-	-	+	-	
36	9024	KT17	*15:01 *35:01		-	-	-	-	-	-	-	
37	9065	HHKB	*07:02		-	-	-	-	-	-	-	
38	9099	LZL	*15:01		-	-	-	-	-	-	-	
39	9315	CML	*08:01 *27:05		-	-	-	-	-	-	-	
40	9134	WHONP199	*13:02 *46:01		-	-	-	-	-	-	-	
41	9055	H0301	*14:02		-	-	-	-	-	-	-	
42	9066	TAB089	*46:01		-	-	-	-	-	-	-	
43	9076	T7526	*46:01		-	-	-	-	-	-	-	
44	9057	TEM	*38:01		-	-	-	-	-	-	-	
45	9239	SHJO	*42:01 *50:01		-	-	-	-	-	+	-	
46	9013	SCHU	*07:02		-	-	-	-	-	-	-	
47	9045	TUBO	*51:01		-	-	-	-	-	-	-	
48	9303	TER-ND	*35:01 *44:03		-	-	-	-	-	+	-	

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: 9K0

Lot-specific information

¹The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

²The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 9, 14, 15, 17 and 19 were available.

The specificities of the primers in primer solutions 9 and 17 were tested by separately adding one 3'-primer, respectively one 5'-primer.

In primer solutions 14 and 19 it was only possible to test the 3'-primers, the 5'-primers were not possible to be tested.

In primer solution 15 it was only possible to test the 5'-primers, the 3'-primers were not possible to be tested.

In primer solutions 3 and 5, two or three 3'-primers were not possible to be tested. In primer mix 17, one 5'-primer was not possible to test.

In addition, one or more 5'- and/or 3'-primers in primer solutions 2 to 4 were tested by separately adding one 3'-primers and/or 5'-primers respectively.

101.542-06 – including *Taq* polymerase, IFU-01
101.542-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for
“Instructions for Use” (IFU)

Lot No.: **9K0**

Lot-specific information

ADDRESSES:

Manufacturer:

CareDx AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-508 939 00

Fax: +46-8-717 88 18

E-mail: orders-se@caredx.com

Web page: <https://labproducts.caredx.com/>

Distributed by:

CareDx GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00

Fax: +43-1-710 15 00 10

E-mail: orders-at@caredx.com

Web page: <https://labproducts.caredx.com/>

CareDx Lab Solutions Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-653-78171

Fax: 610-344-7989

E-mail: orders-us@caredx.com

Web page: <https://labproducts.caredx.com/>

For information on CareDx distributors worldwide, contact **CareDx GmbH**.