

101.572-12 – including *Taq* pol., IFU-01
101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **0D4**

Lot-specific information

Olerup SSP® HLA-B*57:01

Product number:	101.572-12 – including <i>Taq</i> polymerase 101.572-12u – without <i>Taq</i> polymerase
Lot number:	0D4
Expiry date:	2018-May-01
Number of tests:	12
Number of wells per test:	20+1
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 0D4.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

CHANGES COMPARED TO THE PREVIOUS OLERUP SSP® HLA-B*57:01 LOT (27X).

The format of the Product Insert and Worksheet have been changed.

Positive and negative control DNAs are included in the kit.

One well has been added to HLA-B*57:01, well **21**.

The HLA-B*57:01 primer set, specificity and interpretation tables have been updated for the HLA-B alleles described since the previous *Olerup SSP®* HLA-B*57:01 lot was made (**Lot No. 27X**). The kit design is based on IMGT/HLA database 3.21.1.

As of lot series V, the Specificity Table is included in the lot-specific Product Insert, and the Interpretation Table is included in the Worksheet.

101.572-12 – including *Taq* pol., IFU-01
101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **0D4**

Lot-specific information

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
8	Added	-	5'-primer added for the B*57:73 allele.
9	Added	-	5'-primer added for the B*57:74 allele.
14	Added	-	5'-primer added for the B*57:77 allele.
15	-	Added	3'-primer added for the B*57:78 allele.
17	-	Modified	3'-primers modified for improved HLA-specific amplification.
18	Added	-	5'-primer added for the B*57:79N allele.
19	-	Added	3'-primer added for the B*57:76 allele.
20	Added	Added	Updated negative control moved to well 21, primer pair added for the B*57:75 allele.
21	-	-	Updated negative control added from well 20.

101.572-12 – including *Taq* pol., IFU-01
101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **0D4**

Lot-specific information

Well **21** contains Negative Control primer pairs, that will amplify more than 95% of the *Olerup SSP®* HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs.
The PCR product generated by the positive control primer pair is 430 base pairs.

Length of PCR product	105	200	105	80	75	80	85
5'-primer¹	164	340	440	45	45	43	36
	5'-CAC ^{3'}	5'-Agg ^{3'}	5'-TTA ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-TAC ^{3'}
							36
							5'-TAT ^{3'}
3'-primer²	231	2nd I	507	59	58	57	47
	5'-TgC ^{3'}	5'-AAA ^{3'}	5'-TTg ^{3'}	5'-CTC ^{3'}	5'-ggC ^{3'}	5'-CTC ^{3'}	5'-ACA ^{3'}
							48
							5'-gCA ^{3'}
							48
							5'-gCC ^{3'}
							52
							5'-TgT ^{3'}
A*	+	+	+				
B*	+	+	+				
C*	+	+	+				
DRB1				+	+		
DRB3				+	+		
DRB5				+			
DQB1					+		
DPB1						+	
DQA1							+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.572-12 – including *Taq* pol., IFU-01
101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **0D4**

Lot-specific information

PRODUCT DESCRIPTION

HLA-B*57:01 SSP subtyping

CONTENT

The primer set contains 5'- and 3'-primers for identifying the B*57:01:01 to 57:01:22 alleles.

The primer solutions consist of specific primer mixes, i.e. group-specific primers as well as a **control primer pair** matching non-allelic sequences.

Positive and negative control DNAs are included in the kit:

DNA 1; a B*57-positive DNA as a positive control, **IHW 9052, DBB, B*57:01.**

DNA 2; a B*58-positive DNA as a negative control, **IHW 9285, WT49, B*58:01.**

(A B*58:01-positive DNA was chosen as negative control, as this is most similar to the B*57 group of alleles in the primer matching regions.)

The kit contains enough control DNAs to perform 1 test set up of positive and negative control. If more than 1 test set up per kit are run other positive and negative DNA samples can be used as controls (e.g. positive and negative samples from previous tests).

Legal notice: The DNA in this kit is included under licensing agreement between Olerup SSP AB and Public Health England.

PLATE LAYOUT

Each test consists of 21 PCR reactions in a 24 well cut PCR plate. Wells 22 to 24 are empty.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	NC	empty	empty	empty

The 24 well cut PCR plate is marked with 'B*57:01' in silver/gray ink.

Well No. 1 is marked with the Lot No. '0D4'.

Wells 1 to 20 – HLA-B*57:01 primers.

Well 21 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are heat-sealed with a PCR-compatible foil.

Please note: When removing each 24 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

Due to the sharing of sequence motifs between HLA-B alleles some non-HLA-B*57 alleles will be amplified by primer mixes 1 to 17. In addition, a few HLA-A and HLA-C alleles will be amplified by primer mixes 5, 7, 10, 11 and 13 to 17.

101.572-12 – including *Taq* pol., IFU-01
101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **0D4**

Lot-specific information

For further details see Specificity Table.

UNIQUELY IDENTIFIED ALLELES

HLA-B*57:01 will give rise to a unique amplification pattern by the primers in the HLA-B*57:01 kit^{1,2}.

The HLA-B*57:01 typing kit cannot distinguish the silent mutations in the B*57:01:01 to B*57:01:22 alleles.

¹HLA-B alleles listed on the IMGT/HLA web page 2015-August-11, release 3.21.1, www.ebi.ac.uk/imgt/hla.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

101.572-12 – including *Taq* pol., IFU-01
101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **0D4**

Lot-specific information
SPECIFICITY TABLE

HLA-B*57:01 SSP subtyping

Specificities and sizes of the PCR products of the 20+1 primer mixes used for HLA-B*57:01 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified HLA-B*57:01 alleles	Other amplified HLA-B alleles ^{3,4}
1⁵	90 bp	800 bp	*57:01:01-57:01:22	*57:02:01-57:15, 57:17-57:19, 57:21-57:35, 57:37-57:44, 57:46-57:50, 57:52-57:61, 57:63-57:68, 57:70-57:79N, 58:36
2	220 bp	800 bp	57:01:01-57:01:22	*57:03:01-57:03:02, 57:06-57:08, 57:10, 57:14:01-57:18, 57:20-57:23, 57:25-57:27, 57:29, 57:31-57:41, 57:43-57:51, 57:53-57:60, 57:62, 57:64-57:79N, 35:208, 40:30, 40:34, 44:153, 55:14, 58:14
3⁵	95 bp 170 bp 215 bp	800 bp		*57:04, 57:32, 44:153 *57:06, 57:18 *57:27
4⁵	100 bp	1070 bp		*57:15, 57:20, 57:29, 57:62, 07:120, 15:214, 18:81, 35:250, 40:150, 51:165
5⁵	90 bp 165 bp 200 bp 245 bp	800 bp		*57:16, 57:34, 58:54 *57:23 *57:46, 57:64 *57:07, 57:26, 44:153, 55:14, C*06:72
6⁵	90 bp	1070 bp		*57:02:01-57:03:02, 57:07, 57:09, 57:12, 57:17, 57:39, 57:42, 57:46, 57:57, 57:63, 57:66, 57:70, 40:30, 40:34, *57:08, 57:65
7⁵	205 bp 100 bp 140 bp 185 bp 215 bp 250 bp	1070 bp		*57:53 *57:13, 57:31, 07:227, 40:30, 40:34, C*06:72 *57:50 *57:09, 57:24 *57:13-57:14:02, 57:25, 07:227, 40:30, 40:34
8	185 bp	1070 bp		*57:10, 57:39, 57:44, 57:51, 57:73, 07:219, 58:41
9⁵	110 bp 150 bp	800 bp		*57:33 *57:21, 57:40, 57:74, 14:20, 35:127, 51:186
10	205 bp 240 bp	1070 bp		*57:13, 57:22, 57:57, 57:63, 07:227, 55:14, C*06:72^w *57:43
11⁵	100 bp	1070 bp	*57:01:01-57:01:22	*57:06, 57:08, 57:10, 57:13-57:16, 57:18-57:27, 57:29-57:31, 57:33-57:38, 57:40 ^w , 57:41, 57:43-57:45,

101.572-12 – including *Taq* pol., IFU-01
101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **0D4**

Lot-specific information

			57:47-57:52, 57:54-57:56, 57:58-57:62, 57:64-57:65, 57:67-57:69, 57:71-57:75, 57:77-57:79N, 35:208, 55:14, 58:14, C*06:72
12^{5,6}	75 bp 100 bp 140 bp	1070 bp	*57:35 *57:36 *57:08, 57:38, 57:60, 15:87
13⁵	105 bp 155 bp 200 bp	1070 bp	*57:45, 57:51, 57:69, 57:71, A*02:285 *57:58, 07:219, 58:12, A*02:42, A*02:310 *57:49
14⁵	100 bp 125 bp 205 bp	1070 bp	*57:59, 15:116, 40:63, 40:92, 44:169, 44:182, 46:43, C*03:129, C*03:234, C*17:07 *57:47, 57:54, 15:33, 15:248, 49:22, 51:126, C*03:87:01-03:87:02, C*05:27, C*05:39, C*08:115 *57:77, 44:36, C*03:232
15	145 bp 185 bp 295 bp	1070 bp	*57:56, 57:78, 15:340, 40:218, 46:28, 51:58 *57:48, A*33:12 *57:55
16⁵	65 bp	1070 bp	*57:67, 58:14, C*06:72
17⁵	90 bp 180 bp	1070 bp	*57:04, 57:41, 44:153, C*06:72 *57:68
18	170 bp	1070 bp	*57:37, 57:79N
19⁵	100 bp 215 bp	1070 bp	*57:76 *57:72
20	155 bp	1070 bp	*57:75
21⁷	-	-	Negative Control

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-B*57:01 SSP typings. When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well

101.572-12 – including *Taq* pol., IFU-01

101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: 0D4

Lot-specific information

as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

³For several HLA Class I alleles 1st and/or 4th exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

⁴Due to the sharing of sequence motifs between HLA-B alleles some non-HLA-B*57 alleles will be amplified by primer mixes 1 to 17. In addition, a few HLA-A and HLA-C alleles will be amplified by primer mixes 5, 7, 10, 11 and 13 to 17.

⁵HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

⁶Primer mix 12 has a tendency to giving rise to primer oligomer formation.

⁷Primer mix 21 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 430 base pairs.

‘w’, may be weakly amplified.

101.572-12 – including *Taq* pol., IFU-01
101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **0D4**

Lot-specific information

PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec. PCR product	90	220	95	100	90	90	100	185	110	205	100	75
			170		165	205	140		150	240		100
			215		200		185					140
					245		215					
							250					
Length of int. pos. control ¹	800	800	800	1070	800	1070	1070	1070	800	1070	1070	1070
5'-primer(s) ²	209 5'-ggC 3'	362 5'-ggT 3'	362 5'-ggT 3'	209 5'-ggC 3'	130 5'-AgT 3'	320 5'-CCC 3'	362 5'-ggT 3'	97 5'-TCC 3'	349 5'-CTT 3'	362 5'-ggT 3'	362 5'-ggT 3'	209 5'-ggC 3'
				704 5'-TgT 3'	200 5'-TCg 3'	362 5'-ggT 3'		103 5'-CCT 3'	352 5'-ACg 3'			
					209 5'-ggA 3'			122 5'-CCT 3'	353 5'-CAA 3'			
					362 5'-ggT 3'				392 5'-CgA 3'			
3'-primer(s) ³	256 5'-CCC 3'	539 5'-TCA 3'	418 5'-gTC 3'	259 5'-CTT 3'	256 5'-CCC 3'	2 nd I 5'-TCg 3'	421 5'-ggT 3'	256 5'-CCC 3'	463 5'-gCT 3'	527 5'-CCT 3'	419 5'-Cgg 3'	244 5'-CTT 3'
			481 5'-gTA 3'	263 5'-gTT 3'	523 5'-ACA 3'	412 5'-gTT 3'	463 5'-gCg 3'			559 5'-Cgg 3'	419 5'-Cag 3'	268 5'-gTg 3'
			500 5'-ggA 3'	271 5'-CAC 3'	559 5'-CgT 3'	521 5'-ggA 3'	505 5'-gCC 3'					302 5'-ggg 3'
			537 5'-Agg 3'	774 5'-ggT 3'	572 5'-gCg 3'		538 5'-gTC 3'					302 5'-ggC 3'
							559 5'-CTC 3'					320 5'-Agg 3'
							583 5'-gTg 3'					

Well No.	13	14	15	16	17	18	19	20
Length of spec. PCR product	105	100	145	65	90	170	100	155
	155	125	185		180		215	
	200	205	295					
Length of int. pos. control ¹	1070	1070	1070	1070	1070	1070	1070	1070
5'-primer(s) ²	97 5'-TCg 3'	395 5'-gCT 3'	106 5'-CCA 3'	362 5'-ggT 3'	362 5'-ggT 3'	877 5'-AC 3'	362 5'-ggT 3'	106 5'-CCA 3'
	142 5'-TCT 3'	467 5'-CTg 3'	395 5'-gCC 3'			878 5'-gCA 3'		
	193 5'-CCA 3'	485 5'-CAA 3'	757 5'-CCA 3'					
		499 5'-TCT 3'						
3'-primer(s) ³	256 5'-CCC 3'	559 5'-Cag 3'	212 5'-ggT 3'	387 5'-TCg 3'	409 5'-ATA 3'	916 5'-gAC 3'	419 5'-CgA 3'	220 5'-TgT 3'
			214 5'-CCA 3'		502 5'-CTT 3'		534 5'-Tgg 3'	
			539 5'-TCA 3'					
			916 5'-gAC 3'					

101.572-12 – including *Taq* pol., IFU-01
101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **0D4**

Lot-specific information

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

²The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.572-12 – including *Taq* pol., IFU-01
101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **0D4**

Lot-specific information

CELL LINE VALIDATION SHEET																				
HLA-B*57:01 SSP typing kit ²																				
					Well															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
				Prod. No.:	201327601	201327602	201327603	201327604	201327605	201327606	201441007	201558608	201558609	201558610	201327611	201327612	201327613	201558614	201558615	201441016
	IHWC cell line ¹		B*																	
1	9001	SA	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280	LK707	*52:01	*73:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	9011	E4181324	*52:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9275	GU373	*15:10	*53:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009	KAS011	*37:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353	SM	*39:01	*51:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	9020	QBL	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025	DEU	*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026	YAR	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107	LKT3	*54:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051	PITOUT	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052	DBB	*57:01		+	+	-	-	-	-	-	-	-	-	+	-	-	-	-	-
13	9025	JESTHOM	*27:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071	OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075	DKB	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037	SWEIG007	*40:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	9282	CTM3953540	*08:01	*55:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	9257	32367	*14:01	*56:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	9038	BM16	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059	SLE005	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064	AMALA	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056	KOSE	*35:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124	IHL	*40:02	*56:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	9035	JBUSH	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	9049	IBW9	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285	WT49	*58:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191	CH1007	*07:05	*51:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	9320	BEL5GB	*44:02	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050	MOU	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021	RSH	*42:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	9019	DUCAF	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297	HAG	*41:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098	MT14B	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104	DHIF	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	9302	SSTO	*44:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024	KT17	*15:01	*35:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065	HHKB	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099	LZL	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315	CML	*08:01	*27:05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	9134	WHONP199	*13:02	*46:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	9055	H0301	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066	TAB089	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076	T7526	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057	TEM	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239	SHJO	*42:01	*50:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	9013	SCHU	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045	TUBO	*51:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	9303	TER-ND	*35:01	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

101.572-12 – including *Taq* pol., IFU-01
101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **0D4**

Lot-specific information

CELL LINE VALIDATION SHEET									
HLA-B*57:01 SSP typing kit ²									
					Prod. No.:	Well			
						17	18	19	20
						201558617	201558618	201558619	201558620
IHWC cell line ¹			B*						
1	9001	SA	*07:02			-	-	-	-
2	9280	LK707	*52:01	*73:01		-	-	-	-
3	9011	E4181324	*52:01			-	-	-	-
4	9275	GU373	*15:10	*53:01		-	-	-	-
5	9009	KAS011	*37:01			-	-	-	-
6	9353	SM	*39:01	*51:01		-	-	-	-
7	9020	QBL	*18:01			-	-	-	-
8	9025	DEU	*35:01			-	-	-	-
9	9026	YAR	*38:01			-	-	-	-
10	9107	LKT3	*54:01			-	-	-	-
11	9051	PITOUT	*44:03			-	-	-	-
12	9052	DBB	*57:01			-	-	-	-
13	9025	JESTHOM	*27:05			-	-	-	-
14	9071	OLGA	*15:01	*15:20		-	-	-	-
15	9075	DKB	*40:01			-	-	-	-
16	9037	SWEIG007	*40:02			-	-	-	-
17	9282	CTM3953540	*08:01	*55:01		-	-	-	-
18	9257	32367	*14:01	*56:01		-	-	-	-
19	9038	BM16	*18:01			-	-	-	-
20	9059	SLE005	*40:01			-	-	-	-
21	9064	AMALA	*15:01			-	-	-	-
22	9056	KOSE	*35:03			-	-	-	-
23	9124	IHL	*40:02	*56:02		-	-	-	-
24	9035	JBUSH	*38:01			-	-	-	-
25	9049	IBW9	*14:02			-	-	-	-
26	9285	WT49	*58:01			-	-	-	-
27	9191	CH1007	*07:05	*51:01		-	-	-	-
28	9320	BEL5GB	*44:02	*44:03		-	-	-	-
29	9050	MOU	*44:03			-	-	-	-
30	9021	RSH	*42:01			-	-	-	-
31	9019	DUCAF	*18:01			-	-	-	-
32	9297	HAG	*41:02			-	-	-	-
33	9098	MT14B	*40:01			-	-	-	-
34	9104	DHIF	*38:01			-	-	-	-
35	9302	SSTO	*44:02			-	-	-	-
36	9024	KT17	*15:01	*35:01		-	-	-	-
37	9065	HHKB	*07:02			-	-	-	-
38	9099	LZL	*15:01			-	-	-	-
39	9315	CML	*08:01	*27:05		-	-	-	-
40	9134	WHONP199	*13:02	*46:01		-	-	-	-
41	9055	H0301	*14:02			-	-	-	-
42	9066	TAB089	*46:01			-	-	-	-
43	9076	T7526	*46:01			-	-	-	-
44	9057	TEM	*38:01			-	-	-	-
45	9239	SHJO	*42:01	*50:01		-	-	-	-
46	9013	SCHU	*07:02			-	-	-	-
47	9045	TUBO	*51:01			-	-	-	-
48	9303	TER-ND	*35:01	*44:03		-	-	-	-

101.572-12 – including *Taq* pol., IFU-01
101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **0D4**

Lot-specific information

¹The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

²The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 3 to 5, 7 to 10 and 12 to 20 were available. The specificities of the primers in primer solutions 3 to 5, 7, 8, 10, 12 to 17 and 19 were tested by separately adding additional 5'-primers, respectively 3'-primers. In primer solutions 9 and 18 it was only possible to test the 3'-primer, the 5'-primers were not possible to test.

In primer solution 20 it was only possible to test the 5'-primer, the 3'-primers were not possible to test.

In primer solutions 3 to 7, 10 to 12, 15 and 19 one to three 3'-primers were not possible to test, and in primer solutions 4, 5, 8, 14 and 15 one to three 5'-primers were not possible to test.

101.572-12 – including *Taq* pol., IFU-01

101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **0D4**

Lot-specific information

101.572-12 – including *Taq* pol., IFU-01

101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **0D4**

Lot-specific information

101.572-12 – including *Taq* pol., IFU-01
101.572-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **0D4**

Lot-specific information

ADDRESSES:

Manufacturer:

Olerup SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-717 88 27

Fax: +46-8-717 88 18

E-mail: info-ssp@olerup.com

Web page: <http://www.olerup-ssp.com>

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00

Fax: +43-1-710 15 00 10

E-mail: support-at@olerup.com

Web page: <http://www.olerup.com>

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-OLERUP1

Fax: 610-344-7989

E-mail: info.us@olerup.com

Web page: <http://www.olerup.com>

For information on *Olerup* SSP distributors worldwide, contact **Olerup GmbH**.